

# Georgia Standards of Excellence Curriculum Map

# **Mathematics**

7<sup>th</sup> Grade



Unit 1	Georgia Standards of Excellence Seventh Grade Curriculum Map							
(4 - 5 weeks)         (4 - 5 weeks)         (4 - 5 weeks)         (4 - 5 weeks)         (3 - 4 weeks)         (3 - 4 weeks)           Operations with Rational Numbers         Expressions & Equations         Ratios and Proportional Relationships         Geometry         Inferences         Probability         Show What We Know           MCC7.NS.1a MCC7.NS.1a MCC7.EE.1         MCC7.EE.2         MCC7.RP.1         MCC7.G.2         MCC7.SP.1         MCC7.SP.5         ALL           MCC7.NS.1b MCC7.NS.1c MCC7.NS.1c MCC7.EE.3 MCC7.RP.2b MCC7.RP.2b MCC7.SP.3 MCC7.SP.3 MCC7.SP.3         MCC7.SP.3 MCC7.SP.3 MCC7.SP.3 MCC7.SP.3 MCC7.SP.4 MCC7.SP.7a MCC7.SP.7a MCC7.SP.7b MCC7.SP.7b MCC7.SP.7b MCC7.SP.8b MCC7.SP.8b MCC7.SP.8b MCC7.SP.8b MCC7.SP.8c         MCC7.SP.8b MCC7.SP.8c           MCC7.NS.2b MCC7.NS.2c MCC7.NS.2d MCC7.SP.8c         MCC7.G.6         MCC7.SP.8c         MCC7.SP.8c	1 <sup>st</sup> Semester			2 <sup>nd</sup> Semester				
Operations with Rational NumbersExpressions & EquationsRatios and Proportional RelationshipsGeometryInferencesProbabilityShow What We KnowMCC7.NS.1a MCC7.NS.1a MCC7.NS.1b MCC7.EE.1MCC7.RP.1 MCC7.RP.1 MCC7.SP.5 MCC7.SP.1 MCC7.SP.5 MCC7.SP.2a MCC7.SP.2a MCC7.SP.2a MCC7.SP.2 MCC7.SP.2 MCC7.SP.2 MCC7.SP.2 MCC7.SP.3 MCC7.SP.3 MCC7.SP.3 MCC7.SP.3 MCC7.SP.3 MCC7.SP.3 MCC7.SP.3 MCC7.SP.3 MCC7.SP.4 MCC7.SP.4 MCC7.SP.4 MCC7.SP.4 MCC7.SP.4 MCC7.SP.4 MCC7.SP.4 MCC7.SP.7b MCC7.NS.2a MCC7.SP.2d MCC7.RP.2d MCC7.RP.2d MCC7.SP.3 MCC7.SP.8a MCC7.SP.8a MCC7.SP.3 MCC7.SP.8b MCC7.SP.2d MCC7.SP.8c	Unit 1	Unit 2	Unit 3	Unit 4	Unit 5	Unit 6	Unit 7	
Rational Numbers         Equations         Relationships         Know           MCC7.NS.1a MCC7.NS.1b MCC7.NS.1b MCC7.NS.1b MCC7.SE.2 MCC7.NS.1c MCC7.NS.1c MCC7.NS.1d MCC7.SE.4a MCC7.NS.2a MCC7.NS.2a MCC7.RP.2d MCC7.NS.2b MCC7.NS.2c MCC7.RP.3 MCC7.RP.3 MCC7.RP.3 MCC7.RP.3 MCC7.RP.3 MCC7.RP.3 MCC7.RP.3 MCC7.RP.3 MCC7.RP.3 MCC7.RP.3 MCC7.SP.8b MCC7.SP.8c         Know           MCC7.SP.1 MCC7.SP.2 MCC7.SP.3 MCC7.SP.3 MCC7.SP.4 MCC7.SP.8a MCC7.SP.8b MCC7.SP.8c         MCC7.SP.7b MCC7.SP.8c	(4 – 5 weeks)	(4 – 5 weeks)	(4 – 5 weeks)	(4-5 weeks)	(4-5 weeks)	(3 – 4 weeks)	(3-4 weeks)	
MCC7.NS.1b         MCC7.EE.2         MCC7.RP.2a         MCC7.G.3         MCC7.SP.2         MCC7.SP.6           MCC7.NS.1c         MCC7.EE.3         MCC7.RP.2b         MCC7.G.4         MCC7.SP.3         MCC7.SP.3           MCC7.NS.1d         MCC7.EE.4a         MCC7.RP.2c         MCC7.SP.4         MCC7.SP.4           MCC7.NS.2a         MCC7.EE.4b         MCC7.RP.2d         MCC7.SP.4           MCC7.NS.2b         MCC7.EE.4c         MCC7.RP.3         MCC7.SP.8a           MCC7.NS.2c         MCC7.SP.8b         MCC7.SP.8c		_		Geometry	Inferences	Probability		
	MCC7.NS.1b MCC7.NS.1c MCC7.NS.1d MCC7.NS.2a MCC7.NS.2b MCC7.NS.2c MCC7.NS.2c	MCC7.EE.1 MCC7.EE.2 MCC7.EE.3 MCC7.EE.4a MCC7.EE.4b	MCC7.RP.1 MCC7.RP.2a MCC7.RP.2b MCC7.RP.2c MCC7.RP.2d MCC7.RP.3 MCC7.G.1	MCC7.G.3 MCC7.G.4	MCC7.SP.2 MCC7.SP.3	MCC7.SP.6 MCC7.SP7 MCC7.SP.7a MCC7.SP.7b MCC7.SP.8a MCC7.SP.8b	ALL	

These units were written to build upon concepts from prior units, so later units contain tasks that depend upon the concepts addressed in earlier units.

All units will include the Mathematical Practices and indicate skills to maintain.

NOTE: Mathematical standards are interwoven and should be addressed throughout the year in as many different units and tasks as possible in order to stress the natural connections that exist among mathematical topics.

Grades 6-8 Key: NS = The Number System, RP = Ratios and Proportional Relationships, EE = Expressions and Equations, G = Geometry, SP = Statistics and Probability

\*Revised standards indicated in bold red font.

Georgia Standards of Excellence Seventh Grade Curriculum Map – 1 <sup>st</sup> Semester								
<ol> <li>Make sense of problems and persevere in solving them.</li> <li>Reason abstractly and quantitatively.</li> <li>Construct viable arguments and critique the reasoning of others.</li> <li>Model with mathematics.</li> </ol>	Standards for Mathematical Practice  5 Use appropriate tools strategically. 6 Attend to precision. 7 Look for and make use of structure. 8 Look for and express regularity in repeated reasoning.							
Unit 1	Unit 2	Unit 3						
Operations with Rational Numbers	Expressions & Equations	Ratios and Proportional Relationships						
Apply and extend previous understandings of operations	Use properties of operations to generate equivalent	Analyze proportional relationships and use them to solve						
with fractions to add, subtract, multiply, and divide rational numbers.  MCC7.NS.1 Apply and extend previous understandings of addition and subtraction to add and subtract rational numbers; represent addition and subtraction on a horizontal or vertical number line diagram.  MCC7.NS.1a Show that a number and its opposite have a sum of 0 (are additive inverses). Describe situations in which opposite quantities combine to make 0. For example, your bank account balance is -\$25.00. You deposit \$25.00 into your account. The net balance is \$0.00.  MCC7.NS.1b Understand p + q as the number located a distance from p, in the positive or negative direction depending on whether q is positive or negative. Interpret sums of rational numbers by describing real world contexts.  MCC7.NS.1c Understand subtraction of rational numbers as adding the additive inverse, p - q = p + (-q). Show that the distance between two rational numbers on the number line is the absolute value of their difference, and apply this principle in real-world contexts.  MCC7.NS.1d Apply properties of operations as strategies to add and subtract rational numbers.  MCC7.NS.2 Apply and extend previous understandings of multiplication and division and of fractions to multiply and divide rational numbers.  MCC7.NS.2a Understand that multiplication is extended from fractions to rational numbers by requiring that operations continue to satisfy the properties of operations, particularly the distributive property, leading to products such as	expressions.  MCC7.EE.1 Apply properties of operations as strategies to add, subtract, factor, and expand linear expressions with rational coefficients.  MCC7.EE.2 Understand that rewriting an expression in different forms in a problem context can clarify the problem and how the quantities in it are related. For example a + 0.05a = 1.05a means that adding a 5% tax to a total is the same as multiplying the total by 1.05  Solve real-life and mathematical problems using numerical and algebraic expressions and equations.  MCC7.EE.3 Solve multistep real-life and mathematical problems posed with positive and negative rational numbers in any form (whole numbers, fractions, and decimals) by applying properties of operations as strategies to calculate with numbers, converting between forms as appropriate, and assessing the reasonableness of answers using mental computation and estimation strategies.  For example:  If a woman making \$25 an hour gets a 10% raise, she will make an additional 1/10 of her salary an hour, or \$2.50, for a new salary of \$27.50.  If you want to place a towel bar 9 3/4 inches long in the center of a door that is 27 1/2 inches wide, you will need to place the bar about 9 inches from each edge; this estimate can be used as a check on the exact computation.  MCC7.EE.4 Use variables to represent quantities in a real-world or mathematical problem, and construct simple equations and inequalities to solve problems by reasoning about the quantities.	real-world and mathematical problems.  MCC7.RP.1 Compute unit rates associated with ratios of fractions, including ratios of lengths, areas and other quantities measured in like or different units. For example, if a person walks 1/2 mile in each 1/4 hour, compute the unit rate as the complex fraction (1/2)/(1/4) miles per hour, equivalently 2 miles per hour.  MCC7.RP.2 Recognize and represent proportional relationships between quantities.  MCC7.RP.2a Decide whether two quantities are in a proportional relationship, e.g., by testing for equivalent ratios in a table or graphing on a coordinate plane and observing whether the graph is a straight line through the origin.  MCC7.RP.2b Identify the constant of proportionality (unit rate) in tables, graphs, equations, diagrams, and verbal descriptions of proportional relationships.  MCC7.RP.2c Represent proportional relationships by equations.  MCC7.RP.2d.Explain what a point (x, y) on the graph of a proportional relationship means in terms of the situation, with special attention to the points (0, 0) and (1,r) where r is the unit rate.  MCC7.RP.3 Use proportional relationships to solve multistep ratio and percent problems. Examples: simple interest, tax, markups and markdowns, gratuities and commissions, and fees.  Draw, construct, and describe geometrical figures and describe the relationships between them.  MCC7.G.1 Solve problems involving scale drawings of geometric figures, including computing actual lengths and areas						

(-1)(-1) = 1 and the rules for multiplying signed numbers. Interpret products of rational numbers by describing real-world contexts

**MCC7.NS.2b** Understand that integers can be divided, provided that the divisor is not zero, and every quotient of integers (with non-zero divisor) is a rational number. If p and q are integers then -(p/q) = (-p)/q = p/(-q). Interpret quotients of rational numbers by describing real-world contexts.

MCC7.NS.2c Apply properties of operations as strategies to multiply and divide rational numbers.

MCC7.NS.2d Convert a rational number to a decimal using long division; know that the decimal form of a rational number terminates in 0s or eventually repeats.

MCC7.NS.3 Solve real-world and mathematical problems involving the four operations with rational numbers.

**MCC7.EE.4a** Solve word problems leading to equations of the form px + q = r and p(x + q) = r, where p, q, and r are specific rational numbers. Solve equations of these forms fluently. Compare an algebraic solution to an arithmetic solution, identifying the sequence of the operations used in each approach. For example, the perimeter of a rectangle is 54 cm. Its length is 6 cm. What is its width?

**MCC7.EE.4b** Solve word problems leading to inequalities of the form px + q > r or px + q < r, where p, q, and r are specific rational numbers. Graph the solution set of the inequality and interpret it in the context of the problem. For example, as a salesperson, you are paid \$50 per week plus \$3 per sale. This week you want your pay to be at least \$100. Write an inequality for the number of sales you need to make, and describe the solutions.

MCC7.EE.4c Solve real-world and mathematical problems by writing and solving equations of the form x+p=q and px=q in which p and q are rational numbers.

from a scale drawing and reproducing a scale drawing at a different scale.

I Make sense of problems and persevere in solving them. 2 Reason abstractly and quantitatively. 3 Construct viable arguments and critique the reasoning of others. 4 Model with mathematics.  Unit 4  Unit 5  Unit 5  Unit 6  Unit 7  Took for and make use of structure. 8 Look for and express regularity in repeated reasoning.  Unit 7  Took for and make use of structure. 8 Look for and express regularity in repeated reasoning.  Unit 7  To look for and express regularity in repeated reasoning.  Unit 7  Inferences  Probability Show What We Know  Probability Show What We Know  Investigate chance processes and develop, at the probability of a chance event is a number between 0 and 1 sample are valid only if the sample is representative of that population. Understand that trandom sampling tends to produce representative of that population. Understand that random sampling tends to produce representative samples and support valid inferences.  MCC7.G.3 Describe the two-dimensional figures (cross sections) that result from slicing three-dimensional figures, as in plane sections of right rectangular prisms, right rectangular pyramids, cones, rylinders, and spheres.  MCC7.SP.2 Use data from a random sample to draw inferences about a population with an anknown characteristic of interest. Generate multiple samples (or simulated samples) of the observing its long-run relative frequency.	Georgia Standards of Excellence Seventh Grade Curriculum Map – 2 <sup>nd</sup> Semester								
1 Make sense of problems and persevere in solving them. 2 Reason abstractly and quantitatively. 3 Construct viable arguments and critique the reasoning of others. 4 Model with mathematics.  Unit 4  Unit 5  Unit 6  Unit 7  Geometry  Draw, construct, and describe geometrical figures and describe the relationships between them.  MCC7.G2 Explore various geometric shapes with given conditions. Focus on creating triangles from three measures of angles and/or sides, noticing when the conditions determine a unique triangle, more than one triangle, or no triangle.  MCC7.G3 Describe the two-dimensional figures (cross sections) that result from slicing three-dimensional figures, as in plane sections of right rectangular prisms, right rectangular pyramids, cones, cylinders, and spheres.  5 Use appropriate tools strategically. 6 Attend to precision. 7 Look for and make use of structure. 8 Look for and express regularity in repeated reasoning.  Winit 6  Unit 7  Unit 6  Unit 7  Show What We Know  Investigate chance processes and develop, use, and evaluate probability models. MCC7.G2 Explore various geometric sample are valid only if the sample is representative of that population. Understand that random sampling tends to produce representative of that population. Understand that random sampling tends to produce representative samples and support valid inferences.  MCC7.G3 Describe the two-dimensional figures, as in plane sections of right rectangular prisms, right rectangular pyramids, cones, cylinders, and spheres.									
Draw, construct, and describe geometrical figures and describe the relationships between them.   Use random sampling to draw inferences about a population.   MCCT.SP.1 Understand that statistics can be used to gain information about a population by examining a sample of the population; generalizations about a population from a sample are valid only if the sample is representative of that population. Understand that random sampling tends to produce malicing three-dimensional figures (cross sections) that result from slicing three-dimensional figures, as in plane sections of right rectangular pisms, right rectangular pyramids, cones, cylinders, and spheres.   Investigate chance processes and develop, about a population by of a chance event is a number between 0 and 1 that expresses the likelihood of the event occurring. Larger numbers indicate greater likelihood. A probability near 0 indicates an unlikely event, a probability near 1 indicates a likely event.   MCCT.SP.6 Approximate the probability of a chance event by collecting data on the chance process that produces it and observing its long-run relative frequency.	<ol> <li>Make sense of problems and persevere in solving them.</li> <li>Reason abstractly and quantitatively.</li> <li>Construct viable arguments and critique the reasoning of others.</li> </ol>								
Draw, construct, and describe geometrical figures and describe the relationships between them.  MCC7.G.2 Explore various geometric shapes with given conditions. Focus on creating triangles from three measures of angles and/or sides, noticing when the conditions determine a unique triangle, more than one triangle, or no triangle.  MCC7.G.3 Describe the two-dimensional figures (cross sections) that result from slicing three-dimensional figures, as in plane sections of right rectangular prisms, right rectangular pyramids, cones, cylinders, and spheres.  Use random sampling to draw inferences about a population.  MCC7.SP.1 Understand that statistics can be used to gain information about a population population from a sample of the population; generalizations about a population from a sample are valid only if the sample is representative of that population. Understand that random sampling to draw inferences about a population by the chance processes and develop, use, and evaluate probability models.  MCC7.SP.5 Understand that the probability of a chance event is a number between 0 and 1 that expresses the likelihood of the event occurring. Larger numbers indicate greater likelihood. A probability near 0 indicates an unlikely event, a probability around 1/2 indicates an event that is neither unlikely nor likely, and a probability near 1 indicates a likely event.  MCC7.SP.6 Approximate the probability of a chance event by collecting data on the chance process that produces it and observing its long-run relative frequency.	Unit 4								
between them.  MCC7.G.2 Explore various geometric shapes with given conditions. Focus on creating triangles from three measures of angles and/or sides, noticing when the conditions determine a unique triangle, more than one triangle, or no triangle.  MCC7.G.3 Describe the two-dimensional figures (cross sections) that result from slicing three-dimensional figures, as in plane sections of right rectangular pyramids, cones, cylinders, and spheres.  about a population.  MCC7.SP.1 Understand that statistics can be used to gain information about a population by examining a sample of the population; generalizations about a population from a sample are valid only if the sample is representative of that population. Understand that random sampling tends to produce representative samples and support valid inferences.  MCC7.G.3 Describe the two-dimensional figures, as in plane sections of right rectangular pyramids, cones, cylinders, and spheres.  MCC7.SP.2 Use data from a random sample to draw inferences about a population with an unknown characteristic of interest. Generate multiple samples (or simulated samples) of the	Geometry								
Solve real-life and mathematical problems involving angle measure, area, surface area, and volume.  MCC7.G.4 Given the formulas for the area and circumference of a circle, use them to solve problems; give an informal derivation of the relationship between the circumference and area of a circle.  MCC7.G.5 Use facts about supplementary, complementary, vertical, and adjacent angles in a multi-step problem to write and solve simple equations for an unknown angle in figure.  MCC7.G.6 Solve real-world and mathematical problems involving area, volume and surface area of two- and three-  same size to gauge the variation in estimates or predictions  Draw informal comparative inferences about two populations.  Draw informal comparative inferences about two populations.  MCC7.S.3 Informally assess the degree of visual overlap of two numerical data distributions with similar variabilities, measuring the difference between the medians by expressing it as a multiple of the interquartile range.  MCC7.S.4 Use measures of center and measures of variability for numerical data from random samples to draw informal comparative inferences about two populations.  MCC7.S.5 Use facts about supplementary, vertical, and adjacent angles in a multi-step problem to write and solve simple equations for an unknown angle in a figure.  MCC7.S.6 Solve real-world and mathematical problems involving area, volume and surface area of two- and three-	Draw, construct, and describe geometrical figures and describe the relationships between them.  MCC7.G.2 Explore various geometric shapes with given conditions. Focus on creating triangles from three measures of angles and/or sides, noticing when the conditions determine a unique triangle, more than one triangle, or no triangle.  MCC7.G.3 Describe the two-dimensional figures (cross sections) that result from slicing three-dimensional figures, as in plane sections of right rectangular prisms, right rectangular pyramids, cones, cylinders, and spheres.  Solve real-life and mathematical problems involving angle measure, area, surface area, and volume.  MCC7.G.4 Given the formulas for the area and circumference of a circle, use them to solve problems; give an informal derivation of the relationship between the circumference and area of a circle  MCC7.G.5 Use facts about supplementary, complementary, vertical, and adjacent angles in a multi-step problem to write and solve simple equations for an unknown angle in a figure.  MCC7.G.6 Solve real-world and mathematical problems involving area, volume								

dimensional objects composed of triangles,		MCC7.SP.7b Develop a probability model	
quadrilaterals, polygons, cubes, and right		(which may not be uniform) by observing	
prisms.		requencies in data generated from a chance	
1		process. For example, find the approximate	
		probability that a spinning penny will land	
	h	heads up or that a tossed paper cup will land	
	$ o_i $	open-end down. Do the outcomes for the	
	sp	spinning penny appear to be equally likely	
	b	based on the observed frequencies?	
	N	MCC7.SP.8 Find probabilities of compound	
	e	events using organized lists, tables, tree	
	d	liagrams, and simulation.	
	N	MCC7.SP.8a Understand that, just as with	
	Si	simple events, the probability of a compound	
	e	event is the fraction of outcomes in the sample	
	SI	space for which the compound event occurs.	
	N	MCC7.SP.8b Represent sample spaces for	
		compound events using methods such as	
		organized lists, tables and tree diagrams. For	
	a	an event described in everyday language (e.g.,	
		'rolling double sixes"), identify the outcomes	
		n the sample space which compose the event.	
		MCC7.SP.8c Explain ways to set up a	
		simulation and use the simulation to	
	g	generate frequencies for compound events.	
		For example, if 40% of donors have type A	
		plood, create a simulation to predict the	
		probability that it will take at least 4 donors	
	•	o find one with type A blood?	
		V X V X V V V V V V V V V V V V V V V V	