



Georgia Standards of Excellence Curriculum Map

Mathematics

Accelerated GSE Analytic Geometry B / Advanced Algebra



Richard Woods, Georgia's School Superintendent
"Educating Georgia's Future"

Georgia Department of Education

Accelerated GSE Analytic Geometry B/Advanced Algebra Curriculum Map

1 st Semester					2 nd Semester			
Unit 1 (5 – 6 weeks)	Unit 2 (2 – 3 weeks)	Unit 3 (3 – 4 weeks)	Unit 4 (2 – 3 weeks)	Unit 5 (2 – 3 weeks)	Unit 6 (3 – 4 weeks)	Unit 7 (4 – 5 weeks)	Unit 8 (3 – 4 weeks)	Unit 9 (3 – 4 weeks)
Quadratic Functions	Geometric and Algebraic Connections	Applications of Probability	Quadratics Revisited	Operations With Polynomials	Polynomial Functions	Rational & Radical Relationships	Exponential & Logarithms	Mathematical Modeling
MGSE9-12.A.SSE.1 MGSE9-12.A.SSE.1a MGSE9-12.A.SSE.1b MGSE9-12.A.SSE.2 MGSE9-12.A.SSE.3 MGSE9-12.A.SSE.3a MGSE9-12.A.SSE.3b MGSE9-12.A.CED.1 MGSE9-12.A.CED.2 MGSE9-12.A.CED.4 MGSE9-12.A.REI.4 MGSE9-12.A.REI.4a MGSE9-12.A.REI.4b MGSE9-12.F.IF.4 MGSE9-12.F.IF.5 MGSE9-12.F.IF.6 MGSE9-12.F.IF.7 MGSE9-12.F.IF.7a MGSE9-12.F.IF.8 MGSE9-12.F.IF.8a MGSE9-12.F.IF.9 MGSE9-12.F.BF.1 MGSE9-12.F.BF.1a MGSE9-12.F.BF.3 MGSE9-12.F.LE.3 MGSE9-12.S.ID.6 MGSE9-12.S.ID.6a	MGSE9-12.G.GPE.1 MGSE9-12.G.GPE.4 MGSE9-12.G.MG.1 MGSE9-12.G.MG.2 MGSE9-12.G.MG.3	MGSE9-12.S.CP.1 MGSE9-12.S.CP.2 MGSE9-12.S.CP.3 MGSE9-12.S.CP.4 MGSE9-12.S.CP.5 MGSE9-12.S.CP.6 MGSE9-12.S.CP.7	MGSE9-12.N.CN.1 MGSE9-12.N.CN.2 MGSE9-12.N.CN.3 MGSE9-12.N.CN.7 MGSE9-12.N.CN.8 MGSE9-12.A.REI.4 MGSE9-12.A.REI.4b MGSE9-12.N.RN.1 MGSE9-12.N.RN.2	MGSE9-12.A.APR.1 MGSE9-12.A.APR.5 MGSE9-12.A.APR.6 MGSE9-12.F.BF.1 MGSE9-12.F.BF.1b MGSE9-12.F.BF.1c MGSE9-12.F.BF.4 MGSE9-12.F.BF.4a MGSE9-12.F.BF.4b MGSE9-12.F.BF.4c	MGSE9-12.N.CN.9 MGSE9-12.A.SSE.1 MGSE9-12.A.SSE.1a MGSE9-12.A.SSE.1b MGSE9-12.A.SSE.2 MGSE9-12.A.APR.2 MGSE9-12.A.APR.3 MGSE9-12.A.APR.4 MGSE9-12.F.IF.4 MGSE9-12.F.IF.7 MGSE9-12.F.IF.7c	MGSE9-12.A.APR.7 MGSE9-12.A.CED.1 MGSE9-12.A.CED.2 MGSE9-12.A.REI.2 MGSE9-12.F.IF.4 MGSE9-12.F.IF.5 MGSE9-12.F.IF.7b MGSE9-12.F.IF.7d	MGSE9-12.A.SSE.3 MGSE9-12.A.SSE.3c MGSE9-12.F.IF.7 MGSE9-12.F.IF.7e MGSE9-12.F.IF.8 MGSE9-12.F.IF.8b MGSE9-12.F.BF.5 MGSE9-12.F.LE.4	MGSE9-12.A.SSE.4 MGSE9-12.A.CED.1 MGSE9-12.A.CED.2 MGSE9-12.A.CED.3 MGSE9-12.A.CED.4 MGSE9-12.A.REI.11 MGSE9-12.F.IF.6 MGSE9-12.F.IF.9 MGSE9-12.F.BF.3
These units were written to build upon concepts from prior units, so later units contain tasks that depend upon the concepts addressed in earlier units. All units will include the Mathematical Practices and indicate skills to maintain.								

NOTE: Mathematical standards are interwoven and should be addressed throughout the year in as many different units and tasks as possible in order to stress the natural connections that exist among mathematical topics.

Grade 9-12 Key:

Number and Quantity Strand: RN = The Real Number System, Q = Quantities, CN = Complex Number System, VM = Vector and Matrix Quantities

Algebra Strand: SSE = Seeing Structure in Expressions, APR = Arithmetic with Polynomial and Rational Expressions, CED = Creating Equations, REI = Reasoning with Equations and Inequalities

Functions Strand: IF = Interpreting Functions, LE = Linear and Exponential Models, BF = Building Functions, TF = Trigonometric Functions

Geometry Strand: CO = Congruence, SRT = Similarity, Right Triangles, and Trigonometry, C = Circles, GPE = Expressing Geometric Properties with Equations, GMD = Geometric Measurement and Dimension, MG = Modeling with Geometry

Statistics and Probability Strand: ID = Interpreting Categorical and Quantitative Data, IC = Making Inferences and Justifying Conclusions, CP = Conditional Probability and the Rules of Probability, MD = Using Probability to Make Decisions

Georgia Department of Education

Accelerated GSE Analytic Geometry B/Advanced Algebra Expanded Curriculum Map – 1st Semester

Standards for Mathematical Practice

1 Make sense of problems and persevere in solving them. 2 Reason abstractly and quantitatively. 3 Construct viable arguments and critique the reasoning of others. 4 Model with mathematics.	5 Use appropriate tools strategically. 6 Attend to precision. 7 Look for and make use of structure. 8 Look for and express regularity in repeated reasoning.
---	---

1st Semester

Unit 1	Unit 2	Unit 3	Unit 4
Quadratic Functions	Geometric and Algebraic Connections	Applications of Probability	Quadratics Revisited
<p>Interpret the structure of expressions MGSE9-12.A.SSE.1 Interpret expressions that represent a quantity in terms of its context. MGSE9-12.A.SSE.1a Interpret parts of an expression, such as terms, factors, and coefficients, in context. MGSE9-12.A.SSE.1b Given situations which utilize formulas or expressions with multiple terms and/or factors, interpret the meaning (in context) of individual terms or factors. MGSE9-12.A.SSE.2 Use the structure of an expression to rewrite it in different equivalent forms. For example, see $x^4 - y^4$ as $(x^2)^2 - (y^2)^2$, thus recognizing it as a difference of squares that can be factored as $(x^2 - y^2)(x^2 + y^2)$. Write expressions in equivalent forms to solve problems MGSE9-12.A.SSE.3 Choose and produce an equivalent form of an expression to reveal and explain properties of the quantity represented by the expression. MGSE9-12.A.SSE.3a Factor any quadratic expression to reveal the zeros of the function defined by the expression. MGSE9-12.A.SSE.3b Complete the square in a quadratic expression to reveal the maximum or minimum value of the function defined by the expression. Create equations that describe numbers or relationships MGSE9-12.A.CED.1 Create equations and inequalities in one variable and use them to solve problems. Include equations arising from linear, quadratic, simple rational, and exponential functions (integer inputs only). MGSE9-12.A.CED.2 Create linear, quadratic, and exponential equations in two or more variables to represent relationships between quantities; graph equations on coordinate axes with labels and scales. (The phrase “in two or more variables” refers to formulas like the compound interest formula, in which $A = P(1 + r/n)^{nt}$ has multiple variables.) MGSE9-12.A.CED.4 Rearrange formulas to highlight</p>	<p>Translate between the geometric description and the equation for a conic section MGSE9-12.G.GPE.1 Derive the equation of a circle of given center and radius using the Pythagorean Theorem; complete the square to find the center and radius of a circle given by an equation. Use coordinates to prove simple geometric theorems algebraically MGSE9-12.G.GPE.4 Use coordinates to prove simple geometric theorems algebraically. <i>For example, prove or disprove that a figure defined by four given points in the coordinate plane is a rectangle; prove or disprove that the point $(1, \sqrt{3})$ lies on the circle centered at the origin and containing the point $(0, 2)$.</i> (Focus on quadrilaterals, right triangles, and circles.) Apply geometric concepts in modeling situations MGSE9-12.G.MG.1 Use geometric shapes, their measures, and their properties to describe objects (e.g., modeling a tree trunk or a human torso as a cylinder). MGSE9-12.G.MG.2 Apply concepts of density based on area and volume in modeling situations (e.g., persons per square mile, BTUs per cubic foot). MGSE9-12.G.MG.3 Apply geometric methods to solve design problems (e.g., designing an object or structure to satisfy physical constraints or minimize cost; working with typographic grid systems based on ratios).</p>	<p>Understand independence and conditional probability and use them to interpret data MGSE9-12.S.CP.1 Describe categories of events as subsets of a sample space using unions, intersections, or complements of other events (<i>or</i>, <i>and</i>, <i>not</i>). MGSE9-12.S.CP.2 Understand that if two events A and B are independent, the probability of A and B occurring together is the product of their probabilities, and that if the probability of two events A and B occurring together is the product of their probabilities, the two events are independent. MGSE9-12.S.CP.3 Understand the conditional probability of A given B as $P(A \text{ and } B)/P(B)$. Interpret independence of A and B in terms of conditional probability; that is the conditional probability of A given B is the same as the probability of A and the conditional probability of B given A is the same as the probability of B. MGSE9-12.S.CP.4 Construct and interpret two-way frequency tables of data when two categories are associated with each object being classified. Use the two-way table as a sample space to decide if events are independent and to approximate conditional probabilities. <i>For example, use collected data from a random sample of students in your school on their favorite subject among math, science, and English. Estimate the probability that a randomly selected student from your school will favor science given that the student is in tenth grade. Do the same for other subjects and compare the results.</i> MGSE9-12.S.CP.5 Recognize and explain the concepts of conditional probability and independence in everyday language and everyday situations. <i>For example, compare the chance of having lung cancer if you are a smoker with the chance of being a smoker if you have lung cancer.</i> Use the rules of probability to compute probabilities of compound events in a uniform probability model MGSE9-12.S.CP.6 Find the conditional probability of A given B as the fraction of B’s outcomes that</p>	<p>Perform arithmetic operations with complex numbers. MGSE9-12.N.CN.1 Understand there is a complex number i such that $i^2 = -1$, and every complex number has the form $a + bi$ where a and b are real numbers. MGSE9-12.N.CN.2 Use the relation $i^2 = -1$ and the commutative, associative, and distributive properties to add, subtract, and multiply complex numbers. MGSE9-12.N.CN.3 Find the conjugate of a complex number; use the conjugate to find the absolute value (modulus) and quotient of complex numbers. Use complex numbers in polynomial identities and equations. MGSE9-12.N.CN.7 Solve quadratic equations with real coefficients that have complex solutions by (but not limited to) square roots, completing the square, and the quadratic formula. MGSE9-12.N.CN.8 Extend polynomial identities to include factoring with complex numbers. <i>For example, rewrite $x^2 + 4$ as $(x + 2i)(x - 2i)$.</i> Solve equations and inequalities in one variable MGSE9-12.A.REI.4 Solve quadratic equations in one variable. MGSE9-12.A.REI.4b Solve quadratic equations by inspection (e.g., for $x^2 = 49$), taking square roots, factoring, completing the square, and the quadratic formula, as appropriate to the initial form of the equation (limit to real number solutions). Extend the properties of exponents to rational exponents. MGSE9-12.N.RN.1 Explain how the meaning of rational exponents follows from extending the properties of integer exponents to rational numbers, allowing for a notation for radicals in terms of rational exponents. <i>For example, we define $5^{1/3}$ to be the cube root of 5 because we want $[5^{1/3}]^3 = 5^{(1/3) \times 3}$ to hold, so $[5^{1/3}]^3$ must equal 5.</i> MGSE9-12.N.RN.2 Rewrite expressions involving radicals and rational exponents using the properties of exponents.</p>

Georgia Department of Education

<p>a quantity of interest using the same reasoning as in solving equations. <i>Examples: Rearrange Ohm's law $V = IR$ to highlight resistance R; Rearrange area of a circle formula $A = \pi r^2$ to highlight the radius r.</i></p> <p><u>Solve equations and inequalities in one variable</u> MGSE9-12.A.REI.4 Solve quadratic equations in one variable.</p> <p>MGSE9-12.A.REI.4a Use the method of completing the square to transform any quadratic equation in x into an equation of the form $(x - p)^2 = q$ that has the same solutions. Derive the quadratic formula from $ax^2 + bx + c = 0$.</p> <p>MGSE9-12.A.REI.4b Solve quadratic equations by inspection (e.g., for $x^2 = 49$), taking square roots, factoring, completing the square, and the quadratic formula, as appropriate to the initial form of the equation (limit to real number solutions).</p> <p><u>Interpret functions that arise in applications in terms of the context</u></p> <p>MGSE9-12.F.IF.4 Using tables, graphs, and verbal descriptions, interpret the key characteristics of a function which models the relationship between two quantities. Sketch a graph showing key features including: intercepts; interval where the function is increasing, decreasing, positive, or negative; relative maximums and minimums; symmetries; end behavior; and periodicity.</p> <p>MGSE9-12.F.IF.5 Relate the domain of a function to its graph and, where applicable, to the quantitative relationship it describes. <i>For example, if the function $h(n)$ gives the number of person-hours it takes to assemble n engines in a factory, then the positive integers would be an appropriate domain for the function.</i></p> <p>MGSE9-12.F.IF.6 Calculate and interpret the average rate of change of a function (presented symbolically or as a table) over a specified interval. Estimate the rate of change from a graph.</p> <p><u>Analyze functions using different representations</u></p> <p>MGSE9-12.F.IF.7 Graph functions expressed algebraically and show key features of the graph both by hand and by using technology.</p> <p>MGSE9-12.F.IF.7a Graph linear and quadratic functions and show intercepts, maxima, and minima (as determined by the function or by context).</p> <p>MGSE9-12.F.IF.8 Write a function defined by an expression in different but equivalent forms to reveal and explain different properties of the function.</p> <p>MGSE9-12.F.IF.8a Use the process of factoring and completing the square in a quadratic function to show zeros, extreme values, and symmetry of the graph, and interpret these in terms of a context. <i>For example, compare and contrast quadratic functions in standard, vertex, and intercept forms.</i></p> <p>MGSE9-12.F.IF.9 Compare properties of two functions each represented in a different way</p>		<p>also belong to A, and interpret the answer in context.</p> <p>MGSE9-12.S.CP.7 Apply the Addition Rule, $P(A \text{ or } B) = P(A) + P(B) - P(A \text{ and } B)$, and interpret the answers in context.</p>
--	--	--

Georgia Department of Education

<p>(algebraically, graphically, numerically in tables, or by verbal descriptions). <i>For example, given a graph of one function and an algebraic expression for another, say which has the larger maximum.</i></p> <p><u>Build a function that models a relationship between two quantities</u></p> <p>MGSE9-12.F.BF.1 Write a function that describes a relationship between two quantities.</p> <p>MGSE9-12.F.BF.1a Determine an explicit expression and the recursive process (steps for calculation) from context. <i>For example, if Jimmy starts out with \$15 and earns \$2 a day, the explicit expression “$2x+15$” can be described recursively (either in writing or verbally) as “to find out how much money Jimmy will have tomorrow, you add \$2 to his total today.”</i></p> $J_n = J_{n-1} + 2, J_0 = 15$ <p><u>Build new functions from existing functions</u></p> <p>MGSE9-12.F.BF.3 Identify the effect on the graph of replacing $f(x)$ by $f(x) + k$, $k f(x)$, $f(kx)$, and $f(x + k)$ for specific values of k (both positive and negative); find the value of k given the graphs. Experiment with cases and illustrate an explanation of the effects on the graph using technology. Include recognizing even and odd functions from their graphs and algebraic expressions for them.</p> <p><u>Construct and compare linear, quadratic, and exponential models and solve problems</u></p> <p>MGSE9-12.F.LE.3 Observe using graphs and tables that a quantity increasing exponentially eventually exceeds a quantity increasing linearly, quadratically, or (more generally) as a polynomial function.</p> <p><u>Summarize, represent, and interpret data on two categorical and quantitative variables</u></p> <p>MGSE9-12.S.ID.6 Represent data on two quantitative variables on a scatter plot, and describe how the variables are related.</p> <p>MGSE9-12.S.ID.6a Decide which type of function is most appropriate by observing graphed data, charted data, or by analysis of context to generate a viable (rough) function of best fit. Use this function to solve problems in context. Emphasize linear, quadratic and exponential models.</p>			
---	--	--	--

Georgia Department of Education

Accelerated GSE Analytic Geometry B/Advanced Algebra Expanded Curriculum Map – 2nd Semester

Standards for Mathematical Practice

- | | |
|--|--|
| <p>1 Make sense of problems and persevere in solving them.</p> <p>2 Reason abstractly and quantitatively.</p> <p>3 Construct viable arguments and critique the reasoning of others.</p> <p>4 Model with mathematics.</p> | <p>5 Use appropriate tools strategically.</p> <p>6 Attend to precision.</p> <p>7 Look for and make use of structure.</p> <p>8 Look for and express regularity in repeated reasoning.</p> |
|--|--|

2nd Semester

Unit 5	Unit 6	Unit 7	Unit 8	Unit 9
Operations With Polynomials	Polynomial Functions	Rational & Radical Relationships	Exponential & Logarithms	Mathematical Modeling
<p>Perform arithmetic operations on polynomials MGSE9-12.A.APR.1 Add, subtract, and multiply polynomials; understand that polynomials form a system analogous to the integers in that they are closed under these operations. MGSE9-12.A.APR.5 Know and apply that the Binomial Theorem gives the expansion of $(x + y)^n$ in powers of x and y for a positive integer n, where x and y are any numbers, with coefficients determined for example by Pascal’s Triangle. Rewrite rational expressions MGSE9-12.A.APR.6 Rewrite simple rational expressions in different forms using inspection, long division, or a computer algebra system; write $a(x)/b(x)$ in the form $q(x) + r(x)/b(x)$, where $a(x)$, $b(x)$, $q(x)$, and $r(x)$ are polynomials with the degree of $r(x)$ less than the degree of $b(x)$. Build a function that models a relationship between two quantities MGSE9-12.F.BF.1 Write a function that describes a relationship between two quantities. MGSE9-12.F.BF.1b Combine standard function types using arithmetic operations in contextual situations (Adding, subtracting, and multiplying functions of different types). MGSE9-12.F.BF.1c Compose functions. For example, if $T(y)$ is the temperature in the atmosphere as a function of height, and $h(t)$ is the height of a weather balloon as a function of time, then $T(h(t))$ is the temperature at the location of the weather balloon as a function of time.</p>	<p>MGSE9-12.N.CN.9 Use the Fundamental Theorem of Algebra to find all roots of a polynomial equation Interpret the structure of expressions MGSE9-12.A.SSE.1 Interpret expressions that represent a quantity in terms of its context. MGSE9-12.A.SSE.1a Interpret parts of an expression, such as terms, factors, and coefficients, in context. MGSE9-12.A.SSE.1b Given situations which utilize formulas or expressions with multiple terms and/or factors, interpret the meaning (in context) of individual terms or factors. MGSE9-12.A.SSE.2 Use the structure of an expression to rewrite it in different equivalent forms. For example, see $x^4 - y^4$ as $(x^2)^2 - (y^2)^2$, thus recognizing it as a difference of squares that can be factored as $(x^2 - y^2)(x^2 + y^2)$. Understand the relationship between zeros and factors of polynomials MGSE9-12.A.APR.2 Know and apply the Remainder Theorem: For a polynomial $p(x)$ and a number a, the remainder on division by $x - a$ is $p(a)$, so $p(a) = 0$ if and only if $(x - a)$ is a factor of $p(x)$. MGSE9-12.A.APR.3 Identify zeros of polynomials when suitable factorizations are available, and use the zeros to construct a rough graph of the function defined by the polynomial. Use polynomial identities to solve problems MGSE9-12.A.APR.4 Prove polynomial identities and use them to describe numerical relationships. For example, the polynomial</p>	<p>Rewrite rational expressions MGSE9-12.A.APR.7 Understand that rational expressions form a system analogous to the rational numbers, closed under addition, subtraction, multiplication, and division by a nonzero rational expression; add, subtract, multiply, and divide rational expressions. Create equations that describe numbers or relationships MGSE9-12.A.CED.1 Create equations and inequalities in one variable and use them to solve problems. Include equations arising from linear, quadratic, simple rational, and exponential functions (integer inputs only). MGSE9-12.A.CED.2 Create linear, quadratic, and exponential equations in two or more variables to represent relationships between quantities; graph equations on coordinate axes with labels and scales. (Limit to rational and radical functions. The phrase “in two or more variables” refers to formulas like the compound interest formula, in which $A = P(1 + r/n)^{nt}$ has multiple variables.) Understand solving equations as a process of reasoning and explain the reasoning MGSE9-12.A.REI.2 Solve simple rational and radical equations in one variable, and give examples showing how extraneous solutions may arise. MGSE9-12.F.IF.4 Using tables, graphs, and verbal descriptions, interpret the key characteristics of a function which models the relationship between two quantities. Sketch a graph showing key features including: intercepts; interval where the function is increasing, decreasing, positive, or negative; relative</p>	<p>Write expressions in equivalent forms to solve problems MGSE9-12.A.SSE.3 Choose and produce an equivalent form of an expression to reveal and explain properties of the quantity represented by the expression. MGSE9-12.A.SSE.3c Use the properties of exponents to transform expressions for exponential functions. For example, the expression 1.15^t, where t is in years, can be rewritten as $[1.15^{(1/12)}]^{12t} \approx 1.012^{12t}$ to reveal the approximate equivalent monthly interest rate is 15%. Analyze functions using different representations MGSE9-12.F.IF.7 Graph functions expressed algebraically and show key features of the graph both by hand and by using technology. MGSE9-12.F.IF.7e Graph exponential and logarithmic functions, showing intercepts and end behavior, and trigonometric functions, showing period, midline, and amplitude. MGSE9-12.F.IF.8 Write a function defined by an expression in different but equivalent forms to reveal and explain different properties of the function. MGSE9-12.F.IF.8b Use the properties of exponents to interpret expressions for exponential functions. For example, identify percent rate of change in functions such as $y = (1.02)^t$, $y = (0.97)^t$, $y = (1.01)^{12t}$, $y = (1.2)^{t/10}$, and classify them as representing exponential growth and decay. Build new functions from existing functions MGSE9-12.F.BF.5 Understand the inverse relationship between exponents</p>	<p>Write expressions in equivalent forms to solve problems MGSE9-12.A.SSE.4 Derive the formula for the sum of a finite geometric series (when the common ratio is not 1), and use the formula to solve problems. For example, calculate mortgage payments. MGSE9-12.A.CED.1 Create equations and inequalities in one variable and use them to solve problems. Include equations arising from linear, quadratic, simple rational, and exponential functions (integer inputs only). MGSE9-12.A.CED.2 Create linear, quadratic, and exponential equations in two or more variables to represent relationships between quantities; graph equations on coordinate axes with labels and scales. (The phrase “in two or more variables” refers to formulas like the compound interest formula, in which $A = P(1 + r/n)^{nt}$ has multiple variables.) MGSE9-12.A.CED.3 Represent constraints by equations or inequalities, and by systems of equation and/or inequalities, and interpret data points as possible (i.e. a solution) or not possible (i.e. a non-solution) under the established constraints. MGSE9-12.A.CED.4 Rearrange formulas to highlight a quantity of interest using the same reasoning as in solving equations. Examples: Rearrange Ohm’s law $V = IR$ to highlight resistance R; Rearrange area of a circle formula $A = \pi r^2$ to highlight the radius r. Represent and solve equations and inequalities graphically MGSE9-12.A.REI.11 Using graphs, tables, or successive approximations, show that the solution to the equation</p>

Georgia Department of Education

<p><u>Build new functions from existing functions</u> MGSE9-12.F.BF.4 Find inverse functions. MGSE9-12.F.BF.4a Solve an equation of the form $f(x) = c$ for a simple function f that has an inverse and write an expression for the inverse. For example, $f(x) = 2(x^3)$ or $f(x) = (x+1)/(x-1)$ for $x \neq 1$. MGSE9-12.F.BF.4b Verify by composition that one function is the inverse of another. MGSE9-12.F.BF.4c Read values of an inverse function from a graph or a table, given that the function has an inverse.</p>	<p><i>identity $(x^2 + y^2)^2 = (x^2 - y^2)^2 + (2xy)^2$ can be used to generate Pythagorean triples.</i> <u>Interpret functions that arise in applications in terms of the context</u> MGSE9-12.F.IF.4 Using tables, graphs, and verbal descriptions, interpret the key characteristics of a function which models the relationship between two quantities. Sketch a graph showing key features including: intercepts; interval where the function is increasing, decreasing, positive, or negative; relative maximums and minimums; symmetries; end behavior; and periodicity. <u>Analyze functions using different representations</u> MGSE9-12.F.IF.7 Graph functions expressed algebraically and show key features of the graph both by hand and by using technology. MGSE9-12.F.IF.7c Graph polynomial functions, identifying zeros when suitable factorizations are available, and showing end behavior.</p>	<p>maximums and minimums; symmetries; end behavior; and periodicity. <u>Interpret functions that arise in applications in terms of the context</u> MGSE9-12.F.IF.5 Relate the domain of a function to its graph and, where applicable, to the quantitative relationship it describes. <i>For example, if the function $h(n)$ gives the number of person-hours it takes to assemble n engines in a factory, then the positive integers would be an appropriate domain for the function.</i> <u>Analyze functions using different representations</u> MGSE9-12.F.IF.7 Graph functions expressed algebraically and show key features of the graph both by hand and by using technology. MGSE9-12.F.IF.7b Graph square root, cube root, and piecewise-defined functions, including step functions and absolute value functions. MGSE9-12.F.IF.7d Graph rational functions, identifying zeros and asymptotes when suitable factorizations are available, and showing end behavior.</p>	<p>and logarithms and use this relationship to solve problems involving logarithms and exponents. <u>Construct and compare linear, quadratic, and exponential models and solve problems</u> MGSE9-12.F.LE.4 For exponential models, express as a logarithm the solution to $ab^{(ct)} = d$ where a, c, and d are numbers and the base b is 2, 10, or e; evaluate the logarithm using technology.</p>	<p>$f(x) = g(x)$ is the x-value where the y-values of $f(x)$ and $g(x)$ are the same. <u>Interpret functions that arise in applications in terms of the context</u> MGSE9-12.F.IF.6 Calculate and interpret the average rate of change of a function (presented symbolically or as a table) over a specified interval. Estimate the rate of change from a graph. MGSE9-12.F.IF.9 Compare properties of two functions each represented in a different way (algebraically, graphically, numerically in tables, or by verbal descriptions). <i>For example, given a graph of one function and an algebraic expression for another, say which has the larger maximum.</i> <u>Build new functions from existing functions</u> MGSE9-12.F.BF.3 Identify the effect on the graph of replacing $f(x)$ by $f(x) + k$, $k f(x)$, $f(kx)$, and $f(x + k)$ for specific values of k (both positive and negative); find the value of k given the graphs. Experiment with cases and illustrate an explanation of the effects on the graph using technology. Include recognizing even and odd functions from their graphs and algebraic expressions for them.</p>
--	--	---	--	--