


Georgia Standards of Excellence Curriculum Map

Mathematics

Accelerated GSE Analytic Geometry B/Advanced Algebra



Richard Woods, Georgia's School Superintendent "Educating Georgia's Future"

These materials are for nonprofit educational purposes only. Any other use may constitute copyright infringement.

Accelerated GSE Analytic Geometry B/Advanced Algebra Curriculum Map								
1 st Semester 2 nd Semester								
Click on the link in the table to view a video that shows instructional strategies for teaching each standard.								
Unit 1	Unit 2	Unit 3	Unit 4	Unit 5	Unit 6	Unit 7	Unit 8	Unit 9
(5-6 weeks)	(2-3 weeks)	(3 – 4 weeks)	(2-3 weeks)	(2-3 weeks)	(3-4 weeks)	(4 – 5 weeks)	(3 – 4 weeks)	(3-4 weeks)
Quadratic	Geometric and	Applications of	Quadratics	Operations	Polynomial	Rational &	Exponential &	Mathematical
Functions	Algebraic	Probability	Revisited	with	Functions	Radical	Logarithms	Modeling
	Connections			Polynomials		Relationships		
MGSE9-12.A.SSE.1	MGSE9-12.G.GPE.1	MGSE9-12.S.CP.1	MGSE9-12.N.CN.1	MGSE9-12.A.APR.1	MGSE9-12.N.CN.9	MGSE9-12.A.APR.7	MGSE9-12.A.SSE.3	MGSE9-12.A.SSE.4
MGSE9-12.A.SSE.1a	MGSE9-12.G.GPE.4	MGSE9-12.S.CP.2	MGSE9-12.N.CN.2	MGSE9-12.A.APR.5	MGSE9-12.A.SSE.1	MGSE9-12.A.CED.1	MGSE9-12.A.SSE.3c	MGSE9-12.A.CED.1
MGSE9-12.A.SSE.1b	MGSE9-12.G.MG.1	MGSE9-12.S.CP.3	MGSE9-12.N.CN.3	MGSE9-12.A.APR.6	MGSE9-12.A.SSE.1a	MGSE9-12.A.CED.2	MGSE9-12.F.IF.7	MGSE9-12.A.CED.2
MGSE9-12.A.SSE.2	MGSE9-12.G.MG.2	MGSE9-12.S.CP.4	MGSE9-12.N.CN.7	MGSE9-12.F.BF.1	MGSE9-12.A.SSE.1b	MGSE9-12.A.REI.2	MGSE9-12.F.IF.7e	MGSE9-12.A.CED.3
MGSE9-12.A.SSE.3	MGSE9-12.G.MG.3	MGSE9-12.S.CP.5	MGSE9-12.N.CN.8	MGSE9-12.F.BF.1b	MGSE9-12.A.SSE.2	MGSE9-12.F.IF.4	MGSE9-12.F.IF.8	MGSE9-12.A.CED.4
MGSE9-12.A.SSE.3a		MGSE9-12.S.CP.6	MGSE9-12.A.REI.4	MGSE9-12.F.BF.1c	MGSE9-12.A.APR.2	MGSE9-12.F.IF.5	MGSE9-12.F.IF.8b	MGSE9-12.A.REI.11
MGSE9-12.A.SSE.3b		MGSE9-12.S.CP.7	MGSE9-12.A.REI.4b	MGSE9-12.F.BF.4	MGSE9-12.A.APR.3	MGSE9-12.F.IF.7	MGSE9-12.F.BF.5	MGSE9-12.F.IF.6
MGSE9-12.A.CED.1			MGSE9-12.N.RN.1	MGSE9-12.F.BF.4a	MGSE9-12.A.APR.4	MGSE9-12.F.IF.7b	MGSE9-12.F.LE.4	MGSE9-12.F.IF.9
MGSE9-12.A.CED.2			MGSE9-12.N.RN.2	MGSE9-12.F.BF.4b	MGSE9-12.F.IF.4	MGSE9-12.F.IF.7d		MGSE9-12.F.BF.3
MGSE9-12.A.CED.4				MGSE9-12.F.BF.4c	MGSE9-12.F.IF.7			
MGSE9-12.A.REI.4					MGSE9-12.F.IF.7c			
MGSE9-12.A.REI.4a								
MGSE9-12.A.REI.4b								
MGSE9-12.F.IF.4								
MGSE9-12.F.IF.5								
MGSE9-12.F.IF.6								
MGSE9-12.F.IF.7								
MGSE9-12.F.IF.7a								
MGSE9-12.F.IF.8								
MGSE9-12.F.IF.8a								
MGSE9-12.F.IF.9								
MGSE9-12.F.BF.1								
MGSE9-12.F.BF.1a								
<u>MGSE9-12.F.BF.3</u>								
MGSE9-12.F.LE.3								
MGSE9-12.S.ID.6								
MGSE9-12.S.ID.6a								
	These units were written to build upon concepts from prior units, so later units contain tasks that depend upon the concepts addressed in earlier units.							

All units will include the Mathematical Practices and indicate skills to maintain.

NOTE: Mathematical standards are interwoven and should be addressed throughout the year in as many different units and tasks as possible in order to stress the natural connections that exist among mathematical topics. Grade 9-12 Key:

Number and Quantity Strand: RN = The Real Number System, Q = Quantities, CN = Complex Number System, VM = Vector and Matrix Quantities

Algebra Strand: SSE = Seeing Structure in Expressions, APR = Arithmetic with Polynomial and Rational Expressions, CED = Creating Equations, REI = Reasoning with Equations and Inequalities

Functions Strand: IF = Interpreting Functions, LE = Linear and Exponential Models, BF = Building Functions, TF = Trigonometric Functions

Geometry Strand: CO = Congruence, SRT = Similarity, Right Triangles, and Trigonometry, C = Circles, GPE = Expressing Geometric Properties with Equations, GMD = Geometric Measurement and Dimension, MG = Modeling with Geometry

Statistics and Probability Strand: ID = Interpreting Categorical and Quantitative Data, IC = Making Inferences and Justifying Conclusions, CP = Conditional Probability and the Rules of Probability, MD = Using Probability to Make Decisions

Accelerated GSE Analytic Geometry B/Advanced Algebra Expanded Curriculum Map – 1 st Semester					
Standards for Mathematical Practice					
1 Make sense of problems and persevere in solvin					
	g them.	5 Use appropriate tools strategically.			
2 Reason abstractly and quantitatively.		6 Attend to precision.			
3 Construct viable arguments and critique the reas	oning of others.	7 Look for and make use of structure.			
4 Model with mathematics.	1 of Q	8 Look for and express regularity in repeated rea	asoning.		
	1 st Sei	nester			
TT 14 4	11 '4 A	11.4.2	TT 14 4		
Unit 1	Unit 2	Unit 3	Unit 4		
Quadratic Functions	Geometric and Algebraic	Applications of Probability	Quadratics Revisited		
	Connections				
Interpret the structure of expressions	Translate between the geometric description	Understand independence and conditional	Perform arithmetic operations with complex		
MGSE9-12.A.SSE.1 Interpret expressions that	and the equation for a conic section	probability and use them to interpret data	numbers.		
represent a quantity in terms of its context.	MGSE9-12.G.GPE.1 Derive the equation of a	MGSE9-12.S.CP.1 Describe categories of events as	MGSE9-12.N.CN.1 Understand there is a complex		
MGSE9-12.A.SSE.1a Interpret parts of an expression,	circle of given center and radius using the	subsets of a sample space using unions,	number i such that $i^2 = -1$, and every complex		
such as terms, factors, and coefficients, in context.	Pythagorean Theorem; complete the square to	intersections, or complements of other events (<i>or</i> ,	number has the form $a + bi$ where a and b are real		
MGSE9-12.A.SSE.1b Given situations which utilize	find the center and radius of a circle given by an	and, not).	numbers.		
formulas or expressions with multiple terms and/or factors, interpret the meaning (in context) of individual	equation. Use coordinates to prove simple geometric	MGSE9-12.S.CP.2 Understand that if two events A and B are independent, the probability of A and B	MGSE9-12.N.CN.2 Use the relation $i^2 = -1$ and the commutative, associative, and distributive properties		
terms or factors.	theorems algebraically	occurring together is the product of their	to add, subtract, and multiply complex numbers.		
MGSE9-12.A.SSE.2 Use the structure of an	MGSE9-12.G.GPE.4 Use coordinates to prove	probabilities, and that if the probability of two	MGSE9-12.N.CN.3 Find the conjugate of a		
expression to rewrite it in different equivalent forms.	simple geometric theorems algebraically. For	events A and B occurring together is the product of	complex number; use the conjugate to find the		
For example, see $x^4 - y^4$ as $(x^2)^2 - (y^2)^2$, thus	example, prove or disprove that a figure defined	their probabilities, the two events are independent.	absolute value (modulus) and quotient of complex		
recognizing it as a difference of squares that can be	by four given points in the coordinate plane is a	MGSE9-12.S.CP.3 Understand the conditional	numbers.		
factored as $(x^2 - y^2) (x^2 + y^2)$.	<i>rectangle;</i> prove or disprove that the point $(1, \sqrt{3})$	probability of A given B as P (A and B)/P(B).	Use complex numbers in polynomial identities		
Write expressions in equivalent forms to solve	lies on the circle centered at the origin and	Interpret independence of A and B in terms of	and equations.		
problems	containing the point $(0,2)$.	conditional probability; that is the conditional	MGSE9-12.N.CN.7 Solve quadratic equations with		
MGSE9-12.A.SSE.3 Choose and produce an	(Focus on quadrilaterals, right triangles, and	probability of A given B is the same as the	real coefficients that have complex solutions by (but		
equivalent form of an expression to reveal and explain	circles.)	probability of A and the conditional probability of B	not limited to) square roots, completing the square,		
properties of the quantity represented by the	Apply geometric concepts in modeling	given A is the same as the probability of B.	and the quadratic formula.		
expression.	situations	MGSE9-12.S.CP.4 Construct and interpret two-way	MGSE9-12.N.CN.8 Extend polynomial identities to		
MGSE9-12.A.SSE.3a Factor any quadratic expression	MGSE9-12.G.MG.1 Use geometric shapes, their	frequency tables of data when two categories are	include factoring with complex numbers. For		
to reveal the zeros of the function defined by the expression.	measures, and their properties to describe objects (e.g., modeling a tree trunk or a human torso as a	associated with each object being classified. Use the two-way table as a sample space to decide if events	example, rewrite $x^2 + 4$ as $(x + 2i)(x - 2i)$. Solve equations and inequalities in one variable		
MGSE9-12.A.SSE.3b Complete the square in a	cylinder).	are independent and to approximate conditional	MGSE9-12.A.REI.4 Solve quadratic equations in		
quadratic expression to reveal the maximum or	MGSE9-12.G.MG.2 Apply concepts of density	probabilities. For example, use collected data from	one variable.		
minimum value of the function defined by the	based on area and volume in modeling situations	a random sample of students in your school on their	MGSE9-12.A.REI.4b Solve quadratic equations by		
expression.	(e.g., persons per square mile, BTUs per cubic	favorite subject among math, science, and English.	inspection (e.g., for $x^2 = 49$), taking square roots,		
Create equations that describe numbers or	foot).	Estimate the probability that a randomly selected	factoring, completing the square, and the quadratic		
<u>relationships</u>	MGSE9-12.G.MG.3 Apply geometric methods to	student from your school will favor science given	formula, as appropriate to the initial form of the		
MGSE9-12.A.CED.1 Create equations and	solve design problems (e.g., designing an object	that the student is in tenth grade. Do the same for	equation (limit to real number solutions).		
inequalities in one variable and use them to solve	or structure to satisfy physical constraints or	other subjects and compare the results.	Extend the properties of exponents to rational		
problems. Include equations arising from linear,	minimize cost; working with typographic grid	MGSE9-12.S.CP.5 Recognize and explain the	exponents.		
quadratic, simple rational, and exponential functions	systems based on ratios).	concepts of conditional probability and	MGSE9-12.N.RN.1 Explain how the meaning of		
(integer inputs only).		independence in everyday language and everyday	rational exponents follows from extending the		
MGSE9-12.A.CED.2 Create linear, quadratic, and exponential equations in two or more variables to		situations. For example, compare the chance of	properties of integer exponents to rational numbers,		
represent relationships between quantities; graph		having lung cancer if you are a smoker with the chance of being a smoker if you have lung cancer.	allowing for a notation for radicals in terms of rational exponents. <i>For example, we define</i> $5^{(1/3)}$ <i>to</i>		
equations on coordinate axes with labels and scales.		Use the rules of probability to compute	be the cube root of 5 because we want $[5^{(1/3)}]^3 =$		
(The phrase "in two or more variables" refers to		probabilities of compound events in a uniform	$5^{[(1/3)x^3]}$ to hold, so $[5^{(1/3)}]^3$ must equal 5.		
formulas like the compound interest formula, in which		probability model	MGSE9-12.N.RN.2 Rewrite expressions involving		
$A = P(1 + r/n)^{nt}$ has multiple variables.)		MGSE9-12.S.CP.6 Find the conditional probability	radicals and rational exponents using the properties		
MGSE9-12.A.CED.4 Rearrange formulas to highlight		of A given B as the fraction of B's outcomes that	of exponents.		
a quantity of interest using the same reasoning as in		also belong to A, and interpret the answer in			

	Georgia Departin		
solving equations. Examples: Rearrange Ohm's law V		context.	
= IR to highlight resistance R; Rearrange area of a		MGSE9-12.S.CP.7 Apply the Addition Rule, P(A	
circle formula $A = \pi r^2$ to highlight the radius r.		or B) = $P(A) + P(B) - P(A \text{ and } B)$, and interpret the	
Solve equations and inequalities in one variable		answers in context.	
MGSE9-12.A.REI.4 Solve quadratic equations in one			
variable.			
MGSE9-12.A.REI.4a Use the method of completing			
the square to transform any quadratic equation in x			
into an equation of the form $(x - p)^2 = q$ that has the			
same solutions. Derive the quadratic formula from ax^2			
+ bx + c = 0.			
MGSE9-12.A.REI.4b Solve quadratic equations by			
inspection (e.g., for $x^2 = 49$), taking square roots,			
factoring, completing the square, and the quadratic			
formula, as appropriate to the initial form of the			
equation (limit to real number solutions).			
Interpret functions that arise in applications in			
terms of the context			
MGSE9-12.F.IF.4 Using tables, graphs, and verbal			
descriptions, interpret the key characteristics of a			
function which models the relationship between two			
quantities. Sketch a graph showing key features			
including: intercepts; interval where the function is			
increasing, decreasing, positive, or negative; relative			
maximums and minimums; symmetries; end behavior;			
and periodicity.			
MGSE9-12.F.IF.5 Relate the domain of a function to			
its graph and, where applicable, to the quantitative			
relationship it describes. <i>For example, if the function</i>			
h(n) gives the number of person-hours it takes to			
assemble n engines in a factory, then the positive			
integers would be an appropriate domain for the			
function.			
MGSE9-12.F.IF.6 Calculate and interpret the average			
rate of change of a function (presented symbolically or			
as a table) over a specified interval. Estimate the rate			
of change from a graph.			
Analyze functions using different representations			
MGSE9-12.F.IF.7 Graph functions expressed			
algebraically and show key features of the graph both			
by hand and by using technology.			
MGSE9-12.F.IF.7a Graph linear and quadratic			
functions and show intercepts, maxima, and minima			
(as determined by the function or by context).			
MGSE9-12.F.IF.8 Write a function defined by an			
expression in different but equivalent forms to reveal			
and explain different properties of the function.			
MGSE9-12.F.IF.8a Use the process of factoring and			
completing the square in a quadratic function to show			
zeros, extreme values, and symmetry of the graph, and			
interpret these in terms of a context. <i>For example</i> ,			
<i>compare and contrast quadratic functions in standard,</i>			
vertex, and intercept forms.			
MGSE9-12.F.IF.9 Compare properties of two			
functions each represented in a different way			
(algebraically, graphically, numerically in tables, or by			
verbal descriptions). For example, given a graph of			
, crow descriptions). I or example, given a graph of	l		

	Georgia Departm	
one function and an algebraic expression for another,		
say which has the larger maximum.		
Build a function that models a relationship between		
two quantities		
MGSE9-12.F.BF.1 Write a function that describes a		
relationship between two quantities.		
MGSE9-12.F.BF.1a Determine an explicit expression		
and the recursive process (steps for calculation) from		
context. For example, if Jimmy starts out with \$15 and		
earns \$2 a day, the explicit expression " $2x+15$ " can		
be described recursively (either in writing or verbally)		
as "to find out how much money Jimmy will have		
tomorrow, you add \$2 to his total today."		
$J_n = J_{n-1} + 2, J_0 = 15$		
Build new functions from existing functions		
MGSE9-12.F.BF.3 Identify the effect on the graph of		
replacing $f(x)$ by $f(x) + k$, k $f(x)$, $f(kx)$, and $f(x + k)$ for		
specific values of k (both positive and negative); find		
the value of k given the graphs. Experiment with cases		
and illustrate an explanation of the effects on the graph		
using technology. Include recognizing even and odd		
functions from their graphs and algebraic expressions		
for them.		
Construct and compare linear, quadratic, and		
exponential models and solve problems		
MGSE9-12.F.LE.3 Observe using graphs and tables		
that a quantity increasing exponentially eventually		
exceeds a quantity increasing linearly, quadratically, or		
(more generally) as a polynomial function.		
Summarize, represent, and interpret data on two		
categorical and quantitative variables		
MGSE9-12.S.ID.6 Represent data on two quantitative		
variables on a scatter plot, and describe how the		
variables are related.		
MGSE9-12.S.ID.6a Decide which type of function is		
most appropriate by observing graphed data, charted data, or by analysis of context to generate a viable		
(rough) function of best fit. Use this function to solve		
problems in context. Emphasize linear, quadratic and		
exponential models.		

Accelerated GS	SE Analytic Geometry B	/Advanced Algebra Exp	anded Curriculum Map	- 2 nd Semester			
		Standards for Mathematical Practice					
1 Make sense of problems and perseve	re in solving them.	5 Use appropriate	tools strategically.				
2 Reason abstractly and quantitatively.		6 Attend to precisi					
			ake use of structure.				
3 Construct viable arguments and critic	que the reasoning of others.						
4 Model with mathematics.			press regularity in repeated reasoning.				
2 nd Semester							
Unit 5	Unit 6	Unit 7	Unit 8	Unit 9			
Operations With Polynomials	Polynomial Functions	Rational & Radical	Exponential & Logarithms	Mathematical Modeling			
		Relationships					
Perform arithmetic operations on	MGSE9-12.N.CN.9 Use the	Rewrite rational expressions	Write expressions in equivalent forms	Write expressions in equivalent form			
<u>polynomials</u>	Fundamental Theorem of Algebra to find	MGSE9-12.A.APR.7 Understand that	to solve problems	to solve problems			
MGSE9-12.A.APR.1 Add, subtract, and	all roots of a polynomial equation	rational expressions form a system	MGSE9-12.A.SSE.3 Choose and	MGSE9-12.A.SSE.4 Derive the formul			
multiply polynomials; understand that	Interpret the structure of expressions	analogous to the rational numbers, closed	produce an equivalent form of an	for the sum of a finite geometric series			
polynomials form a system analogous to	MGSE9-12.A.SSE.1 Interpret	under addition, subtraction,	expression to reveal and explain	(when the common ratio is not 1), and			
the integers in that they are closed under	expressions that represent a quantity in	multiplication, and division by a nonzero	properties of the quantity represented by	use the formula to solve problems. For			
these operations.	terms of its context.	rational expression; add, subtract,	the expression.	example, calculate mortgage payments.			
MGSE9-12.A.APR.5 Know and apply	MGSE9-12.A.SSE.1a Interpret parts of	multiply, and divide rational expressions.	MGSE9-12.A.SSE.3c Use the properties	MGSE9-12.A.CED.1 Create equations			
that the Binomial Theorem gives the	an expression, such as terms, factors, and	Create equations that describe	of exponents to transform expressions for	and inequalities in one variable and use			
expansion of $(x + y)^n$ in powers of x and	coefficients, in context.	numbers or relationships	exponential functions. For example, the	them to solve problems. Include			
y for a positive integer n, where x and y	MGSE9-12.A.SSE.1b Given situations	MGSE9-12.A.CED.1 Create equations	expression 1.15 ^t , where t is in years, can	equations arising from linear, quadration			
are any numbers, with coefficients	which utilize formulas or expressions	and inequalities in one variable and use	be rewritten as $[1.15^{(1/12)}]^{(12t)} \approx 1.012^{(12t)}$	simple rational, and exponential			
determined for example by Pascal's	with multiple terms and/or factors,	them to solve problems. Include	to reveal the approximate equivalent	functions (integer inputs only).			
Triangle.	interpret the meaning (in context) of	equations arising from linear, quadratic,	monthly interest rate is 15%.	MGSE9-12.A.CED.2 Create linear,			
Rewrite rational expressions	individual terms or factors.	simple rational, and exponential	Analyze functions using different	quadratic, and exponential equations in			
MGSE9-12.A.APR.6 Rewrite simple	MGSE9-12.A.SSE.2 Use the structure of	functions (integer inputs only).	<u>representations</u>	two or more variables to represent			
rational expressions in different forms	an expression to rewrite it in different	MGSE9-12.A.CED.2 Create linear,	MGSE9-12.F.IF.7 Graph functions	relationships between quantities; graph			
using inspection, long division, or a	equivalent forms. For example, see x ⁴ –	quadratic, and exponential equations in	expressed algebraically and show key	equations on coordinate axes with labe			
computer algebra system; write $a(x)/b(x)$	y^4 as $(x^2)^2$ - $(y^2)^2$, thus recognizing it as a	two or more variables to represent	features of the graph both by hand and	and scales. (The phrase "in two or mor			
in the form $q(x) + r(x)/b(x)$, where $a(x)$,	difference of squares that can be factored	relationships between quantities; graph	by using technology.	variables" refers to formulas like the			
b(x), $q(x)$, and $r(x)$ are polynomials with	as $(x^2 - y^2) (x^2 + y^2)$.	equations on coordinate axes with labels	MGSE9-12.F.IF.7e Graph exponential	compound interest formula, in which A			
the degree of $r(x)$ less than the degree of	Understand the relationship between	and scales. (Limit to rational and radical	and logarithmic functions, showing	$P(1 + r/n)^{nt}$ has multiple variables.)			
b(x).	zeros and factors of polynomials	functions. The phrase "in two or more	intercepts and end behavior, and	MGSE9-12.A.CED.3 Represent			
Build a function that models a	MGSE9-12.A.APR.2 Know and apply	variables" refers to formulas like the	trigonometric functions, showing period,	constraints by equations or inequalities			
relationship between two quantities	the Remainder Theorem: For a	compound interest formula, in which $A =$	midline, and amplitude.	and by systems of equations of mequanties			
MGSE9-12.F.BF.1 Write a function that		$P(1 + r/n)^{nt}$ has multiple variables.)	•				
	polynomial $p(x)$ and a number a, the		MGSE9-12.F.IF.8 Write a function	inequalities, and interpret data points a			
describes a relationship between two	remainder on division by $x - a$ is $p(a)$, so	<u>Understand solving equations as a</u>	defined by an expression in different but	possible (i.e. a solution) or not possible			
quantities.	p(a) = 0 if and only if $(x - a)$ is a factor	process of reasoning and explain the	equivalent forms to reveal and explain	(i.e. a non-solution) under the establish			
MGSE9-12.F.BF.1b Combine standard	of p(x).	reasoning	different properties of the function.	constraints.			
function types using arithmetic	MGSE9-12.A.APR.3 Identify zeros of	MGSE9-12.A.REI.2 Solve simple	MGSE9-12.F.IF.8b Use the properties	MGSE9-12.A.CED.4 Rearrange			
operations in contextual situations	polynomials when suitable factorizations	rational and radical equations in one	of exponents to interpret expressions for	formulas to highlight a quantity of			
(Adding, subtracting, and multiplying	are available, and use the zeros to	variable, and give examples showing	exponential functions. For example,	interest using the same reasoning as in			
functions of different types).	construct a rough graph of the function	how extraneous solutions may arise.	identify percent rate of change in	solving equations. Examples: Rearran			
MGSE9-12.F.BF.1c Compose functions.	defined by the polynomial.	MGSE9-12.F.IF.4 Using tables, graphs,	functions such as $y = (1.02)^t$, $y = (0.97)^t$,	Ohm's law $V = IR$ to highlight resistant			
For example, if $T(y)$ is the temperature in	Use polynomial identities to solve	and verbal descriptions, interpret the key	$y = (1.01)^{(12t)}, y = (1.2)^{(t/10)}, and classify$	R; Rearrange area of a circle formula			
the atmosphere as a function of height,	problems	characteristics of a function which	them as representing exponential growth	$= \pi r^2$ to highlight the radius r.			
and $h(t)$ is the height of a weather	MGSE9-12.A.APR.4 Prove	models the relationship between two	and decay.	Represent and solve equations and			
balloon as a function of time, then $T(h(t))$		quantities. Sketch a graph showing key	Build new functions from existing	inequalities graphically			
is the temperature at the location of the	polynomial identities and use them	features including: intercepts; interval	functions	MGSE9-12.A.REI.11 Using graphs,			
weather balloon as a function of time.	to describe numerical relationships.	where the function is increasing,	MGSE9-12.F.BF.5 Understand the	tables, or successive approximations,			
weather battoon as a junction of time.	For example, the polynomial		inverse relationship between exponents				
	<i>identity</i> $(x^2 + y^2)^2 = (x^2 - y^2)^2 + (x^2 - y^2)^2$	decreasing, positive, or negative; relative		show that the solution to the equation $f(x) = f(x)$ is the x value value of the x			
Build new functions from existing	$(2xy)^2$ can be used to generate	maximums and minimums; symmetries;	and logarithms and use this relationship	f(x) = g(x) is the x-value where the y-			
functions	(2A), can be used to generate	end behavior; and periodicity.	to solve problems involving logarithms	values of $f(x)$ and $g(x)$ are the same.			

Georgia Department of Education						
MGSE9-12.F.BF.4Findinversefunctions. $MGSE9-12.F.BF.4a$ Solve an equationof the form $f(x) = c$ for a simple function	Pythagorean triples. Interpret functions that arise in applications in terms of the context	Interpret functions that arise in applications in terms of the context MGSE9-12.F.IF.5 Relate the domain of	and exponents. <u>Construct and compare linear,</u> guadratic, and exponential models and	Interpret functions that arise in applications in terms of the context MGSE9-12.F.IF.6 Calculate and interpret the average rate of change of a		
of the form $f(x) = c$ for a simple function f that has an inverse and write an expression for the inverse. For example, $f(x) = 2(x^3)$ or $f(x) = (x+1)/(x-1)$ for $x \neq 1$. MGSE9-12.F.BF.4b Verify by composition that one function is the inverse of another. MGSE9-12.F.BF.4c Read values of an inverse function from a graph or a table, given that the function has an inverse.	MGSE9-12.F.IF.4 Using tables, graphs, and verbal descriptions, interpret the key characteristics of a function which models the relationship between two quantities. Sketch a graph showing key features including: intercepts; interval where the function is increasing, decreasing, positive, or negative; relative maximums and minimums; symmetries; end behavior; and periodicity. <u>Analyze functions using different</u> <u>representations</u> MGSE9-12.F.IF.7 Graph functions expressed algebraically and show key features of the graph both by hand and by using technology. MGSE9-12.F.IF.7c Graph polynomial functions, identifying zeros when suitable factorizations are available, and showing end behavior.	a function to its graph and, where applicable, to the quantitative relationship it describes. For example, if the function h(n) gives the number of person-hours it takes to assemble n engines in a factory, then the positive integers would be an appropriate domain for the function. Analyze functions using different representations MGSE9-12.F.IF.7 Graph functions expressed algebraically and show key features of the graph both by hand and by using technology. MGSE9-12.F.IF.7b Graph square root, cube root, and piecewise-defined functions, including step functions and absolute value functions. MGSE9-12.F.IF.7d Graph rational functions, identifying zeros and asymptotes when suitable factorizations are available, and showing end behavior.	solve problems MGSE9-12.F.LE.4 For exponential models, express as a logarithm the solution to ab ^(ct) = d where a, c, and d are numbers and the base b is 2, 10, or e; evaluate the logarithm using technology.	interpret the average rate of change of a function (presented symbolically or as a table) over a specified interval. Estimate the rate of change from a graph. MGSE9-12.F.IF.9 Compare properties of two functions each represented in a different way (algebraically, graphically, numerically in tables, or by verbal descriptions). For example, given a graph of one function and an algebraic expression for another, say which has the larger maximum. Build new functions from existing functions MGSE9-12.F.BF.3 Identify the effect on the graph of replacing f(x) by f(x) + k, k f(x), f(kx), and f(x + k) for specific values of k (both positive and negative); find the value of k given the graphs. Experiment with cases and illustrate an explanation of the effects on the graph using technology. Include recognizing even and odd functions from their graphs and algebraic expressions for them.		