

Georgia Standards of Excellence Curriculum Map

Mathematics

Accelerated GSE Coordinate Algebra/Analytic Geometry A



These materials are for nonprofit educational purposes only. Any other use may constitute copyright infringement.

Richard Woods, Georgia's School Superintendent "Educating Georgia's Future"

Accelerated GSE Coordinate Algebra/Analytic Geometry A Curriculum Map									
	1 st Semester 2 nd Semester								
Click on the link in the table to view a video that shows instructional strategies for teaching each standard.									
Unit 1	Unit 2	Unit 3	Unit 4	Unit 5	Unit 6	Unit 7	Unit 8	Unit 9	Unit 10
(2-3 weeks)	(2-3 weeks)	(3-4 weeks)	(2-3 weeks)	(2-3 weeks)	(2-3 weeks)	(3-4 weeks)	(1-2 weeks)	(2-3 weeks)	(1-2 weeks)
Relationships	Reasoning	Linear and	Describing	Transformations	Connecting	<u>Similarity,</u>	Right Triangle	Circles and	Extending the
Between	with Equations	Exponential	Data	<u>in the</u>	Algebra and	Congruence,	Trigonometry	<u>Volume</u>	Number
Quantities	and	Functions		Coordinate	Geometry	and Proofs			System
	Inequalities			Plane	Through				
					Coordinates				
MGSE9-12.N.Q.1 MGSE9-12.N.Q.2 MGSE9-12.N.Q.3 MGSE9-12.A.SSE.1 MGSE9-12.A.SSE.1a MGSE9-12.A.SSE.1b MGSE9-12.A.CED.1 MGSE9-12.A.CED.2	MGSE9-12.A.REI.1 MGSE9-12.A.REI.3 MGSE9-12.A.REI.5 <u>MGSE9-12.A.REI.6</u> MGSE9-12.A.REI.12	MGSE9-12.A.REI.10 MGSE9-12.A.REI.11 MGSE9-12.F.IF.1 MGSE9-12.F.IF.2 <u>MGSE9-12.F.IF.3</u> MGSE9-12.F.IF.4 MGSE9-12.F.IF.5 MGSE9-12.F.IF.6	MGSE9-12.S.ID.1 MGSE9-12.S.ID.2 MGSE9-12.S.ID.3 MGSE9-12.S.ID.5 <u>MGSE9-12.S.ID.6</u> <u>MGSE9-12.S.ID.6a</u> <u>MGSE9-12.S.ID.6c</u> MGSE9-12.S.ID.7	MGSE9-12.G.CO.1 MGSE9-12.G.CO.2 MGSE9-12.G.CO.3 MGSE9-12.G.CO.4 MGSE9-12.G.CO.5	MGSE9-12.G.GPE.4 MGSE9-12.G.GPE.5 <u>MGSE9-12.G.GPE.6</u> MGSE9-12.G.GPE.7	MGSE9-12.G.SRT.1 MGSE9-12.G.SRT.2 MGSE9-12.G.SRT.3 MGSE9-12.G.SRT.4 MGSE9-12.G.SRT.5 MGSE9-12.G.CO.6 MGSE9-12.G.CO.7 MGSE9-12.G.CO.8	MGSE9-12.G.SRT.6 MGSE9-12.G.SRT.7 <u>MGSE9-12.G.SRT.8</u>	MGSE9-12.G.C.1 MGSE9-12.G.C.2 MGSE9-12.G.C.3 MGSE9-12.G.C.4 <u>MGSE9-12.G.GMD.1</u> MGSE9-12.G.GMD.2 <u>MGSE9-12.G.GMD.2</u>	MGSE9-12.N.RN.2 MGSE9-12.N.RN.3 MGSE9-12.A.APR.1
MGSE9-12.A.CED.3 MGSE9-12.A.CED.4		MGSE9-12.F.IF.7 MGSE9-12.F.IF.7a MGSE9-12.F.IF.7e MGSE9-12.F.IF.9 MGSE9-12.F.BF.1 <u>MGSE9-12.F.BF.1a</u> <u>MGSE9-12.F.BF.3</u> MGSE9-12.F.LE.13 MGSE9-12.F.LE.16 MGSE9-12.F.LE.1b MGSE9-12.F.LE.1b MGSE9-12.F.LE.1c MGSE9-12.F.LE.2 <u>MGSE9-12.F.LE.3</u> MGSE9-12.F.LE.3	MGSE9-12.S.ID.8 MGSE9-12.S.ID.9	prior units, so later u		MGSE9-12.G.CO.9 MGSE9-12.G.CO.10 MGSE9-12.G.CO.11 MGSE9-12.G.CO.12 MGSE9-12.G.CO.13 MGSE9-12.G.GPE.4		MGSE9-12.G.GMD.4	

All units will include the Mathematical Practices and indicate skills to maintain.

NOTE: Mathematical standards are interwoven and should be addressed throughout the year in as many different units and tasks as possible in order to stress the natural connections that exist among mathematical topics. Grade 9-12 Key:

Number and Quantity Strand: RN = The Real Number System, Q = Quantities, CN = Complex Number System, VM = Vector and Matrix Quantities

Algebra Strand: SSE = Seeing Structure in Expressions, APR = Arithmetic with Polynomial and Rational Expressions, CED = Creating Equations, REI = Reasoning with Equations and Inequalities

Functions Strand: IF = Interpreting Functions, LE = Linear and Exponential Models, BF = Building Functions, TF = Trigonometric Functions

Geometry Strand: CO = Congruence, SRT = Similarity, Right Triangles, and Trigonometry, C = Circles, GPE = Expressing Geometric Properties with Equations, GMD = Geometric Measurement and Dimension, MG Modeling with Geometry

Statistics and Probability Strand: ID = Interpreting Categorical and Quantitative Data, IC = Making Inferences and Justifying Conclusions, CP = Conditional Probability and the Rules of Probability, MD = Using Probability to Make Decisions

	Georgia Department of Education						
Accelerated GSE Coordinate Algebra/Analytic Geometry A Expanded Curriculum Map – 1 st Semester							
Standards for Mathematical Practice							
1 Make sense of problems and perseve			tools strategically.				
2 Reason abstractly and quantitatively		6 Attend to precisi					
3 Construct viable arguments and criti	que the reasoning of others.	7 Look for and ma	ake use of structure.				
4 Model with mathematics.		8 Look for and ex	press regularity in repeated reasoning.				
		1 st Semester					
Unit 1	Unit 2	Unit 3	Unit 4	Unit 5			
Relationships Between	Reasoning with Equations	Linear and Exponential	Describing Data	Transformations in the			
Quantities	and Inequalities	Functions		Coordinate Plane			
Reason quantitatively and use units to	Understand solving equations as a	Represent and solve equations and	Summarize, represent, and interpret	Experiment with transformations in			
solve problems	process of reasoning and explain the	inequalities graphically	data on a single count or measurement	<u>the plane</u>			
MGSE9-12.N.Q.1 Use units of measure	reasoning	MGSE9-12.A.REI.10 Understand that	variable	MGSE9-12.G.CO.1 Know precise			
(linear, area, capacity, rates, and time) as	MGSE9-12.A.REI.1 Using algebraic	the graph of an equation in two variables	MGSE9-12.S.ID.1 Represent data with	definitions of angle, circle, perpendicular			
a way to understand problems:	properties and the properties of real	is the set of all its solutions plotted in the	plots on the real number line (dot plots,	line, parallel line, and line segment,			
a. Identify, use, and record appropriate units of measure within context,	numbers, justify the steps of a simple, one-solution equation. Students should	coordinate plane. MGSE9-12.A.REI.11 Using graphs,	histograms, and box plots). MGSE9-12.S.ID.2 Use statistics	based on the undefined notions of point, line, distance along a line, and distance			
within data displays, and on graphs;	justify their own steps, or if given two or	tables, or successive approximations,	appropriate to the shape of the data	around a circular arc.			
b. Convert units and rates using	more steps of an equation, explain the	show that the solution to the equation	distribution to compare center (median,	MGSE9-12.G.CO.2 Represent			
dimensional analysis (English-to-	progression from one step to the next	f(x) = g(x) is the x-value where the y-	mean) and spread (interquartile range,	transformations in the plane using, e.g.,			
English and Metric-to-Metric	using properties.	values of $f(x)$ and $g(x)$ are the same.	mean absolute deviation, standard	transparencies and geometry software;			
without conversion factor provided	Solve equations and inequalities in one	Understand the concept of a function	deviation) of two or more different data	describe transformations as functions			
and between English and Metric	variable	and use function notation	sets.	that take points in the plane as inputs and			
with conversion factor);	MGSE9-12.A.REI.3 Solve linear	MGSE9-12.F.IF.1 Understand that a	MGSE9-12.S.ID.3 Interpret differences	give other points as outputs. Compare			
c. Use units within multi-step problems and formulas; interpret	equations and inequalities in one variable, including equations with	function from one set (the input, called the domain) to another set (the output,	in shape, center, and spread in the context of the data sets, accounting for	transformations that preserve distance and angle to those that do not (e.g.,			
units of input and resulting units of	coefficients represented by letters. For	called the range) assigns to each element	possible effects of extreme data points	translation versus horizontal stretch).			
output.	example, given $ax + 3 = 7$, solve for x.	of the domain exactly one element of the	(outliers).	MGSE9-12.G.CO.3 Given a rectangle,			
MGSE9-12.N.Q.2 Define appropriate	Solve systems of equations	range, i.e. each input value maps to	Summarize, represent, and interpret	parallelogram, trapezoid, or regular			
quantities for the purpose of descriptive	MGSE9-12.A.REI.5 Show and explain	exactly one output value. If f is a	data on two categorical and	polygon, describe the rotations and			
modeling. Given a situation, context, or	why the elimination method works to	function, x is the input (an element of its	quantitative variables	reflections that carry it onto itself.			
problem, students will determine,	solve a system of two-variable equations.	domain), and $f(x)$ is the output (an	MGSE9-12.S.ID.5 Summarize	MGSE9-12.G.CO.4 Develop definitions			
identify, and use appropriate quantities	MGSE9-12.A.REI.6 Solve systems of	element of the range). Graphically, the	categorical data for two categories in	of rotations, reflections, and translations			
for representing the situation. MGSE9-12.N.Q.3 Choose a level of	linear equations exactly and	graph is $y = f(x)$. MGSE9-12.F.IF.2 Use function	two-way frequency tables. Interpret	in terms of angles, circles, perpendicular			
accuracy appropriate to limitations on	approximately (e.g., with graphs), focusing on pairs of linear equations in	notation, evaluate functions for inputs in	relative frequencies in the context of the data (including joint, marginal, and	lines, parallel lines, and line segments. MGSE9-12.G.CO.5 Given a geometric			
measurement when reporting quantities.	two variables.	their domains, and interpret statements	conditional relative frequencies).	figure and a rotation, reflection, or			
For example, money situations are	Represent and solve equations and	that use function notation in terms of a	Recognize possible associations and	translation, draw the transformed figure			
generally reported to the nearest cent	inequalities graphically	context.	trends in the data.	using, e.g., graph paper, tracing paper, or			
(hundredth). Also, an answers' precision	MGSE9-12.A.REI.12 Graph the	MGSE9-12.F.IF.3 Recognize that	MGSE9-12.S.ID.6 Represent data on	geometry software. Specify a sequence			
is limited to the precision of the data	solution set to a linear inequality in two	sequences are functions, sometimes	two quantitative variables on a scatter	of transformations that will carry a given			
given.	variables.	defined recursively, whose domain is a	plot, and describe how the variables are	figure onto another.			
Interpret the structure of expressions		subset of the integers. (Generally, the	related.				
MGSE9-12.A.SSE.1 Interpret expressions that represent a quantity in		scope of high school math defines this subset as the set of natural numbers 1, 2,	MGSE9-12.S.ID.6a Decide which type of function is most appropriate by				
terms of its context.		<i>subset as the set of natural numbers</i> 1, 2, <i>3, 4,)</i> By graphing or calculating	observing graphed data, charted data, or				
MGSE9-12.A.SSE.1a Interpret parts of		terms, students should be able to show	by analysis of context to generate a				
an expression, such as terms, factors, and		how the recursive sequence $a_1 = 7$, $a_n =$	viable (rough) function of best fit. Use				
coefficients.		a_{n-1} + 2; the sequence $s_n = 2(n-1) + 7$;	this function to solve problems in				
MGSE9-12.A.SSE.1b Given situations		and the function $f(x) = 2x + 5$ (when x is	context. Emphasize linear, quadratic,				
which utilize formulas or expressions		a natural number) all define the same	and exponential models.				
with multiple terms and/or factors,		sequence.	MGSE9-12.S.ID.6c Using given or				

interpret the meaning (in context) of individual terms or factors.

<u>Create equations that describe</u> <u>numbers or relationships</u>

MGSE9-12.A.CED.1 Create equations and inequalities in one variable and use them to solve problems. Include equations arising from linear and quadratic functions, and simple rational and exponential functions (integer inputs only).

MGSE9-12.A.CED.2 Create linear and exponential equations in two or more variables to represent relationships between quantities; graph equations on coordinate axes with labels and scales. (The phrase "in two or more variables" refers to formulas like the compound interest formula, in which $A = P(1 + r/n)^{nt}$ has multiple variables.)

MGSE9-12.A.CED.3 Represent

constraints by equations or inequalities, and by systems of equations and/or inequalities, and interpret data points as possible (i.e. a solution) or not possible (i.e. a non-solution) under the established constraints.

MGSE9-12.A.CED.4 Rearrange formulas to highlight a quantity of interest, using the same reasoning as in

solving equations. Examples: Rearrange Ohm's law V = IR to highlight resistance R; Rearrange area of a circle formula $A = \pi r^2$ to highlight the radius r.

Georgia Department of Education

Interpret functions that arise in applications in terms of the context MGSE9-12.F.IF.4 Using tables, graphs, and verbal descriptions, interpret the key characteristics of a function which models the relationship between two quantities. Sketch a graph showing key features including: intercepts; intervals where the function is increasing, decreasing, positive, or negative; relative maximums and minimums; symmetries; end behavior; and periodicity. MGSE9-12.F.IF.5 Relate the domain of a function to its graph and, where applicable, to the quantitative relationship it describes. For example, if the function h(n) gives the number of person-hours it takes to assemble n engines in a factory, then the positive integers would be an appropriate domain for the function. MGSE9-12.F.IF.6 Calculate and interpret the average rate of change of a function (presented symbolically or as a table) over a specified interval. Estimate the rate of change from a graph. Analyze functions using different representations MGSE9-12.F.IF.7 Graph functions expressed symbolically and show key features of the graph, by hand in simple cases and using technology. MGSE9-12.F.IF.7a Graph linear and quadratic functions and show intercepts, maxima, and minima (as determined by the function or by context). MGSE9-12.F.IF.7e Graph exponential and logarithmic functions, showing intercepts and end behavior, and trigonometric functions, showing period. midline, and amplitude. MGSE9-12.F.IF.9 Compare properties of two functions each represented in a different way (algebraically, graphically, numerically in tables, or by verbal descriptions). For example, given a graph of one function and an algebraic expression for another, say which has the larger maximum. Build a function that models a relationship between two quantities MGSE9-12.F.BF.1 Write a function that describes a relationship between two quantities. MGSE9-12.F.BF.1a Determine an explicit expression and the recursive process (steps for calculation) from

collected bivariate data, fit a linear function for a scatter plot that suggests a linear association. Interpret linear models MGSE9-12.S.ID.7 Interpret the slope (rate of change) and the intercept (constant term) of a linear model in the context of the data. MGSE9-12.S.ID.8 Compute (using technology) and interpret the correlation coefficient "r" of a linear fit. (For instance, by looking at a scatterplot, students should be able to tell if the correlation coefficient is positive or negative and give a reasonable estimate

of the "r" value.) After calculating the line of best fit using technology, students should be able to describe how strong the goodness of fit of the regression is, using "r"

MGSE9-12.S.ID.9 Distinguish between correlation and causation.

	context. For example, if Jimmy starts	
	out with \$15 and earns \$2 a day, the	
	explicit expression " $2x+15$ " can be	
	described recursively (either in writing	
	or verbally) as "to find out how much	
	money Jimmy will have tomorrow, you	
	add \$2 to his total today."	
	$J_n = J_{n-1} + 2, J_0 = 15.$	
	MGSE9-12.F.BF.2 Write arithmetic and	
	geometric sequences recursively and	
	explicitly, use them to model situations,	
	and translate between the two forms.	
	Connect arithmetic sequences to linear	
	functions and geometric sequences to	
	exponential functions.	
	Build new functions from existing	
	functions	
	MGSE9-12.F.BF.3 Identify the effect on	
	the graph of replacing $f(x)$ by $f(x) + k$, k	
	f(x), $f(kx)$, and $f(x + k)$ for specific values	
	of k (both positive and negative); find the	
	value of k given the graphs. Experiment	
	with cases and illustrate an explanation	
	of the effects on the graph using	
	technology Include recognizing even	
	and odd functions from their graphs and	
	algebraic expressions for them.	
	Construct and compare linear,	
	guadratic, and exponential models and	
	solve problems	
	MGSE9-12.F.LE.1 Distinguish between	
	situations that can be modeled with	
	linear functions and with exponential	
	functions.	
	MGSE9-12.F.LE.1a Show that linear	
	functions grow by equal differences over	
	equal intervals and that exponential	
	functions grow by equal factors over	
	equal intervals. (This can be shown by	
	algebraic proof, with a table showing	
	differences, or by calculating average	
	rates of change over equal intervals).	
	MGSE9-12.F.LE.1b Recognize	
	situations in which one quantity changes	
	at a constant rate per unit interval relative	
	to another.	
	MGSE9-12.F.LE.1c Recognize	
	situations in which a quantity grows or	
	decays by a constant percent rate per unit	
	interval relative to another.	
	MGSE9-12.F.LE.2 Construct linear and	
	exponential functions, including	
	arithmetic and geometric sequences,	
	given a graph, a description of a	
	relationship, or two input-output pairs	
	(include reading these from a table)	

Georgia Department of Education						
		MGSE9-12.F.LE.3 Observe using				
		graphs and tables that a quantity				
		increasing exponentially eventually				
		exceeds a quantity increasing linearly,				
		quadratically, or (more generally) as a				
		polynomial function.				
		Interpret expressions for functions in				
		terms of the situation they model				
		MGSE9-12.F.LE.5 Interpret the				
		parameters in a linear $(f(x) = mx + b)$ and				
		exponential ($f(x) = a \cdot d^x$) function in				
		terms of a context. (In the functions				
		above, "m" and "b" are the parameters of				
		the linear function, and "a" and "d" are				
		the parameters of the exponential				
		function.) In context, students should				
		describe what these parameters mean in				
		terms of change and starting value.				

Accelerated GSE Coordinate Algebra/Analytic Geometry A Expanded Curriculum Map – 2 nd Semester						
 Make sense of problems and perseveration Reason abstractly and quantitatively Construct viable arguments and critication Model with mathematics. 	ere in solving them.	Standards for Mathematical Practice 5 Use appropriate tools strategically. 6 Attend to precision. 7 Look for and make use of structure. 8 Look for and express regularity in repeated reasoning. 2 nd Semester				
Unit 6	Unit 7	Unit 8	Unit 9	Unit 10		
Connecting Algebra and	Similarity, Congruence, and	Right Triangle	Circles and Volume	Extending the Number		
Geometry Through Coordinates	Proofs	Trigonometry		System		
Use coordinates to prove simple	Understand similarity in terms of	Define trigonometric ratios and solve	Understand and apply theorems about	Extend the properties of exponents to		
 geometric theorems algebraically MGSE9-12.G.GPE.4 Use coordinates to prove simple geometric theorems algebraically. For example, prove or disprove that a figure defined by four given points in the coordinate plane is a rectangle; prove or disprove that the point (1, \3) lies on the circle centered at the origin and containing the point (0,2). (Focus on quadrilaterals, right triangles, and circles.) MGSE9-12.G.GPE.5 Prove the slope criteria for parallel and perpendicular lines and use them to solve geometric problems (e.g., find the equation of a line parallel or perpendicular to a given point). MGSE9-12.G.GPE.6 Find the point on a directed line segment between two given points that partitions the segment in a given ratio. MGSE9-12.G.GPE.7 Use coordinates to compute perimeters of polygons and areas of triangles and rectangles, e.g., using the distance formula. 	 similarity transformations MGSE9-12.G.SRT.1 Verify experimentally the properties of dilations given by a center and a scale factor. a. The dilation of a line not passing through the center of the dilation results in a parallel line and leaves a line passing through the center of the dilation results in a parallel line and leaves a line passing through the center unchanged. b. The dilation of a line segment is longer or shorter according to the ratio given by the scale factor. MGSE9-12.G.SRT.2 Given two figures, use the definition of similarity in terms of similarity transformations to decide if they are similar; explain, using similarity transformations, the meaning of similarity for triangles as the equality of all corresponding pairs of angles and the proportionality of all corresponding pairs of sides. MGSE9-12.G.SRT.3 Use the properties of similarity transformations to establish the AA criterion for two triangles to be similar. Prove theorems involving similarity MGSE9-12.G.SRT.4 Prove theorems about triangles. Theorems include: a line parallel to one side of a triangle divides the other two proportionally, (and its converse); the Pythagorean Theorem using triangle similarity. MGSE9-12.G.SRT.5 Use congruence and similarity criteria for triangles to solve problems and to prove relationships in geometric figures. Understand congruence in terms of rigid motions 	problems involving right triangles MGSE9-12.G.SRT.6 Understand that by similarity, side ratios in right triangles are properties of the angles in the triangle, leading to definitions of trigonometric ratios for acute angles. MGSE9-12.G.SRT.7 Explain and use the relationship between the sine and cosine of complementary angles. MGSE9-12.G.SRT.8 Use trigonometric ratios and the Pythagorean Theorem to solve right triangles in applied problems.	 circles MGSE9-12.G.C.1 Understand that all circles are similar. MGSE9-12.G.C.2 Identify and describe relationships among inscribed angles, radii, chords, tangents, and secants. Include the relationship between central, inscribed angles on a diameter are right angles; the radius of a circle is perpendicular to the tangent where the radius intersects the circle. MGSE9-12.G.C.3 Construct the inscribed and circumscribed circles of a triangle, and prove properties of angles for a quadrilateral inscribed in a circle. MGSE9-12.G.C.4 Construct a tangent line from a point outside a given circle to the circle. Find arc lengths and areas of sectors of circles MGSE9-12.G.C.5 Derive using similarity the fact that the length of the arc intercepted by an angle is proportional to the radius, and define the radian measure of the angle as the constant of proportionality; derive the formula for the area of a sector. Explain volume formulas and use them to solve problems MGSE9-12.G.GMD.1 Give informal arguments for geometric formulas. a. Give informal arguments for the formula of the circle using dissection arguments for the formula for the formula for the formulas of the circle using dissection arguments for the formula for the formulas for the formulas. 	rational exponents. MGSE9-12.N.RN.2 Rewrite expressions involving radicals and rational exponents using the properties of exponents. (i.e., simplify and/or use the operations of addition, subtraction, and multiplication, with radicals within expressions limited to square roots). Use properties of rational and <u>irrational numbers.</u> MGSE9-12.N.RN.3 Explain why the sum or product of rational numbers is rational; why the sum of a rational number and an irrational number is irrational; and why the product of a nonzero rational number and an irrational number is irrational. Perform arithmetic operations on polynomials MGSE9-12.A.APR.1 Add, subtract, and multiply polynomials; understand that polynomials form a system analogous to the integers in that they are closed under these operations.		

		0 1	
	descriptions of rigid motions to transform		
	figures and to predict the effect of a given		
	rigid motion on a given figure; given two		
	figures, use the definition of congruence		
	in terms of rigid motions to decide if they		
	are congruent.		
	MGSE9-12.G.CO.7 Use the definition of		
	congruence in terms of rigid motions to		
	show that two triangles are congruent if		
	and only if corresponding pairs of sides		
	and corresponding pairs of angles are		
	congruent.		
	MGSE9-12.G.CO.8 Explain how the		
	criteria for triangle congruence (ASA,		
	SAS, and SSS) follow from the definition		
	of congruence in terms of rigid motions.		
	(Extend to include HL and AAS.)		
	Prove geometric theorems		
	MGSE9-12.G.CO.9 Prove theorems		
	about lines and angles. Theorems include:		
	vertical angles are congruent; when a		
	transversal crosses parallel lines, alternate		
	interior angles are congruent and		
	corresponding angles are congruent;		
	points on a perpendicular bisector of a		
	line segment are exactly those equidistant		
	from the segment's endpoints.		
	MGSE9-12.G.CO.10 Prove theorems		
	about triangles. Theorems include:		
	e		
	measures of interior angles of a triangle		
	sum to 180 degrees; base angles of		
	isosceles triangles are congruent; the		
	segment joining midpoints of two sides of		
	a triangle is parallel to the third side and		
	half the length; the medians of a triangle		
	meet at a point.		
	MGSE9-12.G.CO.11 Prove theorems		
	about parallelograms. Theorems include:		
	opposite sides are congruent, opposite		
	angles are congruent, the diagonals of a		
	parallelogram bisect each other, and		
	conversely, rectangles are parallelograms		
	with congruent diagonals.		
	Make geometric constructions		
	MGSE9-12.G.CO.12 Make formal		
	geometric constructions with a variety of		
	tools and methods (compass and		
	straightedge, string, reflective devices,		
	paper folding, dynamic geometric		
	software, etc.). Copying a segment;		
	copying an angle; bisecting a segment;		
	bisecting an angle; constructing		
	perpendicular lines, including the		
	perpendicular bisector of a line segment;		
	and constructing a line parallel to a given		
	line through a point not on the line.		
	MGSE9-12.G.CO.13 Construct an		
_			1

cylinder, pyramid, and cone using Cavalieri's principle. MGSE9-12.G.GMD.2 Give an informal argument using Cavalieri's principle for the formulas for the volume of a sphere and other solid figures. MGSE9-12.G.GMD.3 Use volume formulas for cylinders, pyramids, cones, and spheres to solve problems. Visualize relationships between twodimensional and three-dimensional objects MGSE9-12.G.GMD.4 Identify the shapes of two-dimensional cross-sections of three-dimensional objects, and identify three-dimensional objects generated by rotations of twodimensional objects.

Georgia Department of Education					
	equilateral triangle, a square, and a				
	regular hexagon, each inscribed in a				
	circle.				
	Use coordinates to prove simple				
	geometric theorems algebraically				
	MGSE9-12.G.GPE.4 Use coordinates to				
	prove simple geometric theorems				
	algebraically. For example, prove or				
	disprove that a figure defined by four				
	given points in the coordinate plane is a				
	rectangle; prove or disprove that the				
	point (1, $\sqrt{3}$) lies on the circle centered at				
	the origin and containing the point $(0,2)$.				
	(Focus on quadrilaterals, right triangles,				
	and circles.)				