


# Georgia Standards of Excellence Curriculum Map

# **Mathematics**

Accelerated GSE Geometry B / Algebra II



Richard Woods, Georgia's School Superintendent "Educating Georgia's Future"

These materials are for nonprofit educational purposes only. Any other use may constitute copyright infringement.

Accelerated GSE Geometry B/Algebra II Curriculum Map									
1st Semester				2 <sup>nd</sup> Semester					
Click on the link in the table to view a video that shows instructional strategies for teaching each standard.									
Unit 1	Unit 2	Unit 3	Unit 4	Unit 5	Unit 6	Unit 7	Unit 8	Unit 9	
(5-6 weeks)	(3-4 weeks)	(3-4 weeks)	(2-3 weeks)	(2-3 weeks)	(3-4 weeks)	(4-5 weeks)	(3-4 weeks)	(3-4 weeks)	
Circles and	<b>Geometric and</b>	<b>Applications of</b>	<b>Quadratics</b>	<b>Operations</b>	<b>Polynomial</b>	Rational &	<b>Exponential &amp;</b>	Mathematical	
<b>Volume</b>	<b>Algebraic</b>	<b>Probability</b>	Revisited	<u>with</u>	<b>Functions</b>	<b>Radical</b>	<b>Logarithms</b>	<b>Modeling</b>	
	<b>Connections</b>			<b>Polynomials</b>		Relationships			
MGSE9-12.G.C.1	MGSE9-12.G.GPE.1	MGSE9-12.S.CP.1	MGSE9-12.N.CN.1	MGSE9-12.A.APR.1	MGSE9-12.N.CN.9	MGSE9-12.A.APR.7	MGSE9-12.A.SSE.3	MGSE9-12.A.SSE.4	
MGSE9-12.G.C.2	MGSE9-12.G.GPE.4	MGSE9-12.S.CP.2	MGSE9-12.N.CN.2	MGSE9-12.A.APR.5	MGSE9-12.A.SSE.1	MGSE9-12.A.CED.1	MGSE9-12.A.SSE.3c	MGSE9-12.A.CED.1	
MGSE9-12.G.C.3	MGSE9-12.G.GPE.5	MGSE9-12.S.CP.3	MGSE9-12.N.CN.3	MGSE9-12.A.APR.6	MGSE9-12.A.SSE.1a	MGSE9-12.A.CED.2	MGSE9-12.F.IF.7	MGSE9-12.A.CED.2	
MGSE9-12.G.C.4	MGSE9-12.G.GPE.6	MGSE9-12.S.CP.4	MGSE9-12.N.CN.7	MGSE9-12.F.BF.1	MGSE9-12.A.SSE.1b	MGSE9-12.A.REI.2	MGSE9-12.F.IF.7e	MGSE9-12.A.CED.3	
MGSE9-12.G.C.5	MGSE9-12.G.GPE.7	MGSE9-12.S.CP.5	MGSE9-12.N.CN.8	MGSE9-12.F.BF.1b	MGSE9-12.A.SSE.2	MGSE9-12.F.IF.4	MGSE9-12.F.IF.8	MGSE9-12.A.CED.4	
MGSE9-12.G.GMD.1	MGSE9-12.G.MG.1	MGSE9-12.S.CP.6	MGSE9-12.A.REI.4	MGSE9-12.F.BF.1c	MGSE9-12.A.APR.2	MGSE9-12.F.IF.5	MGSE9-12.F.IF.8b	MGSE9-12.A.REI.11	
MGSE9-12.G.GMD.2	MGSE9-12.G.MG.2	MGSE9-12.S.CP.7	MGSE9-12.A.REI.4b	MGSE9-12.F.BF.4	MGSE9-12.A.APR.3	MGSE9-12.F.IF.7	MGSE9-12.F.BF.5	MGSE9-12.F.IF.6	
MGSE9-12.G.GMD.3	MGSE9-12.G.MG.3		MGSE9-12.N.RN.1	MGSE9-12.F.BF.4a	MGSE9-12.A.APR.4	MGSE9-12.F.IF.7b	MGSE9-12.F.LE.4	MGSE9-12.F.IF.9	
MGSE9-12.G.GMD.4			MGSE9-12.N.RN.2	MGSE9-12.F.BF.4b	MGSE9-12.F.IF.4	MGSE9-12.F.IF.7d		MGSE9-12.F.BF.3	
				MGSE9-12.F.BF.4c	MGSE9-12.F.IF.7				
					MGSE9-12.F.IF.7c				
					. 1 .1 . 1	.1 . 11			

These units were written to build upon concepts from prior units, so later units contain tasks that depend upon the concepts addressed in earlier units.

All units will include the Mathematical Practices and indicate skills to maintain.

NOTE: Mathematical standards are interwoven and should be addressed throughout the year in as many different units and tasks as possible in order to stress the natural connections that exist among mathematical topics. Grade 9-12 Key:

Number and Quantity Strand: RN = The Real Number System, Q = Quantities, CN = Complex Number System, VM = Vector and Matrix Quantities

Algebra Strand: SSE = Seeing Structure in Expressions, APR = Arithmetic with Polynomial and Rational Expressions, CED = Creating Equations, REI = Reasoning with Equations and Inequalities

Functions Strand: IF = Interpreting Functions, LE = Linear and Exponential Models, BF = Building Functions, TF = Trigonometric Functions

Geometry Strand: CO = Congruence, SRT = Similarity, Right Triangles, and Trigonometry, C = Circles, GPE = Expressing Geometric Properties with Equations, GMD = Geometric Measurement and Dimension,

MG = Modeling with Geometry

Statistics and Probability Strand: ID = Interpreting Categorical and Quantitative Data, IC = Making Inferences and Justifying Conclusions, CP = Conditional Probability and the Rules of Probability, MD = Using Probability to Make Decisions

#### **Georgia Department of Education** Accelerated GSE Geometry B/Algebra II Expanded Curriculum Map – 1<sup>st</sup> Semester **Standards for Mathematical Practice** 1 Make sense of problems and persevere in solving them. **5** Use appropriate tools strategically. 2 Reason abstractly and quantitatively. **6** Attend to precision. 3 Construct viable arguments and critique the reasoning of others. 7 Look for and make use of structure. 4 Model with mathematics. **8** Look for and express regularity in repeated reasoning. 1st Semester Unit 1 Unit 2 Unit 3 Unit 4 Circles and Volume **Geometric and Algebraic Applications of Probability Ouadratics Revisited** Connections Translate between the geometric description and Understand and apply theorems about circles Understand independence and conditional Perform arithmetic operations with complex MGSE9-12.G.C.1 Understand that all circles are the equation for a conic section probability and use them to interpret data numbers. similar. MGSE9-12.G.GPE.1 Derive the equation of a MGSE9-12.S.CP.1 Describe categories of events as MGSE9-12.N.CN.1 Understand there is a complex number i such that $i^2 = -1$ , and every complex MGSE9-12.G.C.2 Identify and describe circle of given center and radius using the subsets of a sample space using unions. Pythagorean Theorem; complete the square to find intersections, or complements of other events (or, number has the form a + bi where a and b are real relationships among inscribed angles, radii, chords, tangents, and secants. Include the relationship the center and radius of a circle given by an and, not). numbers. between central, inscribed, and circumscribed equation. MGSE9-12.S.CP.2 Understand that if two events A MGSE9-12.N.CN.2 Use the relation $i^2 = -1$ and the Use coordinates to prove simple geometric and B are independent, the probability of A and B commutative, associative, and distributive properties angles; inscribed angles on a diameter are right angles; the radius of a circle is perpendicular to the theorems algebraically occurring together is the product of their to add, subtract, and multiply complex numbers. tangent where the radius intersects the circle. MGSE9-12.G.GPE.4 Use coordinates to prove probabilities, and that if the probability of two MGSE9-12.N.CN.3 Find the conjugate of a MGSE9-12.G.C.3 Construct the inscribed and simple geometric theorems algebraically. For events A and B occurring together is the product of complex number; use the conjugate to find the example, prove or disprove that a figure defined by their probabilities, the two events are independent. absolute value (modulus) and quotient of complex circumscribed circles of a triangle, and prove four given points in the coordinate plane is a MGSE9-12.S.CP.3 Understand the conditional properties of angles for a quadrilateral inscribed in a numbers. rectangle; prove or disprove that the point $(1, \sqrt{3})$ probability of A given B as P (A and B)/P(B). Use complex numbers in polynomial identities MGSE9-12.G.C.4 Construct a tangent line from a lies on the circle centered at the origin and Interpret independence of A and B in terms of and equations. point outside a given circle to the circle. MGSE9-12.N.CN.7 Solve quadratic equations with containing the point (0,2). conditional probability; that is the conditional probability of A given B is the same as the Find arc lengths and areas of sectors of circles (Focus on quadrilaterals, right triangles, and circles.) real coefficients that have complex solutions by (but MGSE9-12.G.C.5 Derive using similarity the fact MGSE9-12.G.GPE.5 Prove the slope criteria for probability of A and the conditional probability of B not limited to) square roots, completing the square, that the length of the arc intercepted by an angle is parallel and perpendicular lines and use them to given A is the same as the probability of B. and the quadratic formula. proportional to the radius, and define the radian solve geometric problems (e.g., find the equation of MGSE9-12.S.CP.4 Construct and interpret two-way MGSE9-12.N.CN.8 Extend polynomial identities to include factoring with complex numbers. For measure of the angle as the constant of a line parallel or perpendicular to a given line that frequency tables of data when two categories are proportionality; derive the formula for the area of a passes through a given point). associated with each object being classified. Use the example, rewrite $x^2 + 4$ as (x + 2i)(x - 2i). sector. MGSE9-12.G.GPE.6 Find the point on a directed two-way table as a sample space to decide if events Solve equations and inequalities in one variable Explain volume formulas and use them to solve line segment between two given points that are independent and to approximate conditional MGSE9-12.A.REI.4 Solve quadratic equations in problems partitions the segment in a given ratio. probabilities. For example, use collected data from one variable.

MGSE9-12.G.GMD.1 Give informal arguments for geometric formulas.

- a. Give informal arguments for the formulas of the circumference of a circle and area of a circle using dissection arguments and informal limit arguments.
- b. Give informal arguments for the formula of the volume of a cylinder, pyramid, and cone using Cavalieri's principle.

MGSE9-12.G.GMD.2 Give an informal argument using Cavalieri's principle for the formulas for the volume of a sphere and other solid figures. MGSE9-12.G.GMD.3 Use volume formulas for

cylinders, pyramids, cones, and spheres to solve problems.

Visualize relationships between two-dimensional and three-dimensional objects MGSE9-12.G.GMD.4 Identify the shapes of twoMGSE9-12.G.GPE.7 Use coordinates to compute perimeters of polygons and areas of triangles and rectangles, e.g., using the distance formula.

Apply geometric concepts in modeling situations MGSE9-12.G.MG.1 Use geometric shapes, their measures, and their properties to describe objects (e.g., modeling a tree trunk or a human torso as a cylinder).

MGSE9-12.G.MG.2 Apply concepts of density based on area and volume in modeling situations (e.g., persons per square mile, BTUs per cubic foot). MGSE9-12.G.MG.3 Apply geometric methods to solve design problems (e.g., designing an object or structure to satisfy physical constraints or minimize cost; working with typographic grid systems based on ratios).

a random sample of students in your school on their favorite subject among math, science, and English. Estimate the probability that a randomly selected student from your school will favor science given that the student is in tenth grade. Do the same for other subjects and compare the results.

MGSE9-12.S.CP.5 Recognize and explain the concepts of conditional probability and independence in everyday language and everyday situations. For example, compare the chance of having lung cancer if you are a smoker with the chance of being a smoker if you have lung cancer.

#### Use the rules of probability to compute probabilities of compound events in a uniform probability model

MGSE9-12.S.CP.6 Find the conditional probability of A given B as the fraction of B's outcomes that also belong to A, and interpret the answer in

MGSE9-12.A.REI.4b Solve quadratic equations by inspection (e.g., for  $x^2 = 49$ ), taking square roots, factoring, completing the square, and the quadratic formula, as appropriate to the initial form of the equation (limit to real number solutions).

#### Extend the properties of exponents to rational exponents.

MGSE9-12.N.RN.1 Explain how the meaning of rational exponents follows from extending the properties of integer exponents to rational numbers, allowing for a notation for radicals in terms of rational exponents. For example, we define 5<sup>(1/3)</sup> to be the cube root of 5 because we want  $[5^{(1/3)}]^3 =$  $5^{[(1/3) \times 3]}$  to hold, so  $[5^{(1/3)}]^3$  must equal 5.

MGSE9-12.N.RN.2 Rewrite expressions involving radicals and rational exponents using the properties of exponents.

dimensional cross-sections of three-dimensional		context.					
objects, and identify three-dimensional objects		MGSE9-12.S.CP.7 Apply the Addition Rule, P(A					
generated by rotations of two-dimensional objects.		or B) = $P(A) + P(B) - P(A \text{ and } B)$ , and interpret the					
		answers in context.					

#### Accelerated GSE Geometry B/Algebra II Expanded Curriculum Map – 2<sup>nd</sup> Semester **Standards for Mathematical Practice 5** Use appropriate tools strategically. 1 Make sense of problems and persevere in solving them. **2** Reason abstractly and quantitatively. **6** Attend to precision. 3 Construct viable arguments and critique the reasoning of others. 7 Look for and make use of structure. **4** Model with mathematics. **8** Look for and express regularity in repeated reasoning. 2<sup>nd</sup> Semester Unit 6 Unit 8 Unit 9 Unit 5 Unit 7 **Operations With Polynomials Polynomial Functions Exponential & Logarithms Mathematical Modeling** Rational & Radical Relationships MGSE9-12.N.CN.9 Use the Perform arithmetic operations on Rewrite rational expressions Write expressions in equivalent forms Write expressions in equivalent forms Fundamental Theorem of Algebra to find MGSE9-12.A.APR.7 Understand that to solve problems to solve problems polynomials MGSE9-12.A.APR.1 Add, subtract, and MGSE9-12.A.SSE.3 Choose and MGSE9-12.A.SSE.4 Derive the formula all roots of a polynomial equation rational expressions form a system multiply polynomials; understand that **Interpret the structure of expressions** analogous to the rational numbers, closed produce an equivalent form of an for the sum of a finite geometric series polynomials form a system analogous to MGSE9-12.A.SSE.1 Interpret under addition, subtraction, expression to reveal and explain (when the common ratio is not 1), and the integers in that they are closed under expressions that represent a quantity in multiplication, and division by a nonzero properties of the quantity represented by use the formula to solve problems. For these operations. terms of its context. rational expression; add, subtract, the expression. example, calculate mortgage payments. MGSE9-12.A.APR.5 Know and apply MGSE9-12.A.SSE.1a Interpret parts of multiply, and divide rational expressions. MGSE9-12.A.SSE.3c Use the properties MGSE9-12.A.CED.1 Create equations that the Binomial Theorem gives the an expression, such as terms, factors, and Create equations that describe of exponents to transform expressions for and inequalities in one variable and use expansion of $(x + y)^n$ in powers of x and coefficients, in context. numbers or relationships exponential functions. For example, the them to solve problems. Include MGSE9-12.A.CED.1 Create equations expression 1.15t, where t is in years, can y for a positive integer n, where x and y MGSE9-12.A.SSE.1b Given situations equations arising from linear, quadratic, are any numbers, with coefficients and inequalities in one variable and use be rewritten as $[1.15^{(1/12)}]^{(12t)} \approx 1.012^{(12t)}$ which utilize formulas or expressions simple rational, and exponential determined for example by Pascal's with multiple terms and/or factors, them to solve problems. Include to reveal the approximate equivalent functions (integer inputs only). monthly interest rate is 15%. MGSE9-12.A.CED.2 Create linear, Triangle. interpret the meaning (in context) of equations arising from linear, quadratic, **Analyze functions using different Rewrite rational expressions** individual terms or factors. simple rational, and exponential quadratic, and exponential equations in MGSE9-12.A.APR.6 Rewrite simple MGSE9-12.A.SSE.2 Use the structure of functions (integer inputs only). representations two or more variables to represent rational expressions in different forms an expression to rewrite it in different MGSE9-12.A.CED.2 Create linear. MGSE9-12.F.IF.7 Graph functions relationships between quantities; graph using inspection, long division, or a equivalent forms. For example, see x<sup>4</sup> quadratic, and exponential equations in expressed algebraically and show key equations on coordinate axes with labels computer algebra system; write a(x)/b(x) $y^4$ as $(x^2)^2$ - $(y^2)^2$ , thus recognizing it as a two or more variables to represent features of the graph both by hand and and scales. (The phrase "in two or more difference of squares that can be factored in the form q(x) + r(x)/b(x), where a(x). relationships between quantities; graph by using technology. variables" refers to formulas like the b(x), q(x), and r(x) are polynomials with as $(x^2 - y^2)(x^2 + y^2)$ . equations on coordinate axes with labels MGSE9-12.F.IF.7e Graph exponential compound interest formula, in which A = the degree of r(x) less than the degree of Understand the relationship between and scales. (Limit to rational and radical and logarithmic functions, showing $P(1 + r/n)^{nt}$ has multiple variables.) zeros and factors of polynomials functions. The phrase "in two or more intercepts and end behavior, and MGSE9-12.A.CED.3 Represent trigonometric functions, showing period. Build a function that models a MGSE9-12.A.APR.2 Know and apply variables" refers to formulas like the constraints by equations or inequalities. relationship between two quantities compound interest formula, in which A = midline, and amplitude. and by systems of equation and/or the Remainder Theorem: For a MGSE9-12.F.BF.1 Write a function that $P(1 + r/n)^{nt}$ has multiple variables.) MGSE9-12.F.IF.8 Write a function polynomial p(x) and a number a, the inequalities, and interpret data points as describes a relationship between two remainder on division by x - a is p(a), so Understand solving equations as a defined by an expression in different but possible (i.e. a solution) or not possible p(a) = 0 if and only if (x - a) is a factor process of reasoning and explain the equivalent forms to reveal and explain (i.e. a non-solution) under the established quantities. reasoning MGSE9-12.F.BF.1b Combine standard of p(x). different properties of the function. constraints. function types using arithmetic MGSE9-12.A.APR.3 Identify zeros of MGSE9-12.A.REI.2 Solve simple MGSE9-12.F.IF.8b Use the properties MGSE9-12.A.CED.4 Rearrange operations in contextual situations polynomials when suitable factorizations rational and radical equations in one of exponents to interpret expressions for formulas to highlight a quantity of (Adding, subtracting, and multiplying are available, and use the zeros to variable, and give examples showing exponential functions. For example, interest using the same reasoning as in how extraneous solutions may arise. solving equations. Examples: Rearrange functions of different types). construct a rough graph of the function identify percent rate of change in MGSE9-12.F.BF.1c Compose functions. defined by the polynomial. MGSE9-12.F.IF.4 Using tables, graphs, functions such as $y = (1.02)^t$ , $y = (0.97)^t$ , Ohm's law V = IR to highlight resistance $y = (1.01)^{(12t)}$ , $y = (1.2)^{(t/10)}$ , and classify For example, if T(y) is the temperature in Use polynomial identities to solve and verbal descriptions, interpret the key R; Rearrange area of a circle formula A the atmosphere as a function of height. problems characteristics of a function which them as representing exponential growth = $\pi r^2$ to highlight the radius r. Represent and solve equations and and h(t) is the height of a weather MGSE9-12.A.APR.4 Prove models the relationship between two and decay. quantities. Sketch a graph showing key inequalities graphically balloon as a function of time, then T(h(t))polynomial identities and use them is the temperature at the location of the features including: intercepts; interval **Build new functions from existing** MGSE9-12.A.REI.11 Using graphs, to describe numerical relationships. weather balloon as a function of time. where the function is increasing, functions tables, or successive approximations, For example, the polynomial Build new functions from existing decreasing, positive, or negative; relative MGSE9-12.F.BF.5 Understand the show that the solution to the equation identity $(x^2 + y^2)^2 = (x^2 - y^2)^2 +$ functions maximums and minimums; symmetries; inverse relationship between exponents f(x) = g(x) is the x-value where the v- $(2xy)^2$ can be used to generate MGSE9-12.F.BF.4 Find inverse end behavior; and periodicity. and logarithms and use this relationship values of f(x) and g(x) are the same.

functions.

**MGSE9-12.F.BF.4a** Solve an equation of the form f(x) = c for a simple function f that has an inverse and write an expression for the inverse. For example,  $f(x) = 2(x^3)$  or f(x) = (x+1)/(x-1) for  $x \ne 1$ 

MGSE9-12.F.BF.4b Verify by composition that one function is the inverse of another.

MGSE9-12.F.BF.4c Read values of an inverse function from a graph or a table, given that the function has an inverse.

Pythagorean triples.

<u>Interpret functions that arise in</u> applications in terms of the context

MGSE9-12.F.IF.4 Using tables, graphs, and verbal descriptions, interpret the key characteristics of a function which models the relationship between two quantities. Sketch a graph showing key features including: intercepts; interval where the function is increasing, decreasing, positive, or negative; relative maximums and minimums; symmetries; end behavior; and periodicity.

# Analyze functions using different representations

MGSE9-12.F.IF.7 Graph functions expressed algebraically and show key features of the graph both by hand and by using technology.

MGSE9-12.F.IF.7c Graph polynomial functions, identifying zeros when suitable factorizations are available, and showing end behavior.

<u>Interpret functions that arise in</u> applications in terms of the context

MGSE9-12.F.IF.5 Relate the domain of a function to its graph and, where applicable, to the quantitative relationship it describes. For example, if the function h(n) gives the number of person-hours it takes to assemble n engines in a factory, then the positive integers would be an appropriate domain for the function.

# Analyze functions using different representations

MGSE9-12.F.IF.7 Graph functions expressed algebraically and show key features of the graph both by hand and by using technology.

MGSE9-12.F.IF.7b Graph square root, cube root, and piecewise-defined functions, including step functions and absolute value functions.

MGSE9-12.F.IF.7d Graph rational functions, identifying zeros and asymptotes when suitable factorizations are available, and showing end behavior.

to solve problems involving logarithms and exponents.

Construct and compare linear, quadratic, and exponential models and solve problems

MGSE9-12.F.LE.4 For exponential models, express as a logarithm the solution to ab<sup>(ct)</sup> = d where a, c, and d are numbers and the base b is 2, 10, or e; evaluate the logarithm using technology.

<u>Interpret functions that arise in applications in terms of the context</u>

MGSE9-12.F.IF.6 Calculate and interpret the average rate of change of a function (presented symbolically or as a table) over a specified interval. Estimate the rate of change from a graph.

MGSE9-12.F.IF.9 Compare properties of two functions each represented in a different way (algebraically, graphically, numerically in tables, or by verbal descriptions). For example, given a graph of one function and an algebraic expression for another, say which has the larger maximum.

# **Build new functions from existing functions**

MGSE9-12.F.BF.3 Identify the effect on the graph of replacing f(x) by f(x) + k, k f(x), f(kx), and f(x + k) for specific values of k (both positive and negative); find the value of k given the graphs. Experiment with cases and illustrate an explanation of the effects on the graph using technology. Include recognizing even and odd functions from their graphs and algebraic expressions for them.