



Georgia Standards of Excellence Curriculum Frameworks

Mathematics

Accelerated GSE Pre-Calculus

Unit 6: Conics



Richard Woods, Georgia's School Superintendent
"Educating Georgia's Future"

Unit 6
Conics

Table of Contents

OVERVIEW	3
STANDARDS ADDRESSED IN THIS UNIT	3
STANDARDS FOR MATHEMATICAL PRACTICE	4
ENDURING UNDERSTANDINGS	4
ESSENTIAL QUESTIONS	5
CONCEPTS/SKILLS TO MAINTAIN	5
SELECTED TERMS AND SYMBOLS	5
CLASSROOM ROUTINES	6
STRATEGIES FOR TEACHING AND LEARNING	6
TASKS	7
Our Only Focus: Circles & Parabolas Review	8
The Focus is the Foci: Ellipses and Hyperbolas	29
Deriving the General Equation of a Parabola	53
Parabolas in Other Directions	64
Writing the Equations of Parabolas	72
The Intersection of a Line and a Quadratic	76
A Conic Application	81
Culminating Task: Dr. Cone’s New House	84

OVERVIEW

In this unit students will:

- Build upon the understanding of the algebraic representations of circles and parabolas.
- Develop the understanding of the geometric description and equations for the conic sections, parabolas, ellipses, and hyperbolas.

Although the units in this instructional framework emphasize key standards and big ideas at specific times of the year, routine topics such as estimation, mental computation, and basic computation facts should be addressed on an ongoing basis. Ideas related to the eight practice standards should be addressed constantly as well. To assure that this unit is taught with the appropriate emphasis, depth, and rigor, it is important that the tasks listed under “Evidence of Learning” be reviewed early in the planning process. A variety of resources should be utilized to supplement this unit. This unit not only provides much needed content information, but excellent learning activities as well. The tasks in this unit illustrate the types of learning activities that should be utilized from a variety of sources.

STANDARDS ADDRESSED IN THIS UNIT

Mathematical standards are interwoven and should be addressed throughout the year in as many different units and activities as possible in order to emphasize the natural connections that exist among mathematical topics.

Translate between the geometric description and the equation for a conic section.

MGSE9-12.G.GPE.2 Derive the equation of a parabola given a focus and directrix.

MGSE9-12.G.GPE.3 Derive the equations of ellipses and hyperbolas given the foci, using the fact that the sum or difference of distances from the foci is constant.

MGSE9-12.A.REI.7 Solve a simple system consisting of a linear equation and a quadratic equation in two variables algebraically and graphically. *For example, find the points of intersection between the line $y = -3x$ and the circle $x^2 + y^2 = 3$.*

RELATED STANDARDS

Translate between the geometric description and the equation for a conic section.

MGSE9-12.G.GPE.1 Derive the equation of a circle of given center and radius using the Pythagorean Theorem; complete the square to find the center and radius of a circle given by an equation.

STANDARDS FOR MATHEMATICAL PRACTICE

Refer to the Comprehensive Course Overview for more detailed information about the Standards for Mathematical Practice.

1. Make sense of problems and persevere in solving them.
2. Reason abstractly and quantitatively.
3. Construct viable arguments and critique the reasoning of others.
4. Model with mathematics.
5. Use appropriate tools strategically.
6. Attend to precision.
7. Look for and make use of structure.
8. Look for and express regularity in repeated reasoning.

ENDURING UNDERSTANDINGS

- Conic sections are quadratic relations that can be expressed generally by the form $Ax^2 + Bxy + Cy^2 + Dx + Ey + F = 0$ and the comparison of the coefficients A and C reveal the specific type of conic.
- All conic sections are defined by the relationship of their locus of points to fixed points known as foci.
- Ellipses arise from a locus of points that represent a constant sum of distances from two fixed points (foci).
- Hyperbolas arise from a locus of points that represent a constant absolute value of difference of distances from two fixed points (foci).

ESSENTIAL QUESTIONS

- What role do foci play in the definition of conic quadratic relations?
- How can ellipses be defined in relation to their foci?
- How can hyperbolas be defined in relation to their foci?
- How can conic sections be identified by the A and C coefficients from the general form of quadratic relations?
- How can we solve real-world problems using what we know about conics?

CONCEPTS/SKILLS TO MAINTAIN

It is expected that students will have prior knowledge/experience related to the concepts and skills identified below. It may be necessary to pre-assess in order to determine if time needs to be spent on conceptual activities that help students develop a deeper understanding of these ideas.

- quantitative reasoning
- seeing the generalizability of relationships in building quadratic relations (and geometric concepts in general)
- using algebraic methods, such as completing the square, to change forms of equations
- see relationships between algebraic manipulation of equations and characteristics of corresponding graphs

SELECTED TERMS AND SYMBOLS

The following terms and symbols are often misunderstood. These concepts are not an inclusive list and should not be taught in isolation. However, due to evidence of frequent difficulty and misunderstanding associated with these concepts, instructors should pay particular attention to them and how their students are able to explain and apply them.

The definitions below are for teacher reference only and are not to be memorized by the students. Students should explore these concepts using models and real life examples. Students should understand the concepts involved and be able to recognize and/or demonstrate them with words, models, pictures, or numbers.

<http://intermath.coe.uga.edu/dictionary/homepg.asp>

Definitions and activities for these and other terms can be found on the Intermath website. Because Intermath is geared towards middle and high school, grade 3-5 students should be directed to specific information and activities.

- **Cone:** A three dimensional figure with a circular or elliptical base and one vertex.
- **Coplanar:** Set of points, lines, rays, line segments, etc., that lie in the same plane.

- **Ellipse:** A curved line forming a closed loop, where the sum of the distances from two points (foci) to every point on the line is constant.
- **Focus:** one of the fixed points from which the distances to any point of a given curve, such as an ellipse or parabola, are connected by a linear relation.
- **Hyperbola:** A plane curve having two branches, formed by the intersection of a plane with both halves of a right circular cone at an angle parallel to the axis of the cone. It is the locus of points for which the difference of the distances from two given points is a constant.
- **Locus of Points:** A group of points that share a property.
- **Plane:** One of the basic undefined terms of geometry. A plane goes on forever in all directions (in two-dimensions) and is "flat" (i.e., it has no thickness).

CLASSROOM ROUTINES

The importance of continuing the established classroom routines cannot be overstated. Daily routines must include quantitative reasoning and critical thinking. Students should work collaboratively to develop an authentic understanding of the mathematics in a course, and application-oriented activities using data analysis and model-building should be a regular occurrence. Mathematics should be presented in its many contexts so that students can see the true inter-disciplinary nature of the field, and it's absolutely essential role in providing the structure for so many seemingly non-related disciplines.

STRATEGIES FOR TEACHING AND LEARNING

- Students should be actively engaged by developing their own understanding.
- Mathematics should be represented in as many ways as possible by using graphs, tables, pictures, symbols and words.
- Interdisciplinary and cross curricular strategies should be used to reinforce and extend the learning activities.
- Appropriate manipulatives and technology should be used to enhance student learning.
- Students should be given opportunities to revise their work based on teacher feedback, peer feedback, and metacognition which includes self-assessment and reflection.
- Students should write about the mathematical ideas and concepts they are learning.
- Consideration of all students should be made during the planning and instruction of this unit. Teachers need to consider the following:
 - What level of support do my struggling students need in order to be successful with this unit?

Georgia Department of Education
Georgia Standards of Excellence Framework
Accelerated GSE Pre-Calculus • Unit 6

- In what way can I deepen the understanding of those students who are competent in this unit?
- What real life connections can I make that will help my students utilize the skills practiced in this unit?

EVIDENCE OF LEARNING

By the conclusion of this unit, students should be able to demonstrate the following competencies:

- Identify the general and standard forms of the four types of conic sections.
- Use the method of completing the square to convert from general form to standard form of a conic equation.
- Understand conic sections pictorially as the intersection of a plane and a double-napped cone, algebraically as the result of specific quadratic equations, and geometrically as the relationship of the locus of points to foci.
- Use basic conic understanding to apply to realistic phenomena.

TASKS

The following tasks represent the level of depth, rigor, and complexity expected of all Pre-Calculus students in the culminating unit of the course. These tasks or tasks of similar depth and rigor should be used to demonstrate evidence of learning. It is important that all elements of a task be addressed throughout the learning process so that students understand what is expected of them. While some tasks are identified as a performance task, they may also be used for teaching and learning (learning task).

Georgia Department of Education
 Georgia Standards of Excellence Framework
Accelerated GSE Pre-Calculus • Unit 6

Task Name	Task Type <i>Grouping Strategy</i>	Content Addressed
Our Only Focus: Circles & Parabolas Review	Learning/Review <i>Individual/Partner</i>	Graphs and equations of circles and parabolas
The Focus is the Foci: Ellipses and Hyperbolas	Learning <i>Individual/Partner</i>	Derive the equations of ellipses and hyperbolas given the foci, using the fact that the sum or difference of distances from the foci is constant.
Deriving the General Equation of a Parabola	Learning <i>Individual</i> <i>Guided Practice</i>	Derive the equation of a parabola given the focus and directrix.
Parabolas In Other Directions	Learning <i>Individual</i> <i>Guided Practice</i>	This task introduces students to horizontal parabolas. Students should be able to identify horizontal or vertical parabolas from equations without transforming them to standard form.
Writing the Equations of Parabolas	Practice <i>Individual</i>	This task highlights the connections between the graph of a parabola, the parts of a parabola and the equation of a parabola through practice exercises.
The Intersection of a Line and a Quadratic	Performance Task <i>Individual</i>	Graphing lines, finding solutions graphically and algebraic verification are addressed in this task. The task emphasizes the connection between the graphical representation and the algebraic representation.
A Conic Application	Performance Task <i>Individual</i>	This task involves graphing ellipses and extends into calculating the area of an ellipse.
Culminating Task: Dr Cone's New House	Performance Task <i>Individual</i>	Creating graphs of parabolas and writing equations that describe those graphs are the foundations of this task.

Our Only Focus: Circles & Parabolas Review

Since this is a review circles and parabolas from previous courses, current Pre-Calculus standards do not apply, but the related standards from the previous courses obviously do; they are given below.

Translate between the geometric description and the equation for a conic section.

MGSE9-12.G.GPE.1 Derive the equation of a circle of given center and radius using the Pythagorean Theorem; complete the square to find the center and radius of a circle given by an equation.

MGSE9-12.G.GPE.2 Derive the equation of a parabola given a focus and directrix.


Introduction

It would be pedagogically awkward to begin a study of the ellipses and hyperbolas without a thorough review of their more basic cousins – circles and parabolas. First, for most students, it will have been two years since they last saw these two conic sections in a previous course, and no doubt many of the details have been forgotten. Those details, however, are important. For example, the general form of quadratic relations obviously applies to all conic sections. Even more importantly, the idea of a locus of points situated about a focus (or foci) is generalizable to all four of these planar graphs.

It is important here also to make a statement here about the notion of a focus for a circle. It is somewhat mathematically controversial to call the center of a circle its focus, but it is indeed where the two foci in this special case of an ellipse come together to define the relationship with the locus – and therefore, the center is presented as a focus in this activity. It is also up to the teacher to make things as generalizable as possible – for example, every conic can be defined by its relationship to two foci (including the circle scenario above or the fact that one of the foci of a parabola is a point at infinity), or, every conic can be defined by the relationship between a single focus and a single directrix. Also, the related idea of eccentricity is left out of our discussion. A teacher can pursue these ideas based on their own preferences and classroom context.

Our Only Focus: Circles & Parabolas Review

For most students, you last learned about conic sections in a previous course, which was a while ago. Before we begin looking back over the first two types of conic sections that you have already discovered, let's take a look at the geometric meaning of a conic section. First, why "conic"? Conic sections can be defined several ways, and what we'll focus on in this unit is deriving the formulas for the last two types of conic sections from special points called foci. But for the purpose of (re)introduction, the geometric meaning of "conic" comes into focus.



The reason we call these graphs conic sections is that they represent different slices of a double-napped cone. The diagram above shows how the different graphs can be "sliced off" of the figure. You should notice right away that the vast majority of these graphs are relations, not functions – in fact, only one case of parabolas (those featured in your past learning about quadratic functions) are actually functions. That doesn't limit the usefulness of these special planar graphs, however.


The General Form of a Quadratic Relation:

$$Ax^2 + Bxy + Cy^2 + Dx + Ey + F = 0 \text{ where } A, B, C \text{ cannot all be zero}$$

The graphs of all conic sections follow this same equation. It should be noted that for our more basic purposes, the B coefficient will always be zero.

Consider...the Circle

Circles should be old news to you, but just as a quick review let's see if you can remember their important parts.



For the circle to the left, label the following features on the diagram:

<i>Center</i>	<i>Black circle</i>
<i>Diameter</i>	<i>Yellow line segment</i>
<i>Radius</i>	<i>Red line segment</i>
<i>Chord</i>	<i>Black line segment</i>
<i>Secant Line</i>	<i>Green line</i>
<i>Tangent Line</i>	<i>Blue line</i>
<i>Point of Tangency</i>	<i>Where the red line segment meets the blue line</i>

Now let's try some very quick circle review using a few of these terms.

(a) What relationship do the points making up the graph of a circle have to the center?

All the points on the circle are equidistant from the center.

(b) What relationship do the radius and the diameter of a circle have?

The diameter has twice the length of the radius. Or "The diameter is twice the radius."

(c) What is a tangent line and what relationship does it have to the radius that it meets at the point of tangency?

A tangent line intersects the circle at exactly one place, known as the point of tangency. The radius that meets the tangent line at this point forms a right angle with the tangent line.

(d) If a circle has a diameter with endpoints $(-2, -5)$ and $(3, 4)$, what is...

(i) the diameter of the circle?

Using the distance formula,

$$\sqrt{(3 - (-2))^2 + (4 - (-5))^2} = \sqrt{106}$$

(ii) the center of the circle?

Using the midpoint formula,

$$\left(\frac{-2 + 3}{2}, \frac{-5 + 4}{2}\right) = \left(\frac{1}{2}, -\frac{1}{2}\right)$$

(iii) the radius of the circle?

$$\frac{\sqrt{106}}{2}$$

(iv) the slope of the radius from the center to $(3, 4)$?

Using the slope formula,

$$\frac{-\frac{1}{2} - 4}{\frac{1}{2} - 3} = \frac{-\frac{9}{2}}{-\frac{5}{2}} = \frac{9}{5}$$

(v) the equation of the tangent line that intersects the circle at the point $(-2, -5)$?

The slope of the radius connecting the center to this point is the same as that found in part (iv) since both radii are two halves of the same diameter. And since the tangent line will meet this radius at a right angle, we can use a perpendicular slope to $\frac{9}{5}$, which is $-\frac{5}{9}$, and by substituting into the point-slope form of a line, we have

$$(y - (-5)) = -\frac{5}{9}(x - (-2))$$

$$(y + 5) = -\frac{5}{9}(x + 2)$$

$$y + 5 = -\frac{5}{9}x - \frac{10}{9}$$

$$y = -\frac{5}{9}x - \frac{55}{9}$$

If you answered (a) correctly, you know that the locus of points making up a circle are equidistant from the circle's center. This leads to an important idea about the center – it serves as the focus of the circle. The points making up the circle are all entirely dependent upon the location of that important focal point.

Now let's review the standard form of the equation describing a circle.

Standard Form of a Circle:

$$(x - h)^2 + (y - k)^2 = r^2 \text{ with center at } (h, k) \text{ and radius } r$$

This is the most useful form of a circle in terms of recognizing important pieces and for graphing and was the emphasis of your previous work with circles.

Let's try writing a few equations in standard form.

Georgia Department of Education
Georgia Standards of Excellence Framework
Accelerated GSE Pre-Calculus • Unit 6

1. Write the equation for the circle with a diameter containing the endpoints $(-3, 0)$ and $(3, 0)$.

$$x^2 + y^2 = 9$$

2. Write the equation for the entire set of points that are 4 units away from $(1, -5)$.

$$(x - 1)^2 + (y + 5)^2 = 16$$

3. Write the equation of the circle with a radius from the center at $(2, 7)$ to an endpoint at $(6, 5)$.

$$(x - 2)^2 + (y - 7)^2 = 20$$

And now let's review how to take a circle in a different form and change it to the more useable standard form. For example, let's look at the following:

$$x^2 + y^2 + 6x - 2y + 1 = 0$$

Notice that this circle is presented in the **general form** $Ax^2 + Cy^2 + Dx + Ey + F = 0$ where $A = 1, C = 1, D = 6, E = -2,$ and $F = 1$. As you work through the next set of problems, see if you recognize any patterns in the coefficients for general form, and then see if you can find other patterns using the general form equations for other conic sections. In any case, this general form is not useful in terms of graphing, or picking out the radius, diameter, or center. So we need to put the equation into standard form. To do this by completing the square, first group like variables together and move the constant to the other side of the equation.

$$x^2 + y^2 + 6x - 2y + 1 = 0$$

$$x^2 + 6x + y^2 - 2y = -1$$

Georgia Department of Education
Georgia Standards of Excellence Framework
Accelerated GSE Pre-Calculus • Unit 6

Once we've gotten like variables together and sent the constant to the other side, we have to complete the square by taking the coefficient of the linear term for both variables, dividing it by 2, and squaring the quotients. Add both of these squares to both sides of your equation.

$$\left(x^2 + 6x + \left(\frac{6}{2}\right)^2\right) + \left(y^2 - 2y + \left(\frac{-2}{2}\right)^2\right) = -1 + \left(\frac{6}{2}\right)^2 + \left(\frac{-2}{2}\right)^2$$

$$(x^2 + 6x + 9) + (y^2 - 2y + 1) = 9$$

Now, all we must do is factor our two perfect square trinomials and we'll have standard form.

$$(x + 3)^2 + (y - 1)^2 = 9$$

Now we know that the circle has a center of $(-3, 1)$ and a radius of 3, facts not obvious from the original general form.

Put the following equations into standard form.

1. $x^2 + y^2 - 4x + 12y - 6 = 0$

2. $x^2 - 6x = y - y^2 + 7$

$$(x - 2)^2 + (y + 6)^2 = 46$$

$$(x - 3)^2 + \left(y - \frac{1}{2}\right)^2 = \frac{65}{4}$$


3. $\frac{7x^2}{3} + \frac{7y^2}{3} = 1$

$$x^2 + y^2 = \frac{3}{7}$$

(Re)Presenting the...Parabola

The conic parabolas you learned about in a previous course were either functions (opened either up or down) or relations (opened either left or right). Let's do a little parabola review and see what you remember about these.

Label the following features on the sketch to the left.



Vertex: *where axis of symmetry meets the parabola*

Focus: *black dot*

Axis of Symmetry: *green dotted line*

Directrix: *red dotted line*

The directed distance p (label 2 different places): *the distance from the vertex to the focus and from directrix to the vertex.*

Now let's see if you can answer some basic questions.

(a) What relationship does the locus of points forming a parabola have with the focus and directrix?

Each point on the parabola is equidistant from the focus and directrix.

(b) What relationship does the vertex have with the focus and the directrix?

The vertex the midpoint of the segment representing the (shortest distance from the focus to the directrix).

(c) What relationship does the directed distance p have with the focus and the directrix?

p is the distance from the vertex to the focus and from the directrix to the vertex.

Just as with circles, the most useable form for parabolas is standard form. Therefore, we need to know the following:

Standard Form of a Parabola and Related Information

With vertex (h, k) and directed distance from the vertex to the focus p :

$$\text{Vertical Axis of Symmetry: } (x - h)^2 = 4p(y - k)$$

If p is positive, the parabola opens up; if p is negative, the parabola opens down.

$$\text{Horizontal Axis of Symmetry: } (y - k)^2 = 4p(x - h)$$

If p is positive, the parabola opens to the right; if p is negative, the parabola opens to the left.

Let's try writing a few equations in standard form.

1. Write the equation of the parabola with a vertex at the origin and a focus at $(5, 0)$.

$$y^2 = 20x$$

2. Write the equation of the parabola with focus at $(-3, 3)$ and directrix at $y = 9$.

$$(x + 3)^2 = -12(y - 6)$$

3. Write the equation of the parabola that opens to the left, contains a distance of 5 between the focus and the directrix, and contains a vertex at $(9, 6)$.

$$(y - 6)^2 = -10(x - 9)$$

Just as with circles, often you will be given either an equation for a parabola that is not in standard form for a parabola and you'll need to convert the equation to standard form. Consider the following equation of a parabola:

$$5y^2 - 6x + 10y - 7 = 0$$

This parabola has been written in general form. Using what we know about the coefficients from general form, we have $C = 5$, $D = -6$, $E = 10$, and $F = -7$. It's easy to see that the y term is squared, so either the parabola will open left or right, but beyond this, it's difficult to tell anything else about the relation. Therefore, once again, we will have to convert to standard form by manipulating terms and completing the square:

Georgia Department of Education
Georgia Standards of Excellence Framework
Accelerated GSE Pre-Calculus • Unit 6

$$5y^2 - 6x + 10y - 7 = 0$$

$$5y^2 + 10y = 6x + 7$$

$$5\left(y^2 + 2y + \left(\frac{2}{2}\right)^2\right) = 6x + 7 + 5\left(\frac{2}{2}\right)^2$$

$$5(y^2 + 2y + 1) = 6x + 12$$

$$5(y + 1)^2 = 6(x + 2)$$

$$(y + 1)^2 = \frac{6}{5}(x + 2)$$

So what do we now know? Well, we know the vertex of the parabola is at $(-2, -1)$. We know the parabola opens to the right because p is positive. How do we know it's positive? Let's see...

Standard Form: $(y - k)^2 = 4p(x - h)$

so

$$4p = \frac{6}{5} \text{ so } p = \frac{6}{20} = \frac{3}{10}$$

Therefore the focus is at $\left(-2 + \frac{3}{10}, -1\right) = \left(-\frac{17}{10}, -1\right)$ and the directrix would be at $x = -2 - \frac{3}{10}$ which simplifies to $x = -\frac{23}{10}$

Convert the following equations of parabolas into standard form.

1. $x^2 + x - y = 5$

2. $2y^2 + 16y = -x - 27$

$$\left(x + \frac{1}{2}\right)^2 = \left(y + \frac{21}{4}\right)$$

$$(y + 4)^2 = -\frac{1}{2}(x - 5)$$

3. $x = -y^2 + 6y - 5$

$(y - 3)^2 = -(x - 4)$

Two more things before we go...

Circles and parabolas are from the past – they’re not our focus now. But the next two conic sections are built upon your knowledge of these simplest of conics. Therefore, think about (and answer!) these two questions.

1. We know that the general form of a quadratic relation is

$$Ax^2 + Bxy + Cy^2 + Dx + Ey + F = 0.$$

What relationship do the coefficients A and C have for a circle? For a parabola?


A and C are equal in equations of circles; parabolas have either A or C equal 0, but not both.

2. Why was this activity named “our only focus”?

Both of these conics have only one focus (the way that they are presented here). Teachers should see the introduction to this activity for further information.

Our Only Focus: Circles & Parabolas Review

For most students, you last learned about conic sections in a previous course, which was a while ago. Before we begin looking back over the first two types of conic sections that you have already discovered, let's take a look at the geometric meaning of a conic section. First, why "conic"? Conic sections can be defined several ways, and what we'll focus on in this unit is deriving the formulas for the last two types of conic sections from special points called foci. But for the purpose of (re)introduction, the geometric meaning of "conic" comes into focus.



The reason we call these graphs conic sections is that they represent different slices of a double-napped cone. The diagram above shows how the different graphs can be "sliced off" of the figure. You should notice right away that the vast majority of these graphs are relations, not functions – in fact, only one case of parabolas (those featured in your past learning about quadratic functions) are actually functions. That doesn't limit the usefulness of these special planar graphs, however.


The General Form of a Quadratic Relation:

$$Ax^2 + Bxy + Cy^2 + Dx + Ey + F = 0 \text{ where } A, B, C \text{ cannot all be zero}$$

The graphs of all conic sections follow this same equation. It should be noted that for our more basic purposes, the B coefficient will always be zero.

Consider...the Circle

Circles should be old news to you, but just as a quick review let's see if you can remember their important parts.



For the circle to the left, label the following features on the diagram:

- Center*
- Diameter*
- Radius*
- Chord*
- Secant Line*
- Tangent Line*
- Point of Tangency*

Now let's try some very quick circle review using a few of these terms.

- (a) What relationship do the points making up the graph of a circle have to the center?
- (b) What relationship do the radius and the diameter of a circle have?
- (c) What is a tangent line and what relationship does it have to the radius that it meets at the point of tangency?

Georgia Department of Education
Georgia Standards of Excellence Framework
Accelerated GSE Pre-Calculus • Unit 6

(d) If a circle has a diameter with endpoints $(-2, -5)$ and $(3, 4)$, what is...

(i) the diameter of the circle?

(ii) the center of the circle?

(iii) the radius of the circle?

(iv) the slope of the radius from the center to $(3, 4)$?

(v) the equation of the tangent line that intersects the circle at the point $(-2, -5)$?

If you answered (a) correctly, you know that the locus of points making up a circle are equidistant from the circle's center. This leads to an important idea about the center – it serves as the focus of the circle. The points making up the circle are all entirely dependent upon the location of that important focal point.

Now let's review the standard form of the equation describing a circle.

Standard Form of a Circle:

$$(x - h)^2 + (y - k)^2 = r^2 \text{ with center at } (h, k) \text{ and radius } r$$

This is the most useful form of a circle in terms of recognizing important pieces and for graphing and was the emphasis of your previous work with circles.

Let's try writing a few equations in standard form.

1. Write the equation for the circle with a diameter containing the endpoints $(-3, 0)$ and $(3, 0)$.

2. Write the equation for the entire set of points that are 4 units away from $(1, -5)$.

3. Write the equation of the circle with a radius from the center at $(2, 7)$ to an endpoint at $(6, 5)$.

And now let's review how to take a circle in a different form and change it to the more useable standard form. For example, let's look at the following:

$$x^2 + y^2 + 6x - 2y + 1 = 0$$

Notice that this circle is presented in the **general form** $Ax^2 + Cy^2 + Dx + Ey + F = 0$ where $A = 1, C = 1, D = 6, E = -2,$ and $F = 1$. As you work through the next set of problems, see if you recognize any patterns in the coefficients for general form, and then see if you can find other patterns using the general form equations for other conic sections. In any case, this general form is not useful in terms of graphing, or picking out the radius, diameter, or center. So we need to put the equation into standard form. To do this by completing the square, first group like variables together and move the constant to the other side of the equation.

$$x^2 + y^2 + 6x - 2y + 1 = 0$$

Georgia Department of Education
Georgia Standards of Excellence Framework
Accelerated GSE Pre-Calculus • Unit 6

$$x^2 + 6x + y^2 - 2y = -1$$

Once we've gotten like variables together and sent the constant to the other side, we have to complete the square by taking the coefficient of the linear term for both variables, dividing it by 2, and squaring the quotients. Add both of these squares to both sides of your equation.

$$\left(x^2 + 6x + \left(\frac{6}{2}\right)^2\right) + \left(y^2 - 2y + \left(\frac{-2}{2}\right)^2\right) = -1 + \left(\frac{6}{2}\right)^2 + \left(\frac{-2}{2}\right)^2$$

$$(x^2 + 6x + 9) + (y^2 - 2y + 1) = 9$$

Now, all we must do is factor our two perfect square trinomials and we'll have standard form.

$$(x + 3)^2 + (y - 1)^2 = 9$$

Now we know that the circle has a center of $(-3, 1)$ and a radius of 3, facts not obvious from the original general form.

Put the following equations into standard form.

1. $x^2 + y^2 - 4x + 12y - 6 = 0$


2. $x^2 - 6x = y - y^2 + 7$

3. $\frac{7x^2}{3} + \frac{7y^2}{3} = 1$

(Re)Presenting the...Parabola

The conic parabolas you learned about in a previous course were either functions (opened either up or down) or relations (opened either left or right). Let's do a little parabola review and see what you remember about these.

The conic parabolas you learned about in a previous course were either functions (opened either up or down) or relations (opened either left or right). Let's do a little parabola review and see what you remember about these.



Label the following features on the sketch to the left.

- Vertex*
- Focus*
- Axis of Symmetry*
- Directrix*
- The directed distance p (label 2 different places)*

Now let's see if you can answer some basic questions.

- (a) What relationship does the locus of points forming a parabola have with the focus and directrix?

- (b) What relationship does the vertex have with the focus and the directrix?

- (c) What relationship does the directed distance p have with the focus and the directrix?

Just as with circles, the most useable form for parabolas is standard form. Therefore, we need to know the following:

Standard Form of a Parabola and Related Information

With vertex (h, k) and directed distance from the vertex to the focus p :

$$\textit{Vertical Axis of Symmetry: } (x - h)^2 = 4p(y - k)$$

If p is positive, the parabola opens up; if p is negative, the parabola opens down.

$$\textit{Horizontal Axis of Symmetry: } (y - k)^2 = 4p(x - h)$$

If p is positive, the parabola opens to the right; if p is negative, the parabola opens to the left.

Let's try writing a few equations in standard form.

1. Write the equation of the parabola with a vertex at the origin and a focus at $(5, 0)$.

2. Write the equation of the parabola with focus at $(-3, 3)$ and directrix at $y = 9$.

3. Write the equation of the parabola that opens to the left, contains a distance of 5 between the focus and the directrix, and contains a vertex at $(9, 6)$.

Just as with circles, often you will be given either an equation for a parabola that is not in standard form and you'll need to convert the equation to standard form. Consider the following equation of a parabola:

$$5y^2 - 6x + 10y - 7 = 0$$

This parabola has been written in general form. Using what we know about the coefficients from general form, we have $C = 5$, $D = -6$, $E = 10$, and $F = -7$. It's easy to see that the y term is squared, so either the parabola will open left or right, but beyond this, it's difficult to tell

Georgia Department of Education
Georgia Standards of Excellence Framework
Accelerated GSE Pre-Calculus • Unit 6

anything else about the relation. Therefore, once again, we will have to convert to standard form by manipulating terms and completing the square:

$$5y^2 - 6x + 10y - 7 = 0$$

$$5y^2 + 10y = 6x + 7$$

$$5\left(y^2 + 2y + \left(\frac{2}{2}\right)^2\right) = 6x + 7 + 5\left(\frac{2}{2}\right)^2$$

$$5(y^2 + 2y + 1) = 6x + 12$$

$$5(y + 1)^2 = 6(x + 2)$$

$$(y + 1)^2 = \frac{6}{5}(x + 2)$$

So what do we now know? Well, we know the vertex of the parabola is at $(-2, -1)$. We know the parabola opens to the right because p is positive. How do we know it's positive? Let's see...

Standard Form: $(y - k)^2 = 4p(x - h)$

so

$$4p = \frac{6}{5} \text{ so } p = \frac{6}{20} = \frac{3}{10}$$

Therefore the focus is at $\left(-2 + \frac{3}{10}, -1\right) = \left(\frac{-17}{10}, -1\right)$ and the directrix would be at $x = -2 - \frac{3}{10}$ which simplifies to $x = -\frac{23}{10}$

Convert the following equations of parabolas into standard form.

1. $x^2 + x - y = 5$

2. $2y^2 + 16y = -x - 27$

3. $x = -y^2 + 6y - 5$

Two more things before we go...

Circles and parabolas are from the past – they’re not our focus now. But the next two conic sections are built upon your knowledge of these simplest of conics. Therefore, think about (and answer!) these two questions.

1. We know that the general form of a quadratic relation is

$$Ax^2 + Bxy + Cy^2 + Dx + Ey + F = 0.$$

What relationship do the coefficients A and C have for a circle? For a parabola?

2. Why was this activity named “our only focus”?

The Focus is the Foci: Ellipses and Hyperbolas

Translate between the geometric description and the equation for a conic section.

MGSE9-12.G.GPE.3 Derive the equations of ellipses and hyperbolas given the foci, using the fact that the sum or difference of distances from the foci is constant.

Introduction

This task is designed to be an introductory guide to ellipses and hyperbolas, focusing on conics sections pictorially, algebraically, and geometrically. There aren't a large number of problems given, and the ones that are presented ask students to look at conic equations algebraically and graphically. This task is not meant as a substitute for other instruction or assignments that would be given in your classroom in support of this unit.

The focus of the standard for this unit is not to present conics as a vast memorization exercise, but emphasizes that students understand how the locus of points that make up ellipses and hyperbolas relate to the fixed points known as foci. The task begins with an often-used construction activity for ellipses using string, paper, and a pencil. While this is certainly not a novel activity, it is a simple, quick, and efficient way of getting students to think of conic sections beyond formulas that they may never understand and often only memorize or use their algebraic intuition to muddle through. The rest of the task is developed on this simple foundation as an introduction to the importance of foci.

Of course, as always with conic sections, algebra is needed, especially to convert between forms and to find some specific important details of conic graphs. Some of these problems reinforce the algebraic manipulation and logic that many students are relatively weak at.

It is left up to the teacher here to encourage students to look at the connections between the A and C coefficients from the general form of quadratic relations, and to mix the four types of conics together to allow students to show their ability to distinguish between types, both in standard and general form. Also, the teacher needs to make sure that students understand that a circle is not really its own category of conic, but is a special case of ellipses. Here, a discussion of eccentricity and/or the idea of the two foci of an ellipse coming together at the center of a circle due to the equal lengths of its axes of symmetry may be helpful.


The Focus is the Foci: Ellipses and Hyperbolas

Ellipses and their Foci

The first type of quadratic relation we want to discuss is an ellipse. In terms of its “conic” definition, you can see how a plane would intersect with a cone, making the ellipse below.



We’re going to start our study of ellipses by doing a very basic drawing activity. You should have two thumbtacks, a piece of string, a piece of cardboard, and a pencil. Attach the string via the two tacks to the piece of cardboard. Make sure to leave some slack in the string when you pin the ends down so that you can actually draw your outline! Trace out the ellipse by moving the pencil around as far as it will go with the string, making sure that the string is held tight against the pencil.



Of course, you should notice that the shape that results from this construction is an oval. (The term oval is not precise and includes many closed rounded shapes. This particular oval is an ellipse.)

(a) What do the two thumbtacks represent in this activity?

The two thumbtacks represent foci of the ellipse.

(b) A “locus” of points is a set of points that share a property. Thinking about the simple activity that you just completed, what is the property shared by the entire set of points that make up the ellipse?

An ellipse is the entire set of points on a plane where the sum of the distances from two fixed foci is a constant.


c) Move the string and consider other ellipses created in this manner with different foci. How does the placement of the foci affect the size of the ellipse? How do you know?

When the foci are farther apart, the ellipse is more elongated. When the foci are closer together, the ellipse more closely resembles a circle.

d) What is the length of the string in relation to these ellipses?


The length of the string is the same as the length of the major axis of the ellipse.

Now let's look at an ellipse.




There are two types of ellipses that we'll be interested in during this unit – a horizontally oriented ellipse (left) and a vertically oriented ellipse (right). (Like all conic sections, these relations can be rotated diagonally if they contain the Bxy term from the general form of a quadratic relation, $Ax^2 + Bxy + Cy^2 + Dx + Ey + F = 0$, but we won't be dealing with these right now – they'll come up in Calculus later on.)

What is the primary difference here? It's a matter of the major axis. Since an ellipse contains two axes of symmetry, the major axis is the longer, and the minor axis is the shorter. The major axis contains the two foci of the ellipse and has vertices as its endpoints. (The endpoints of the minor axis are called the co-vertices.) And speaking of foci, the green dots that you see represent the foci (the thumbtacks you just used), so let's go back and look at how an ellipse can be constructed (or defined) by using its two foci.



What you will hopefully recognize here is that the black lines represent where the string would have been as you were tracing with your pencil. And if you were able to answer (b) above correctly, you already know the relationship that binds the points of an ellipse together – the sum

of the distances from each focus to any point on the ellipse remains constant. Another important piece of information that you may have noticed is that when you took your pencil and traced to one of the vertices (endpoints of the major axis), the entire length of string was being used going in a single direction. Therefore, the length of the string ended up being the length of your major axis! So let's fill this ellipse in with some important information.



Let's define what we see in the diagram:


- a is half the length of the major axis
- b is half the length of the minor axis
- c is the length from the center to a focus
- d_1 is the distance between the first focus (f_1) and the point of interest
- d_2 is the distance between the second focus (f_2) and the point of interest

Using these pieces of an ellipse, we can write out some important facts about this planar curve.


- The length of the major axis is $2a$.
- The length of the minor axis is $2b$.
- The distance between f_1 and f_2 is $2c$.
- $d_1 + d_2 = C$ where C is a constant. This is true regardless of the individual values of d_1 and d_2 . What is the value of this constant? $2a$

There's one other important relationship among these variables that we need to explore. Remember that we concluded that the length of your string was the length of the major axis?

That has some important implications. Let's look at the diagram below.



Here's what we can deduce from the information we have thus far. When the string was in this position, then d_1 and d_2 were of equal length, forming two right triangles with the axes of the ellipse. Since we already know that the entire string length is equal to the major axis length, $2a$, that leads to an important conclusion, namely that $d_1 + d_2 = 2a$. Since d_1 and d_2 are of equal length at this position, that means they both equal a , so we can see the following...



Since we're dealing with a right triangle, the Pythagorean Theorem applies, so

$$a^2 = b^2 + c^2$$

or, to rearrange...

$$c^2 = a^2 - b^2$$

Geometric Definition of an Ellipse:

The set of all points in a plane such that the sum of the distances from two fixed points (foci) is constant.

Standard Form of an Ellipse with Center (h, k) :

Horizontal Major Axis: $\frac{(x - h)^2}{a^2} + \frac{(y - k)^2}{b^2} = 1$

Vertical Major Axis: $\frac{(x - h)^2}{b^2} + \frac{(y - k)^2}{a^2} = 1$

where $a > b$ and $c^2 = a^2 - b^2$

Teacher Note: There is quite a jump from the definition of the ellipse to this formula. To help make the connections first either A) derive the formula for the case with center at the origin using the definition and then ask students to translate remembering their translation skills with circles or else B) look at the equation of a circle, divide it by the square of the radius and then ask how we might alter this to allow for different radii in the x and y directions.

Just as with circles and parabolas, we often have to write the equation of an ellipse in standard form (as always, a more useful form) when it is given in another form. And once again, we'll be using the method of completing the square to convert to standard form. For example, if given the equation

$$25x^2 + 9y^2 - 200x + 18y + 184 = 0$$

we should recognize this equation as being in general form. We will now convert to standard form by completing the square.

$$25x^2 - 200x + 9y^2 + 18y = -184$$

$$25(x^2 - 8x) + 9(y^2 + 2y) = -184$$

$$25\left(x^2 - 8x + \left(\frac{8}{2}\right)^2\right) + 9\left(y^2 + 2y + \left(\frac{2}{2}\right)^2\right) = -184 + 25\left(\frac{8}{2}\right)^2 + 9\left(\frac{2}{2}\right)^2$$

$$25(x - 4)^2 + 9(y + 1)^2 = 225$$

$$\frac{25(x - 4)^2}{225} + \frac{9(y + 1)^2}{225} = 1$$

$$\frac{(x - 4)^2}{9} + \frac{(y + 1)^2}{25} = 1$$

So from our standard form, we know that the center of the ellipse is $(4, -1)$. We know the ellipse has a vertical major axis (since the denominator is larger under the y -term) and we know that $a = 5$ and $b = 3$. Therefore, the vertices would be at $(4, -1 + 5)$ and $(4, -1 - 5)$, simplifying to $(4, 4)$ and $(4, -6)$ and the co-vertices would be at $(4 + 3, -1)$ and $(4 - 3, -1)$ which simplifies to $(7, -1)$ and $(1, -1)$. To find the coordinates of the foci, we'd do the following:

$$c^2 = a^2 - b^2$$

$$c^2 = 25 - 9 = 16$$


$$c = 4$$

So the foci are at $(4, -1 + 4)$ and $(4, -1 - 4)$, simplifying to $(4, 3)$ and $(4, -5)$.

Hyperbolas and their Foci

Although hyperbolas and ellipses are quite different, their formulas and foci relationships are similar, making it is easy to confuse their characteristics. Be careful when working with both of these conics.

We spent quite a bit of time deriving the definition of an ellipse from the relationship of its locus to its foci, and we're going to introduce hyperbolas with the same type of thinking, but we'll be brief.



Although on a smaller scale, the graph of the hyperbola looks like an inverted ellipse, on a larger scale, the hyperbola extends forever and approaches 2 intersecting lines called asymptotes. Remember that we define an ellipse as the set of all points on a plane where the sum of the distances from two fixed points called foci is a constant. The relationship of a hyperbola to its foci is slightly different. Notice the blue line segments representing d_1 and d_2 . These are no longer being added to obtain a constant – they are now being subtracted!


Geometric Definition of a Hyperbola:

The set of all points in a plane such that the absolute value of the difference of the distances from two fixed points (foci) is constant.

Note that $|d_1 - d_2| = 2a$, and a is still the distance from the center to a vertex, but we no longer call the axis containing the vertices and foci the major axis. We now call the segment joining the vertices the transversal axis, and it no longer must be the longer of the two axes. The other axis of symmetry for a hyperbola contains the conjugate axis, and these 2 axes bisect each other. Here are some other important characteristics of the graphs of hyperbolas:

- The center is the starting point at (h, k) .
- The transverse axis contains the foci and the vertices.
- Transverse axis length = $2a$. This is also the constant that the difference of the distances must be.
- Conjugate axis length = $2b$.
- Distance between foci = $2c$.
- The foci are within the curve.
- Since the foci are the farthest away from the center, c is the largest of the three lengths, and the Pythagorean relationship is: $c^2 = a^2 + b^2$.

The two types of hyperbolas that we will study are: horizontally (left) and vertically (right) oriented.



The Standard Form of a Hyperbola with Center (h, k) :

Horizontal Transverse Axis:
$$\frac{(x - h)^2}{a^2} - \frac{(y - k)^2}{b^2} = 1$$

Since the change in y is b and the change in x is a , the slope of the asymptotes will be $\pm \frac{b}{a}$. The equations of the asymptotes will be $(y - k) = \pm \frac{b}{a}(x - h)$.

Vertical Transverse Axis:
$$\frac{(y - k)^2}{a^2} - \frac{(x - h)^2}{b^2} = 1$$

Since the change in y is a and the change in x is b , the slope of the asymptotes will be $\pm \frac{a}{b}$. The equations of the asymptotes will be $(y - k) = \pm \frac{a}{b}(x - h)$.

It's probably not surprising that, given the two focal distances are subtracted for hyperbolas instead of added, the standard form of a hyperbola involved subtraction instead of addition (like circles and ellipses).

And just as with circles, parabolas, and ellipses, we sometimes have to take a hyperbola written in another form and convert it to standard form in order to pick out the necessary information to graph the relation accurately. For example, consider the general form of this hyperbola:

Georgia Department of Education
Georgia Standards of Excellence Framework
Accelerated GSE Pre-Calculus • Unit 6

$$9x^2 - 4y^2 + 90x + 32y + 197 = 0$$

$$9x^2 + 90x - 4y^2 + 32y = -197$$

As always, we need to complete the square in order to convert forms.

$$9(x^2 + 10x) - 4(y^2 - 8y) = -197$$

$$9\left(x^2 + 10x + \left(\frac{10}{2}\right)^2\right) - 4\left(y^2 - 8y + \left(\frac{8}{2}\right)^2\right) = -197 + 9\left(\frac{10}{2}\right)^2 - 4\left(\frac{8}{2}\right)^2$$

$$9(x + 5)^2 - 4(y - 4)^2 = -36$$

$$\frac{9(x + 5)^2}{-36} - \frac{4(y - 4)^2}{-36} = \frac{-36}{-36}$$

$$-\frac{(x + 5)^2}{4} + \frac{(y - 4)^2}{9} = 1$$

or

$$\frac{(y - 4)^2}{9} - \frac{(x + 5)^2}{4} = 1$$

So now we know that $a = 3$ and $b = 2$ and that the center of this hyperbola is $(-5, 4)$ and, since it has a vertical transverse axis, the vertices of the hyperbola are at $(-5, 4 + 3)$ and $(-5, 4 - 3)$, which become $(-5, 7)$ and $(-5, 1)$. To find the foci, we use

$$c^2 = a^2 + b^2$$

$$c^2 = 9 + 4 = 13$$

$$c = \sqrt{13}$$

So the foci are at $(-5, 4 + \sqrt{13})$ and $(-5, 4 - \sqrt{13})$.

So now all we need to do is find the asymptotes. Again, we know that this hyperbola has a vertical transverse axis, and therefore the slope of the asymptotes will be $\pm \frac{\Delta y}{\Delta x} = \pm \frac{3}{2}$.

Therefore,

Georgia Department of Education
Georgia Standards of Excellence Framework
Accelerated GSE Pre-Calculus • Unit 6

$$(y - 4) = \pm \frac{3}{2}(x - (-5))$$

$$y - 4 = \frac{3}{2}x + \frac{15}{2} \text{ and } y - 4 = -\frac{3}{2}x - \frac{15}{2}$$

Therefore, the equations of the asymptotes are

$$y = \frac{3}{2}x + \frac{23}{2} \text{ and } y = -\frac{3}{2}x - \frac{7}{2}$$

And now it's your turn...

For the following, put the equation in standard form, label the important pieces, and sketch the graph of the relation.

1. $4x^2 + 9y^2 - 16x + 90y + 205 = 0$

$$\frac{(x-2)^2}{9} + \frac{(y+5)^2}{4} = 1$$

2. $100x^2 + 36y^2 > 3600$

$$\frac{x^2}{36} + \frac{y^2}{100} > 1$$

3. $9x^2 - 4y^2 - 54x - 16y - 79 = 0$

$$\frac{(x-3)^2}{16} - \frac{(y+2)^2}{36} = 1$$

4. $25x^2 - 4y^2 + 200x - 8y + 796 = 0$

$$-\frac{(x+4)^2}{16} + \frac{(y+1)^2}{100} = 1$$

$$\text{or } \frac{(y+1)^2}{100} - \frac{(x+4)^2}{16} = 1$$

5. Write the equation of a hyperbola whose center is at the origin, has a horizontal transverse axis and has asymptotes of $y = \pm \frac{5}{7}x$.

$$\frac{x^2}{49} - \frac{y^2}{25} = 1$$

Georgia Department of Education
Georgia Standards of Excellence Framework
Accelerated GSE Pre-Calculus • Unit 6

6. Write the equation of the ellipse with major axis of length 12 and foci (3, 0) and (-3, 0).

$$c^2 = a^2 - b^2$$

$$9 = 36 - b^2$$

$$27 = b^2$$

$$\frac{x^2}{36} + \frac{y^2}{27} = 1$$

7. Write the equation of a hyperbola with asymptote $y - 2 = \frac{1}{3}(x + 4)$ and vertical transverse axis.

$$\frac{(y - 2)^2}{1} - \frac{(x + 4)^2}{9} = 1$$

Can you write the equation of another such hyperbola?

Any hyperbola of the form:

$$\frac{(y - 2)^2}{1k} - \frac{(x + 4)^2}{9k} = 1$$


The Focus is the Foci: Ellipses and Hyperbolas

Ellipses and their Foci

The first type of quadratic relation we want to discuss is an ellipse. In terms of its “conic” definition, you can see how a plane would intersect with a cone, making the ellipse below.



We're going to start our study of ellipses by doing a very basic drawing activity. You should have two thumbtacks, a piece of string, a piece of cardboard, and a pencil. Attach the string via the two tacks to the piece of cardboard. Make sure to leave some slack in the string when you pin the ends down so that you can actually draw your outline! Trace out the ellipse by moving the pencil around as far as it will go with the string, making sure that the string is held tight against the pencil.



Of course, you should notice that the shape that results from this construction is an oval.


(a) What do the two thumbtacks represent in this activity?

(b) A “locus” of points is a set of points that share a property. Thinking about the simple activity that you just completed, what is the property shared by the entire set of points that make up the ellipse?

c) Move the string and consider other ellipses created in this manner with different foci. How does the placement of the foci affect the size of the ellipse? How do you know?


d) What is the length of the string in relation to these ellipses?

Now let’s look at an ellipse.




There are two types of ellipses that we’ll be interested in during this unit – a horizontally oriented ellipse (left) and a vertically oriented ellipse (right). (Like all conic sections, these relations can be rotated diagonally if they contain the Bxy term from the general form of a quadratic relation, $Ax^2 + Bxy + Cy^2 + Dx + Ey + F = 0$, but we won’t be dealing with these right now – they’ll come up in Calculus later on.)

What is the primary difference here? It’s a matter of the major axis. Since an ellipse contains two axes of symmetry, the major axis is the longer, and the minor axis is the shorter. The major axis contains the two foci of the ellipse and has vertices as its endpoints. The endpoints of the minor axis are called the co-vertices. And speaking of foci, the green dots that you see represent the foci (the thumbtacks you just used), so let’s go back and look at how an ellipse can be constructed (or defined) by using its two foci.



What you will hopefully recognize here is that the black lines represent where the string would have been as you were tracing with your pencil. And if you were able to answer (b) above correctly, you already know the relationship that binds the points of an ellipse together – the sum of the distances from each focus to any point on the ellipse remains constant. Another important piece of information that you may have noticed is that when you took your pencil and traced to one of the vertices (endpoints of the major axis), the entire length of string was being used going in a single direction. Therefore, the length of the string ended up being the length of your major axis! So let's fill this ellipse in with some important information.




Let's define what we see in the diagram:

- a is half the length of the major axis
- b is half the length of the minor axis
- c is the length from the center to a focus
- d_1 is the distance between the first focus (f_1) and the point of interest
- d_2 is the distance between the second focus (f_2) and the point of interest


Using these pieces of an ellipse, we can write out some important facts about this planar curve.

- The length of the major axis is $2a$.
- The length of the minor axis is $2b$.
- The distance between f_1 and f_2 is $2c$.
- $d_1 + d_2 = C$ where C is a constant. This is true regardless of the individual values of d_1 and d_2 . What is the value of this constant?

There's one other important relationship among these variables that we need to explore. Remember that we concluded that the length of your string was the length of the major axis? That has some important implications. Let's look at the diagram below.



Here's what we can deduce from the information we have thus far. When the string was in this position, then d_1 and d_2 were of equal length, forming two right triangles with the axes of the ellipse. Since we already know that the entire string length is equal to the major axis length, $2a$, that leads to an important conclusion, namely that $d_1 + d_2 = 2a$. Since d_1 and d_2 are of equal length at this position, that means they both equal a , so we can see the following...



Since we're dealing with a right triangle, the Pythagorean Theorem applies, so

$$a^2 = b^2 + c^2$$

or, to rearrange...

$$c^2 = a^2 - b^2$$

Geometric Definition of an Ellipse:

The set of all points in a plane such that the sum of the distances from two fixed points (foci) is constant.

Standard Form of an Ellipse with Center (h, k) :

$$\text{Horizontal Major Axis: } \frac{(x - h)^2}{a^2} + \frac{(y - k)^2}{b^2} = 1$$

$$\text{Vertical Major Axis: } \frac{(x - h)^2}{b^2} + \frac{(y - k)^2}{a^2} = 1$$

where $a > b$ and $c^2 = a^2 - b^2$

Just as with circles and parabolas, we often have to write the equation of an ellipse in standard form (as always, a more useful form) when it is given in another form. And once again, we'll be using the method of completing the square to convert to standard form. For example, if given the equation

$$25x^2 + 9y^2 - 200x + 18y + 184 = 0$$

we should recognize this equation as being in general form. We will now convert to standard form by completing the square.

$$25x^2 - 200x + 9y^2 + 18y = -184$$

$$25(x^2 - 8x) + 9(y^2 + 2y) = -184$$

$$25\left(x^2 - 8x + \left(\frac{8}{2}\right)^2\right) + 9\left(y^2 + 2y + \left(\frac{2}{2}\right)^2\right) = -184 + 25\left(\frac{8}{2}\right)^2 + 9\left(\frac{2}{2}\right)^2$$

$$25(x - 4)^2 + 9(y + 1)^2 = 225$$

$$\frac{25(x - 4)^2}{225} + \frac{9(y + 1)^2}{225} = 1$$

$$\frac{(x - 4)^2}{9} + \frac{(y + 1)^2}{25} = 1$$

So from our standard form, we know that the center of the ellipse is $(4, -1)$. We know the ellipse has a vertical major axis (since the denominator is larger under the y -term) and we know that $a = 5$ and $b = 3$. Therefore, the vertices would be at $(4, -1 + 5)$ and $(4, -1 - 5)$, simplifying to $(4, 4)$ and $(4, -6)$ and the co-vertices would be at $(4 + 3, -1)$ and $(4 - 3, -1)$ which simplifies to $(7, -1)$ and $(1, -1)$. To find the coordinates of the foci, we'd do the following:

$$c^2 = a^2 - b^2$$

$$c^2 = 25 - 9 = 16$$


$$c = 4$$

So the foci are at $(4, -1 + 4)$ and $(4, -1 - 4)$, simplifying to $(4, 3)$ and $(4, -5)$.

Hyperbolas and their Foci

Although hyperbolas and ellipses are quite different, their formulas and foci relationships are similar, making it is easy to confuse their characteristics. Be careful when working with both of these conics.

We spent quite a bit of time deriving the definition of an ellipse from the relationship of its locus to its foci, and we're going to introduce hyperbolas with the same type of thinking, but we'll be brief.



Although on a smaller scale, the graph of the hyperbola looks like an inverted ellipse, on a larger scale, the hyperbola extends forever and approaches 2 intersecting lines called asymptotes. Remember that we define an ellipse as the set of all points on a plane where the sum of the distances from two fixed points called foci is a constant. The relationship of a hyperbola to its foci is slightly different. Notice the blue line segments representing d_1 and d_2 . These are no longer being added to obtain a constant – they are now being subtracted!


Geometric Definition of a Hyperbola:

The set of all points in a plane such that the absolute value of the difference of the distances from two fixed points (foci) is constant.

Note that $|d_1 - d_2| = 2a$, and a is still the distance from the center to a vertex, but we no longer call the axis containing the vertices and foci the major axis. We now call the segment joining the vertices the transversal axis, and it no longer must be the longer of the two axes. The other axis of symmetry for a hyperbola contains the conjugate axis, and these 2 axes bisect each other. Here are some other important characteristics of the graphs of hyperbolas:

- The center is the starting point at (h, k) .
- The transverse axis contains the foci and the vertices.
- Transverse axis length = $2a$. This is also the constant that the difference of the distances must be.
- Conjugate axis length = $2b$.
- Distance between foci = $2c$.
- The foci are within the curve.
- Since the foci are the farthest away from the center, c is the largest of the three lengths, and the Pythagorean relationship is: $c^2 = a^2 + b^2$.

The two types of hyperbolas that we will study are: horizontally (left) and vertically (right) oriented.



The Standard Form of a Hyperbola with Center (h, k) :

Horizontal Transverse Axis:
$$\frac{(x - h)^2}{a^2} - \frac{(y - k)^2}{b^2} = 1$$

Since the change in y is b and the change in x is a , the slope of the asymptotes will be $\pm \frac{b}{a}$. The equations of the asymptotes will be $(y - k) = \pm \frac{b}{a}(x - h)$.

Vertical Transverse Axis:
$$\frac{(y - k)^2}{a^2} - \frac{(x - h)^2}{b^2} = 1$$

Since the change in y is a and the change in x is b , the slope of the asymptotes will be $\pm \frac{a}{b}$. The equations of the asymptotes will be $(y - k) = \pm \frac{a}{b}(x - h)$.

It's probably not surprising that, given that the two focal distances are subtracted for hyperbolas instead of added, the standard form of a hyperbola involved subtraction instead of addition (like circles and ellipses).

And just as with circles, parabolas, and ellipses, we sometimes have to take a hyperbola written in another form and convert it to standard form in order to pick out the necessary information to graph the relation accurately. For example, consider the general form of this hyperbola:

Georgia Department of Education
Georgia Standards of Excellence Framework
Accelerated GSE Pre-Calculus • Unit 6

$$9x^2 - 4y^2 + 90x + 32y + 197 = 0$$

$$9x^2 + 90x - 4y^2 + 32y = -197$$

As always, we need to complete the square in order to convert forms.

$$9(x^2 + 10x) - 4(y^2 - 8y) = -197$$

$$9\left(x^2 + 10x + \left(\frac{10}{2}\right)^2\right) - 4\left(y^2 - 8y + \left(\frac{8}{2}\right)^2\right) = -197 + 9\left(\frac{10}{2}\right)^2 - 4\left(\frac{8}{2}\right)^2$$

$$9(x + 5)^2 - 4(y - 4)^2 = -36$$

$$\frac{9(x + 5)^2}{-36} - \frac{4(y - 4)^2}{-36} = \frac{-36}{-36}$$

$$-\frac{(x + 5)^2}{4} + \frac{(y - 4)^2}{9} = 1$$

$$\frac{(y - 4)^2}{9} - \frac{(x + 5)^2}{4} = 1$$

So now we know that $a = 3$ and $b = 2$ and that the center of this hyperbola is $(-5, 4)$ and, since it has a vertical transverse axis, the vertices of the hyperbola are at $(-5, 4 + 3)$ and $(-5, 4 - 3)$, which become $(-5, 7)$ and $(-5, 1)$. To find the foci, we use

$$c^2 = a^2 + b^2$$

$$c^2 = 9 + 4 = 13$$

$$c = \sqrt{13}$$

So the foci are at $(-5, 4 + \sqrt{13})$ and $(-5, 4 - \sqrt{13})$.

Georgia Department of Education
Georgia Standards of Excellence Framework
Accelerated GSE Pre-Calculus • Unit 6

So now all we need to do is find the asymptotes. Again, we know that this hyperbola has a vertical transverse axis, and therefore the slope of the asymptotes will be $\pm \frac{\Delta y}{\Delta x} = \pm \frac{3}{2}$.

Therefore,

$$(y - 4) = \pm \frac{3}{2}(x - (-5))$$

$$y - 4 = \frac{3}{2}x + \frac{15}{2} \text{ and } y - 4 = -\frac{3}{2}x - \frac{15}{2}$$

Therefore, the equations of the asymptotes are

$$y = \frac{3}{2}x + \frac{23}{2} \text{ and } y = -\frac{3}{2}x - \frac{7}{2}$$

And now it's your turn...

For the following, put the equation in standard form, label the important pieces, and sketch the graph of the relation.

1. $4x^2 + 9y^2 - 16x + 90y + 205 = 0$

2. $100x^2 + 36y^2 > 3600$

3. $9x^2 - 4y^2 - 54x - 16y - 79 = 0$

4. $25x^2 - 4y^2 + 200x - 8y + 796 = 0$

5. Write the equation of a hyperbola whose center is at the origin, has a horizontal transverse axis and has asymptotes of $y = \pm \frac{5}{7}x$.

6. Write the equation of the ellipse with major axis of length 12 and foci (3, 0) and (-3, 0).

7. Write the equation of a hyperbola with asymptote $y - 2 = \frac{1}{3}(x + 4)$ and vertical transverse axis.

Can you write the equation of another such hyperbola?

Deriving the General Equation of a Parabola

Standard Addressed in this Task

MGSE9-12.G.GPE.2 Derive the equation of a parabola given a focus and directrix.

Standards for Mathematical Practice

2. Reason abstractly and quantitatively by requiring students to make sense of quantities and their relationships to one another in problem situations.

3. Construct viable arguments and critique the reasoning of others by engaging students on discussion of why they agree or disagree with responses, decide whether they make sense, and ask useful questions to clarify or improve the arguments.

7. Look for and make use of structure by expecting students to apply rules, look for patterns and analyze structure.

8. Look for and express regularity in repeated reasoning by expecting students to understand broader applications and look for structure and general methods in similar situations.

Common Student Misconceptions

Because new vocabulary is being introduced in this cluster, remembering the names of the conic sections can be problematic for some students.

The Euclidean distance formula involves squared, subscripted variables whose differences are added. The notation and multiplicity of steps can be a serious stumbling block for some students.

The method of completing the square is a multi-step process that takes time to assimilate.

A geometric demonstration of completing the square can be helpful in promoting conceptual understanding

Teacher Notes:

This task is designed very much like the first task with circles. Remind students of their deriving the formula for a circle experience. This task will connect the geometric definition of a parabola with an algebraic equation. You might also consider introducing this activity with a paper folding activity. There are many good explanations and videos online. Here is one that also had an applet:


<http://www.math.psu.edu/dlitttle/java/parametric-equations/parabola.html>

Parabolas were studied in the previous unit as quadratic functions where the equations were based on the position of the vertex and additional points were found using values of x on either side of the axis of symmetry. Equations were in vertex form, $y = a(x - h)^2 + k$, or in general quadratic form $y = ax^2 + bx + c$. We will use these forms and expand our study by including the geometric definition of the parabola.

Definition: A parabola is the set of all points that are the same distance from a fixed point, the focus, and a fixed line, the directrix.

Part 1: Finding a specific equation.

Consider the parabola below. Notice the vertex at the origin and a point on the parabola (x, y) .



Follow the steps to find the equation of the parabola.

1. Write equations for the distance from the focus to (x, y) and the distance from the directrix to (x, y) .

Solution:

Distance from point to focus: $d = \sqrt{(x-0)^2 + (y-2)^2}$

Distance from point to directrix: $d = \sqrt{(x-x)^2 + (y-(-2))^2}$

2. Because the definition of a parabola says that the distances you wrote in #1 are the same, write an equation stating this fact.

Solution:

$$\sqrt{(x-x)^2 + (y-(-2))^2} = \sqrt{(x-0)^2 + (y-2)^2}$$

3. Now square both sides to eliminate the radicals. Square the binomials and write your answer below.

Solution:

$$(x-x)^2 + (y-(-2))^2 = (x-0)^2 + (y-2)^2$$

$$0^2 + (y+2)^2 = x^2 + (y-2)^2$$

$$y^2 + 4y + 4 = x^2 + y^2 - 4y + 4$$

4. Collect like terms and solve the equation for y.

Solution:

$$y^2 + 4y + 4 = x^2 + y^2 - 4y + 4$$

$$8y = x^2$$

$$y = \frac{1}{8}x^2$$

5. Write your equation in terms of y below.


Solution:

$$y = \frac{1}{8}x^2$$

Part 2: Writing the general equation for a Parabola.

Consider the graph of the parabola below. It's vertex is at the origin, the focus is at $(0,p)$, and the directrix is the line $y=-p$.

Follow the steps to find the equation of the parabola.



1. Write equations for the distance from the focus to (x, y) and the distance from the directrix to (x, y) .

Solution:

Distance from focus to point: $d = \sqrt{(x-0)^2 + (y-p)^2}$

Distance from directrix to point: $d = \sqrt{(x-x)^2 + (y-(-p))^2}$

2. Because the definition of a parabola says that the distances you wrote in #1 are the same, write an equation stating this fact.

Solution:

$$\sqrt{(x-x)^2 + (y-(-p))^2} = \sqrt{(x-0)^2 + (y-p)^2}$$

3. Now square both sides to eliminate the radicals. Square the binomials and write your answer below.

Comments:

The algebra gets a little tricky here for students, but they can do it! This is a part of the abstraction from definition to formula.

Solution:

$$(x-x)^2 + (y-(-p))^2 = (x-0)^2 + (y-p)^2$$

$$0^2 + (y+p)^2 = x^2 + (y-p)^2$$

$$y^2 + 2py + p^2 = x^2 + y^2 - 2py + p^2$$

4. Collect like terms and solve the equation for y.

Solution:

$$y^2 + 2py + p^2 = x^2 + y^2 - 2py + p^2$$

$$4py = x^2$$

$$y = \frac{1}{4p}x^2$$

5. Write your equation in terms of y below.

Solution:

$$y = \frac{1}{4p}x^2$$

6. What does the “p” represent in your equation?

Solution:

In the equation, p is always the distance from the focus to the vertex, or the distance from the vertex to the directrix.

Consider that the vertex of a parabola is not always at the origin. It could be translated to any point on the graph. Use what you know about transformations and your formula above to write the following equations. (all of the parabolas open either up or down)

Comment:

At this point, instead of symbolically manipulating the case with center (h, k), remind students about the transformations they have already learned. This will help develop the general formula for any parabola.

7. Vertex at (2, 3); p=4. **Solution:** $y-3 = \frac{1}{16}(x-2)^2$

8. Vertex at (-4, 8); p=-3. **Solution:** $y-8 = -\frac{1}{12}(x+4)^2$

Georgia Department of Education
Georgia Standards of Excellence Framework
Accelerated GSE Pre-Calculus • Unit 6

9. Vertex at $(5, -9)$; $p=0.5$. *Solution:* $y + 9 = \frac{1}{2}(x - 5)^2$

10. Vertex at (h, k) ; $p=p$. *Solution:* $y - k = \frac{1}{4p}(x - h)^2$

DERIVING THE GENERAL EQUATION OF A PARABOLA

Standard Addressed in this Task

MGSE9-12.G.GPE.2 Derive the equation of a parabola given a focus and directrix.

Standards for Mathematical Practice

2. Reason abstractly and quantitatively by requiring students to make sense of quantities and their relationships to one another in problem situations.

3. Construct viable arguments and critique the reasoning of others by engaging students on discussion of why they agree or disagree with responses, decide whether they make sense, and ask useful questions to clarify or improve the arguments.

7. Look for and make use of structure by expecting students to apply rules, look for patterns and analyze structure.

8. Look for and express regularity in repeated reasoning by expecting students to understand broader applications and look for structure and general methods in similar situations.


Parabolas were studied in the previous unit as quadratic functions where the equations were based on the position of the vertex and additional points were found using values of x on either side of the axis of symmetry. Equations were in the vertex form, $y = a(x - h)^2 + k$, or in general quadratic form $y = ax^2 + bx + c$. We will use these forms and expand our study by including the geometric definition of the parabola.

Definition: A parabola is the set of all points that are the same distance from a fixed point, the focus, and a fixed line, the directrix.

Part 1: Finding a specific equation.

Consider the parabola below. Notice the vertex at the origin and a point on the parabola (x, y) .

Georgia Department of Education
Georgia Standards of Excellence Framework
Accelerated GSE Pre-Calculus • Unit 6



Follow the steps to find the equation of the parabola.

1. Write equations for the distance from the focus to (x, y) and the distance from the directrix to (x, y) .
2. Because the definition of a parabola says that the distances you wrote in #1 are the same, write an equation stating this fact.
3. Now square both sides to eliminate the radicals. Square the binomials and write your answer below.

Georgia Department of Education
Georgia Standards of Excellence Framework
Accelerated GSE Pre-Calculus • Unit 6

4. Collect like terms and solve the equation for y .


5. Write your equation in terms of y below.

Georgia Department of Education
Georgia Standards of Excellence Framework
Accelerated GSE Pre-Calculus • Unit 6

Part 2: Writing the general equation for a Parabola.

Consider the graph of the parabola below. It's vertex is at the origin, the focus is at $(0,p)$, and the directrix is the line $y=-p$.

Follow the steps to find the equation of the parabola.



1. Write equations for the distance from the focus to (x, y) and the distance from the directrix to (x, y) .
2. Because the definition of a parabola says that the distances you wrote in #1 are the same, write an equation stating this fact.

Parabolas in Other Directions

Standard Addressed in this Task

MGSE9-12.G.GPE.2 Derive the equation of a parabola given a focus and directrix.

Standards for Mathematical Practice

2. Reason abstractly and quantitatively by requiring students to make sense of quantities and their relationships to one another in problem situations.

3. Construct viable arguments and critique the reasoning of others by engaging students on discussion of why they agree or disagree with responses, decide whether they make sense, and ask useful questions to clarify or improve the arguments.

7. Look for and make use of structure by expecting students to apply rules, look for patterns and analyze structure.

8. Look for and express regularity in repeated reasoning by expecting students to understand broader applications and look for structure and general methods in similar situations.

Common Student Misconceptions

1. Because new vocabulary is being introduced in this cluster, remembering the names of the conic sections can be problematic for some students.
2. The Euclidean distance formula involves squared, subscripted variables whose differences are added. The notation and multiplicity of steps can be a serious stumbling block for some students.
3. The method of completing the square is a multi-step process that takes time to assimilate.
4. A geometric demonstration of completing the square can be helpful in promoting conceptual understanding.

Teacher Notes:

This task introduces students to horizontal parabolas. Students should be able to identify horizontal or vertical parabolas from equations without transforming them to standard form.

When we studied quadratic functions in the last unit, we used only parabolas that opened up or down. When we use a geometric definition of parabolas, we also can write equations for parabolas that open right or left.

Consider the parabola $y = \frac{1}{4}x^2$. When we compare it to our general form equation, we see that:

$$\begin{aligned}\frac{1}{4p} &= \frac{1}{4} \\ 4p &= 4 \\ p &= 1\end{aligned}$$

Georgia Department of Education
 Georgia Standards of Excellence Framework
 Accelerated GSE Pre-Calculus • Unit 6

Because p is positive, we know that the parabola is going to open in a positive direction. If p had been negative, it would have opened in a negative direction.

We also know from our work with quadratics, that the x^2 term represents a parabola that opens in a vertical direction.

The general form for a horizontal parabola is $x - h = \frac{1}{4p}(y - k)^2$. When we compare the parabola $x - 2 = -2(y + 1)^2$, we see that:

$$\begin{aligned}\frac{1}{4p} &= -2 \\ -8p &= 1 \\ p &= -\frac{1}{8}\end{aligned}$$

Because p is negative, we know that the parabola opens in a negative direction. Also notice that the vertex is $(2, -1)$.

Complete the following chart:


Solution:

Equation	Vertex	P=	Opens	Squared Variable?	Horizontal or Vertical?
$x + 4 = 16(y - 3)^2$	$(-4, 3)$	$\frac{1}{64}$	(Positive) Right	Y	Horizontal
$y = \frac{1}{4}(x + 6)^2$	$(-6, 0)$	1	(Positive) Up	X	Vertical
$x + 1 = -6(y + 10)^2$	$(-1, -10)$	$-\frac{1}{24}$	(Negative) Left	Y	Horizontal
$y = \frac{3}{4}(x - 9)^2$	$(9, 0)$	$\frac{1}{3}$	(Positive) Up	X	Vertical

Georgia Department of Education
Georgia Standards of Excellence Framework
Accelerated GSE Pre-Calculus • Unit 6

1. In each of the following problems, list the coordinates of the vertex, the coordinates of the focus, the equation of the directrix, and graph the parabola.

a. $(y - 3)^2 = -12(x + 2)$




Solution:

Vertex: (-2, 3)

Focus: (-5, 3)

Directrix: x = 1

b. $y = -\frac{1}{8}(x - 1)^2$



Solution:

Vertex: (1, 0)

Focus: (1, -2)


Directrix: y = 2

Remind students that $\frac{1}{4p}$ is on the side with the squared term.

Georgia Department of Education
Georgia Standards of Excellence Framework
Accelerated GSE Pre-Calculus • Unit 6

Solution:

c. $x = (y - 4)^2$




Vertex: (0, 4)

Focus: (0.25, 4)

Directrix: x = -0.25

Solution:

d. $(x + 1)^2 = 2(y + 3)$



Vertex: (-1, -3)

Focus: (-1, -2.5)

Directrix: y = -3.5

PARABOLAS IN OTHER DIRECTIONS

Standard Addressed in this Task

MGSE9-12.G.GPE.2 Derive the equation of a parabola given a focus and directrix.

Standards for Mathematical Practice

2. Reason abstractly and quantitatively by requiring students to make sense of quantities and their relationships to one another in problem situations.

3. Construct viable arguments and critique the reasoning of others by engaging students on discussion of why they agree or disagree with responses, decide whether they make sense, and ask useful questions to clarify or improve the arguments.

7. Look for and make use of structure by expecting students to apply rules, look for patterns and analyze structure.

8. Look for and express regularity in repeated reasoning by expecting students to understand broader applications and look for structure and general methods in similar situations.

When we studied quadratic functions in the last unit, we used only parabolas that opened up or down. When we use a geometric definition of parabolas, we also can write equations for parabolas that open right or left.

Consider the parabola $y = \frac{1}{4}x^2$. When we compare it to our general form equation, we see that:

$$\begin{aligned}\frac{1}{4p} &= \frac{1}{4} \\ 4p &= 4 \\ p &= 1\end{aligned}$$

Because p is positive, we know that the parabola is going to open in a positive direction. If p had been negative, it would have opened in a negative direction.

We also know from our work with quadratics, that the x^2 term represents a parabola that opens in a vertical direction.

The general form for a horizontal parabola is $x - h = \frac{1}{4p}(y - k)^2$. When we compare the parabola $x - 2 = -2(y + 1)^2$, we see that:

Georgia Department of Education
 Georgia Standards of Excellence Framework
 Accelerated GSE Pre-Calculus • Unit 6

$$\frac{1}{4p} = -2$$

$$-8p = 1$$

$$p = -\frac{1}{8}$$

Because p is negative, we know that the parabola opens in a negative direction. Also notice that the vertex is $(2, -1)$.



Complete the following chart:

Equation	Vertex	P=	Opens	Squared Variable?	Horizontal or Vertical?
$x + 4 = 16(y - 3)^2$	$(-4, 3)$	$\frac{1}{64}$	(Positive) Right	Y	Horizontal
$y = \frac{1}{4}(x + 6)^2$					
$x + 1 = -6(y + 10)^2$					
$y = \frac{3}{4}(x - 9)^2$					

1. In each of the following problems, list the coordinates of the vertex, the coordinates of the focus, the equation of the directrix, and graph the parabola.

a. $(y - 3)^2 = -12(x + 2)$

b. $y = -\frac{1}{8}(x - 1)^2$



Vertex: _____

Vertex: _____

Focus: _____


Focus: _____

Directrix: _____

Directrix: _____

Georgia Department of Education
Georgia Standards of Excellence Framework
Accelerated GSE Pre-Calculus • Unit 6

c. $x = (y - 4)^2$




Vertex: _____

Focus: _____

Directrix: _____

d. $(x + 1)^2 = 2(y + 3)$




Vertex: _____

Focus: _____

Directrix: _____

Summary of Parabola Information



$$Ax^2 + By^2 + Cx + Dy + E = 0$$

where $A = 0$ or $B = 0$ but not both $= 0$

vertex at (h, k)

Horizontal Directrix

$$y - k = \frac{1}{4p}(x - h)^2$$

Vertical Directrix

$$x - h = \frac{1}{4p}(y - k)^2$$

Writing the Equations of Parabolas

Standard Addressed in this Task

MGSE9-12.G.GPE.2 Derive the equation of a parabola given a focus and directrix.

Standards for Mathematical Practice

2. Reason abstractly and quantitatively by requiring students to make sense of quantities and their relationships to one another in problem situations.

3. Construct viable arguments and critique the reasoning of others by engaging students on discussion of why they agree or disagree with responses, decide whether they make sense, and ask useful questions to clarify or improve the arguments.

7. Look for and make use of structure by expecting students to apply rules, look for patterns and analyze structure.

8. Look for and express regularity in repeated reasoning by expecting students to understand broader applications and look for structure and general methods in similar situations.

Common Student Misconceptions

1. Because new vocabulary is being introduced in this cluster, remembering the names of the conic sections can be problematic for some students.
2. The Euclidean distance formula involves squared, subscripted variables whose differences are added. The notation and multiplicity of steps can be a serious stumbling block for some students.
3. The method of completing the square is a multi-step process that takes time to assimilate.
4. A geometric demonstration of completing the square can be helpful in promoting conceptual understanding

Teacher Note:

This learning task is meant only as an introduction. Students should have the opportunity to practice more problems like this at home and in class. Students should be making connections between the graph of a parabola, the parts of a parabola and the equation of a parabola.

In this task, you will be writing the equations of a parabola given certain information about it.

First, here is something to think about:

1. What relationship does the vertex have with the focus and directrix?

Solution:

The vertex is the midpoint between the focus and the directrix.

Georgia Department of Education
Georgia Standards of Excellence Framework
Accelerated GSE Pre-Calculus • Unit 6

Example: Write the equation of the parabola with focus (3, 5), and directrix $y = -1$.

Solution: First off, we know that this is a vertical parabola because the directrix is a horizontal line. This means we will be writing our equation in the form of $y - k = \frac{1}{4p}(x - h)^2$. Now we can find the vertex. It is the midpoint between the focus and the point directly below it on the directrix. In this case, it is (3, -1). So the midpoint is:

$$\left(\frac{x_1 + x_2}{2}, \frac{y_1 + y_2}{2} \right) = \left(\frac{3 + 3}{2}, \frac{5 + (-1)}{2} \right) = (3, 2)$$

The final step is to find the value for p . This is simply the distance from the focus to the vertex. From (3, 5) to (3, 2) the distance is 3 and we keep it positive because the parabola is opening up. Now we write the equation.

$$y - 2 = \frac{1}{4(3)}(x - 3)^2$$

$$y - 2 = \frac{1}{12}(x - 3)^2$$

Remember, p is the distance from the vertex to the focus. It also determines which direction the parabola will open.

For the following information, write the equation for the parabola in standard form.

2. Focus: (2, -5); Directrix: $x = -2$ **Solution:** $x = \frac{1}{8}(y + 4)^2$

3. Vertex: (5, -3); Focus: (0, -3) **Solution:** $x - 5 = -\frac{1}{20}(y + 3)^2$

4. Focus: (1.5, -4); Vertex: (1, -4) **Solution:** $x - 1 = \frac{1}{2}(y + 4)^2$

5. Focus: (2, -4.5); Directrix: $y = -5.5$ **Solution:** $y + 5 = \frac{1}{2}(x - 2)^2$

WRITING THE EQUATIONS OF PARABOLAS

Standard Addressed in this Task

MGSE9-12.G.GPE.2 Derive the equation of a parabola given a focus and directrix.

Standards for Mathematical Practice

2. Reason abstractly and quantitatively by requiring students to make sense of quantities and their relationships to one another in problem situations.

3. Construct viable arguments and critique the reasoning of others by engaging students on discussion of why they agree or disagree with responses, decide whether they make sense, and ask useful questions to clarify or improve the arguments.

7. Look for and make use of structure by expecting students to apply rules, look for patterns and analyze structure.

8. Look for and express regularity in repeated reasoning by expecting students to understand broader applications and look for structure and general methods in similar situations.

In this task, you will be writing the equations of a parabola given certain information about it. First, here is something to think about:

1. What relationship does the vertex have with the focus and directrix?

Example: Write the equation of the parabola with focus (3, 5), and directrix $y = -1$.

Solution: First off, we know that this is a vertical parabola because the directrix is a horizontal line. This means we will be writing our equation in the form of $y - k = \frac{1}{4p}(x - h)^2$. Now we can find the vertex. It is the midpoint between the focus and the point directly below it on the directrix. In this case, it is (3, -1). So the midpoint is:

$$\left(\frac{x_1 + x_2}{2}, \frac{y_1 + y_2}{2} \right) = \left(\frac{3 + 3}{2}, \frac{5 + (-1)}{2} \right) = (3, 2)$$

The final step is to find the value for p . This is simply the distance from the focus to the vertex. From (3, 5) to (3, 2) the distance is 3 and we keep it positive because the parabola is opening up.

Now we write the equation.

Georgia Department of Education
Georgia Standards of Excellence Framework
Accelerated GSE Pre-Calculus • Unit 6

$$y - 2 = \frac{1}{4(3)}(x - 3)^2$$

$$y - 2 = \frac{1}{12}(x - 3)^2$$

Remember, p is the distance from the vertex to the focus. It also determines which direction the parabola will open. For the following information, write the equation for the parabola in standard form.

2. Focus: (2, -5) ; Directrix: $x = -2$
3. Vertex: (5, -3); Focus: (0, -3)
4. Focus: (1.5, -4); Vertex: (1, -4)
5. Focus: (2, -4.5); Directrix: $y = -5.5$

The Intersection of a Line and a Quadratic

Standard Addressed in this Task

MGSE9-12.A.REI.7 Solve a simple system consisting of a linear equation and a quadratic equation in two variables algebraically and graphically. *For example, find the points of intersection between the line $y = -3x$ and the circle $x^2 + y^2 = 3$.*

Standards for Mathematical Practice

- 2. Reason abstractly and quantitatively** by requiring students to make sense of quantities and their relationships to one another in problem situations.
- 4. Model with mathematics** by expecting students to apply the mathematics concepts they know in order to solve problems arising in everyday situations, and reflect on whether the results are sensible for the given scenario.
- 5. Use appropriate tools strategically** by expecting students to consider available tools when solving a mathematical problem. These tools might include pencil and paper, concrete models, a ruler, a protractor, a compass, a calculator, software, etc.
- 6. Attend to precision** by requiring students to calculate efficiently and accurately; and to communicate precisely with others by using clear mathematical language to discuss their reasoning.
- 7. Look for and make use of structure** by expecting students to apply rules, look for patterns and analyze structure.
- 8. Look for and express regularity in repeated reasoning** by expecting students to understand broader applications and look for structure and general methods in similar situations.


Common Student Misconception

Most mistakes that students make are careless rather than conceptual. Teachers should encourage students to learn a certain format for solving systems of equations and check the answers by substituting into all equations in the system. Some students believe that matrices are independent of other areas of mathematics

Using this circle, graph the given lines, estimate the intersection points and then check your estimates by solving algebraically.

This activity is meant to be a performance task. Discovery/Direct Instruction should have already occurred and the student is ready to be assessed. Emphasize the connection between the graphical representation and the algebraic representation. This fits in well with the rest of the unit because you are finding the intersection point, the point where the two lines are equal. (Think deriving the formula for a parabola task)

Georgia Department of Education
 Georgia Standards of Excellence Framework
 Accelerated GSE Pre-Calculus • Unit 6



Teacher notes: Note that the equation for the circle used in this task is $(x-3)^2 + (y-3)^2 = 25$

1. $y = -2$ 2. $x = 3$ 3. $y = x + 5$ 4. $2x + y = 7$

Solution: (3, -2) (3, -2) and (3, 8) (3, 8) and (-2, 3) (0, 7) and (4.4, -1.8)

5. $y = \frac{3}{4}x - 3$ 6. $2x + 3y = 18$

Solution: (8, 3) and (1.6, -1.8) (7.564, 0.957) and (-0.641, 6.427)

THE INTERSECTION OF A LINE AND A QUADRATIC

Standard Addressed in this Task


MGSE9-12.A.REI.7 Solve a simple system consisting of a linear equation and a quadratic equation in two variables algebraically and graphically. *For example, find the points of intersection between the line $y = -3x$ and the circle $x^2 + y^2 = 3$.*

Standards for Mathematical Practice

- 2. Reason abstractly and quantitatively** by requiring students to make sense of quantities and their relationships to one another in problem situations.
- 4. Model with mathematics** by expecting students to apply the mathematics concepts they know in order to solve problems arising in everyday situations, and reflect on whether the results are sensible for the given scenario.
- 5. Use appropriate tools strategically** by expecting students to consider available tools when solving a mathematical problem. These tools might include pencil and paper, concrete models, a ruler, a protractor, a compass, a calculator, software, etc.
- 6. Attend to precision** by requiring students to calculate efficiently and accurately; and to communicate precisely with others by using clear mathematical language to discuss their reasoning.
- 7. Look for and make use of structure** by expecting students to apply rules, look for patterns and analyze structure.
- 8. Look for and express regularity in repeated reasoning** by expecting students to understand broader applications and look for structure and general methods in similar situations.

Georgia Department of Education
Georgia Standards of Excellence Framework
Accelerated GSE Pre-Calculus • Unit 6

Using this circle, graph the given lines, estimate the intersection points and then check your estimates by solving algebraically.



Georgia Department of Education
Georgia Standards of Excellence Framework
Accelerated GSE Pre-Calculus • Unit 6

1. $y = -2$

2. $x = 3$

3. $y = x + 5$

4. $2x + y = 7$

5. $y = \frac{3}{4}x - 3$

6. $2x + 3y = 18$

A Conic Application

Translate between the geometric description and the equation for a conic section.

MGSE9-12.G.GPE.3 Derive the equations of ellipses and hyperbolas given the foci, using the fact that the sum or difference of distances from the foci is constant.

Introduction

This short performance task is designed to have students apply what they know about ellipses to a realistic situation. Usually, conic sections are not presented as a system of inequalities serving as geometric constraints, nor is area often applied to these planar graphs. This problem uses both of those ideas in the problem-solving process.


A Conic Application

Suppose that you are Chief Mathematician for the Swindle & Rob Construction Company. Your company has a contract to build a football stadium in the form of two concentric ellipses, with the field inside the inner ellipse, and seats between the two ellipses. The seats are in the intersection of the graphs of

$$x^2 + 4y^2 \geq 100 \text{ and } 25x^2 + 36y^2 \leq 3600$$

where each unit on the graph represents 10 meters.

(a) Draw a graph of the seating area.



(b) In your research, you find that the area of an elliptical region is πab , where a and b are half the lengths of the major and minor axes, respectively. The Engineering Department estimates that each seat occupies 0.8 square meter. What is the seating capacity of the stadium?

27,489 seats


A Conic Application

Suppose that you are Chief Mathematician for the Swindle & Rob Construction Company. Your company has a contract to build a football stadium in the form of two concentric ellipses, with the field inside the inner ellipse, and seats between the two ellipses. The seats are in the intersection of the graphs of

$$x^2 + 4y^2 \geq 100 \text{ and } 25x^2 + 36y^2 \leq 3600$$

where each unit on the graph represents 10 meters.

(a) Draw a graph of the seating area.



(b) In your research, you find that the area of an elliptical region is πab , where a and b are half the lengths of the major and minor axes, respectively. The Engineering Department estimates that each seat occupies 0.8 square meter. What is the seating capacity of the stadium?

Culminating Task: Dr. Cone's New House

Standard Addressed in this Task

MGSE9-12.G.GPE.2 Derive the equation of a parabola given a focus and directrix.

Standards for Mathematical Practice

2. Reason abstractly and quantitatively by requiring students to make sense of quantities and their relationships to one another in problem situations.

3. Construct viable arguments and critique the reasoning of others by engaging students on discussion of why they agree or disagree with responses, decide whether they make sense, and ask useful questions to clarify or improve the arguments.

7. Look for and make use of structure by expecting students to apply rules, look for patterns and analyze structure.

8. Look for and express regularity in repeated reasoning by expecting students to understand broader applications and look for structure and general methods in similar situations.

Teacher Notes:

This performance task is designed to apply students' understanding of equations of parabolas and circles. While completing this task, students should take care to write the equations and fit the graphs in the required specifications. This is a great time to revisit parts of a parabola, as the x -intercepts are likely to be where the doorframes are. Scale will be an important aspect of this task. There are many possible designs for the entry way.

A local mathematician, Dr. Cone, has hired your architecture firm to design his new house. Because your boss knows you are in Pre-Calculus, he has put you in charge of the design for the entrance of the house. The mathematician has given some very unconventional requests for the design of the entrance:

- He wants two doors, both shaped like parabolas.
- He wants at least two windows, both shaped like circles.

You also know the following information:

- The dimensions of the front entrance way are 18 feet long and 10 feet tall.
- A local window and door manufacturer can produce any shape window or door, given an equation for the shape.

Georgia Department of Education
Georgia Standards of Excellence Framework
Accelerated GSE Pre-Calculus • Unit 6

State and Local guidelines also state:

- All entryways to residential property must be greater than or equal to 7 feet in height.

Using a piece of graph paper, draw a design for the entry way of the house. Be sure to label all important points for the builder. Include a “Specifications Sheet” that includes equations of the figures for the window and door manufacturer.

Teacher Notes:

Once students have completed their plans, hand them the information below. This will give them a chance to prove algebraically that the box will or will not fit in the door.

Dr. Cone has come to you after seeing your design and expresses a concern. He has just ordered a new transmogrifer and he is worried that it will not fit in the front door. The transmogrifer ships in a box that is $3' \times 3' \times 9'$. According to your design, will the box fit in one of your doors?

CULMINATING TASK: DR. CONE’S NEW HOUSE

Standard Addressed in this Task

MGSE9-12.G.GPE.2 Derive the equation of a parabola given a focus and directrix.

Standards for Mathematical Practice

2. Reason abstractly and quantitatively by requiring students to make sense of quantities and their relationships to one another in problem situations.

3. Construct viable arguments and critique the reasoning of others by engaging students on discussion of why they agree or disagree with responses, decide whether they make sense, and ask useful questions to clarify or improve the arguments.

7. Look for and make use of structure by expecting students to apply rules, look for patterns and analyze structure.

8. Look for and express regularity in repeated reasoning by expecting students to understand broader applications and look for structure and general methods in similar situations.

A local mathematician, Dr. Cone, has hired your architecture firm to design his new house. Because your boss knows you are in Pre-Calculus, he has put you in charge of the design for the entrance of the house. The mathematician has given some very unconventional requests for the design of the entrance:

- He wants two doors, both shaped like parabolas.
- He wants at least two windows, both shaped like circles.

You also know the following information:

- The dimensions of the front entrance way are 18 feet long and 10 feet tall.
- A local window and door manufacturer can produce any shape window or door, given an equation for the shape.

State and Local guidelines also state:

- All entryways to residential property must be greater than or equal to 7 feet in height.

Using a piece of graph paper, draw a design for the entry way of the house. Be sure to label all important points for the builder. Include a “Specifications Sheet” that includes equations of the figures for the window and door manufacturer.

Georgia Department of Education
Georgia Standards of Excellence Framework
Accelerated GSE Pre-Calculus • Unit 6

Dr. Cone has come to you after seeing your design and expresses a concern. He has just ordered a new transmogrifer and he is worried that it will not fit in the front door. The transmogrifer ships in a box that is $3' \times 3' \times 9'$. According to your design, will the box fit in one of your doors?