

Georgia Standards of Excellence Curriculum Map

Mathematics

GSE Pre-Calculus



Georgia Department of Education

Richard Woods, Georgia's School Superintendent "Educating Georgia's Future"

These materials are for nonprofit educational purposes only. Any other use may constitute copyright infringement.

GSE Pre-Calculus Curriculum Map							
1 st Semester			2 nd Semester				
Unit 1	Unit 2	Unit 3	Unit 4	Unit 5	Unit 6	Unit 7	Unit 8
Introduction to Trigonometric Functions (4 – 5 weeks) MGSE9-12.F.IF.4 MGSE9-12.F.IF.7 MGSE9-12.F.IF.7e MGSE9-12.F.TF.1 MGSE9-12.F.TF.2 MGSE9-12.F.TF.5 MGSE9-12.F.TF.8	Trigonometric Functions (4 – 5 weeks) MGSE9-12.F.BF.4 MGSE9-12.F.BF.4d MGSE9-12.F.TF.3 MGSE9-12.F.TF.4 MGSE9-12.F.TF.6 MGSE9-12.F.TF.7	Trigonometry of General Triangles (3 – 4 weeks) MGSE.9-12.G.SRT.9 MGSE.9-12.G.SRT.10 MGSE.9-12.G.SRT.11	Trigonometric <u>Identities</u> (3 – 4 weeks) MGSE9-12.F.TF.9	<u>Matrices</u> (3 – 4 weeks) MGSE9-12.N.VM.6 MGSE9-12.N.VM.7 MGSE9-12.N.VM.8 MGSE9-12.N.VM.9 MGSE9-12.N.VM.10 MGSE9-12.N.VM.12 MGSE9-12.A.REI.8 MGSE9-12.A.REI.9	Conics (3 – 4 weeks) MGSE9-12.G.GPE.2 MGSE9-12.G.GPE.3 MGSE9-12.A.REI.7	<u>Vectors</u> (4 – 5 weeks) MGSE9-12.N.CN.3 MGSE9-12.N.CN.4 MGSE9-12.N.CN.5 MGSE9-12.N.CN.6 MGSE9-12.N.VM.1 MGSE9-12.N.VM.2 MGSE9-12.N.VM4 MGSE9-12.N.VM4 MGSE9-12.N.VM4c MGSE9-12.N.VM4c MGSE9-12.N.VM.5 MGSE9-12.N.VM.5a MGSE9-12.N.VM.5b MGSE9-12.N.VM.5b	Probability (4 – 5 weeks) MGSE9-12.S.CP.8 MGSE9-12.S.CP.9 MGSE9-12.S.MD.1 MGSE9-12.S.MD.2 MGSE9-12.S.MD.3 MGSE9-12.S.MD.5 MGSE9-12.S.MD.5a MGSE9-12.S.MD.5b MGSE9-12.S.MD.6 MGSE9-12.S.MD.7
These units were written to build upon concepts from prior units, so later units contain tasks that depend upon the concepts addressed in earlier units.							

All units will include the Mathematical Practices and indicate skills to maintain.

NOTE: Mathematical standards are interwoven and should be addressed throughout the year in as many different units and tasks as possible in order to stress the natural connections that exist among mathematical topics. Grade 9-12 Key:

Number and Quantity Strand: RN = The Real Number System, Q = Quantities, CN = Complex Number System, VM = Vector and Matrix Quantities

Algebra Strand: SSE = Seeing Structure in Expressions, APR = Arithmetic with Polynomial and Rational Expressions, CED = Creating Equations, REI = Reasoning with Equations and Inequalities

Functions Strand: IF = Interpreting Functions, LE = Linear and Exponential Models, BF = Building Functions, TF = Trigonometric Functions

Geometry Strand: CO = Congruence, SRT = Similarity, Right Triangles, and Trigonometry, C = Circles, GPE = Expressing Geometric Properties with Equations, GMD = Geometric Measurement and Dimension, MG = Modeling with Geometry

Statistics and Probability Strand: ID = Interpreting Categorical and Quantitative Data, IC = Making Inferences and Justifying Conclusions, CP = Conditional Probability and the Rules of Probability, MD = Using Probability to Make Decisions

Georgia Standards of Excellence Pre-Calculus Curriculum Map Rationale

<u>Unit 1</u>: Students will use the unit circle to extend the domain of trigonometric functions to include all real numbers. Students will develop understanding of the radian measure of an angle, graph trigonometric functions, and derive and apply the Pythagorean identity.

<u>Unit 2</u>: Building on standards from Unit 1, students extend their study of the unit circle and trigonometric functions. Students will create inverses of trigonometric functions and use the inverse functions to solve trigonometric equations that arise in real-world problems.

<u>Unit 3</u>: Building on standards from Unit 1 and Unit 2, students will apply trigonometry to general triangles. Students will derive the trigonometric formula for the area of a triangle and prove and use the Laws of Sines and Cosines to solve problems.

<u>Unit 4</u>: Building on standards from the first three units, students will prove and use addition, subtraction, double, and half-angle formulas to solve problems.

<u>Unit 5</u>: Students will perform operations on matrices, use matrices in applications, and use matrices to represent and solve systems of equations.

Unit 6: Building on standards from previous courses, students will derive the equations of conic sections (parabolas, ellipses, and hyperbolas). Students will solve systems of a linear and quadratic equation in two variables.

<u>Unit 7</u>: Students will extend their understanding of complex numbers and their operations through graphical representations. Students will perform operations on vectors and use the operations to represent various quantities.

<u>Unit 8</u>: Students will extend their study of probability by computing and interpreting probabilities of compound events. Students will calculate expected values and use them to solve problems and make informed decisions.

GSE Pre-Calculus Expanded Curriculum Map – 1 st Semester				
	Standards for Ma	thematical Practice		
1 Make sense of problems and persevere in solv	ing them.	5 Use appropriate tools strategically.		
2 Reason abstractly and quantitatively.		6 Attend to precision.		
3 Construct viable arguments and critique the re	asoning of others.	7 Look for and make use of structure.		
4 Model with mathematics.	C	8 Look for and express regularity in repeated rea	asoning.	
	1 st Se	mester		
Unit 1	Unit 2	Unit 3	Unit 4	
Introduction to Trigonometric	Trigonometric Functions	Trigonometry of General Triangles	Trigonometric Identities	
Functions				
Interpret functions that arise in	Build new functions from existing functions	Apply trigonometry to general triangles	Prove and apply trigonometric identities	
applications in terms of the context	MGSE9-12.F.BF.4 Find inverse functions.	MGSE9-12.G.SRT.9 Derive the formula	MGSE9-12.F.TF.9 Prove addition.	
MGSE9-12.F.IF.4 Using tables, graphs, and	MGSE9-12.F.BF.4d Produce an invertible	A = (1/2)ab sin(C) for the area of a triangle by	subtraction, double and half-angle formulas	
verbal descriptions, interpret the key	function from a non-invertible function by	drawing an auxiliary line from a vertex	for sine, cosine, and tangent and use them to	
characteristics of a function which models the	restricting the domain.	perpendicular to the opposite side	solve problems.	
relationship between two quantities. Sketch a	MGSE9-12.F.TF.3 Use special triangles to	MGSE9-12.G.SRT.10 Prove the Laws of		
graph showing key features including:	determine geometrically the values of sine.	Sines and Cosines and use them to solve		
intercepts: interval where the function is	cosine, tangent for $\pi/3$, $\pi/4$ and $\pi/6$, and use	problems.		
increasing, decreasing, positive, or negative:	the unit circle to express the values of sine.	MGSE9-12.G.SRT.11 Understand and apply		
relative maximums and minimums:	cosine, and tangent for π - x, π + x, and 2π - x	the Law of Sines and the Law of Cosines to		
symmetries: end behavior: and periodicity.	in terms of their values for x, where x is any	find unknown measurements in right and non-		
Analyze functions using different	real number.	right triangles (e.g., surveying problems,		
representations	MGSE9-12.F.TF.4 Use the unit circle to	resultant forces).		
MGSE9-12.F.IF.7 Graph functions expressed	explain symmetry (odd and even) and			
algebraically and show key features of the	periodicity of trigonometric functions.			
graph both by hand and by using technology.	MGSE9-12.F.TF.6 Understand that			
MGSE9-12.F.IF.7e Graph exponential and	restricting a trigonometric function to a			
logarithmic functions, showing intercepts and	domain on which it is always increasing or			
end behavior, and trigonometric functions,	always decreasing allows its inverse to be			
showing period, midline, and amplitude.	constructed.			
Extend the domain of trigonometric	MGSE9-12.F.TF.7 Use inverse functions to			
functions using the unit circle	solve trigonometric equations that arise in			
MGSE9-12.F.TF.1 Understand radian	modeling contexts; evaluate the solutions			
measure of an angle as the length of the arc on	using technology, and interpret them in terms			
the unit circle subtended by the angle.	of the context.			
MGSE9-12.F.TF.2 Explain how the unit				
circle in the coordinate plane enables the				
extension of trigonometric functions to all real				
numbers, interpreted as radian measures of				
angles traversed counterclockwise around the				
unit circle.				
Model periodic phenomena with				
trigonometric functions MCSE9-12 F TE 5 Choose trigonometric				
functions to model periodic phenomena with				
specified amplitude, frequency, and midline.				

Prove and apply trigonometric identities		
MGSE9-12.F.TF.8 Prove the Pythagorean		
identity $(\sin A)^2 + (\cos A)^2 = 1$ and use it to		
find sin A, cos A, or tan A, given sin A, cos A,		
or tan A, and the quadrant of the angle.		

GSE Pre-Calculus Expanded Curriculum Map – 2 nd Semester					
Standards for Mathematical Practice					
 Make sense of problems and persevere in solv Reason abstractly and quantitatively. Construct viable arguments and critique the red Model with mathematics. 	ving them. easoning of others.	 5 Use appropriate tools strategically. 6 Attend to precision. 7 Look for and make use of structure. 8 Look for and express regularity in repeated reasoning. 			
2 nd Semester					
Unit 5	Unit 5 Unit 6		Unit 8		
Matrices	Conics	Vectors	Probability		
Perform operations on matrices and use	Translate between the geometric	Use properties of rational and irrational	Use the rules of probability to compute		
 matrices in applications MGSE9-12.N.VM.6 Use matrices to represent and manipulate data, e.g., transformations of vectors. MGSE9-12.N.VM.7 Multiply matrices by scalars to produce new matrices. MGSE9-12.N.VM.8 Add, subtract, and multiply matrices of appropriate dimensions. MGSE9-12.N.VM.9 Understand that, unlike multiplication of numbers, matrix multiplication for square matrices is not a commutative operation, but still satisfies the associative and distributive properties. MGSE9-12.N.VM.10 Understand that the zero and identity matrices play a role in matrix addition and multiplication similar to the role of 0 and 1 in the real numbers. The determinant of a square matrix is nonzero if and only if the matrix has a multiplicative inverse. MGSE9-12.N.VM.12 Work with 2 X 2 matrices as transformations of the plane, and interpret the absolute value of the determinant in terms of area. Solve systems of equations MGSE9-12.A.REI.8 Represent a system of linear equations as a single matrix equation in a vector variable MGSE9-12.A.REI.9 Find the inverse of a matrix if it exists and use it to solve systems of linear equations (using technology for matrices of dimension 3 × 3 or greater). 	description and the equation for a conic section MGSE9-12.G.GPE.2 Derive the equation of a parabola given a focus and directrix. MGSE9-12.G.GPE.3 Derive the equations of ellipses and hyperbolas given the foci, using the fact that the sum or difference of distances from the foci is constant. Solve systems of equations MGSE9-12.A.REI.7 Solve a simple system consisting of a linear equation and a quadratic equation in two variables algebraically and graphically. For example, find the points of intersection between the line $y = -3x$ and the circle $x^2 + y^2 = 3$.	numbers. MGSE9-12.N.CN.3 Find the conjugate of a complex number; use the conjugate to find the absolute value (modulus) and quotient of complex numbers. Represent complex numbers and their operations on the complex plane MGSE9-12.N.CN.4 Represent complex numbers on the complex plane in rectangular and polar form (including real and imaginary numbers), and explain why the rectangular and polar forms of a given complex number represent the same number. MGSE9-12.N.CN.5 Represent addition, subtraction, multiplication, and conjugation of complex numbers geometrically on the complex plane; use properties of this representation for computation. <i>For example</i> , $(-1 + \sqrt{3}i)^3 = 8$ because $(-1 + \sqrt{3}i)$ has modulus 2 and argument 120°. MGSE9-12.N.CN.6 Calculate the distance between numbers in the complex plane as the modulus of the difference, and the midpoint of a segment as the average of the numbers at its endpoints. Represent and model with vector quantities MGSE9-12.N.VM.1 Recognize vector quantities by directed line segments, and use appropriate symbols for vectors and their magnitudes (e.g., v , $ v $, $ v $, v). MGSE9-12.N.VM.2 Find the components of a vector by subtracting the coordinates of a ninitial point from the coordinates of a terminal point. MGSE9-12.N.VM.3 Solva probleme	probabilities of compound events in a uniform probability model MGSE9-12.S.CP.8 Apply the general Multiplication Rule in a uniform probability model, P(A and B) = [P(A)]x[P(B A)] =[P(B)]x[P(A B)], and interpret the answer in terms of the model. MGSE9-12.S.CP.9 Use permutations and combinations to compute probabilities of compound events and solve problems. <u>Calculate expected values and use them to</u> solve problems MGSE9-12.S.MD.1 Define a random variable for a quantity of interest by assigning a numerical value to each event in a sample space; graph the corresponding probability distribution using the same graphical displays as for data distributions. MGSE9-12.S.MD.2 Calculate the expected value of a random variable; interpret it as the mean of the probability distribution. MGSE9-12.S.MD.3 Develop a probability distribution for a random variable defined for a sample space in which theoretical probabilities can be calculated; find the expected value. For example, find the theoretical probability distribution for the number of correct answers obtained by guessing on all five questions of a multiple- choice test where each question has four choices, and find the expected grade under various grading schemes. MGSE9-12.S.MD.4 Develop a probability distribution for a random variable defined for a sample space in which probability distribution for the number of correct answers obtained by guessing on all five question for a multiple- choice test where each question has four choices, and find the expected grade under various grading schemes. MGSE9-12.S.MD.4 Develop a probability distribution for a random variable defined for a sample space in which probabilities are assigned empirically; find the expected value. Even example, find the expected value.		

<u> </u>		
	involving velocity and other quantities that	on the number of TV sets per household in the
	can be represented by vectors.	United States, and calculate the expected
	Perform operations on vectors	number of sets per household. How many TV
	MGSE9-12.N.VM.4 Add and subtract	sets would you expect to find in 100 randomly
	vectors.	selected households?
	MGSE9-12.N.VM4a Add vectors end-to-end,	Use probability to evaluate outcomes of
	component-wise, and by the parallelogram	decisions
	rule. Understand that the magnitude of a sum	MGSE9-12.S.MD.5 Weigh the possible
	of two vectors is typically not the sum of the	outcomes of a decision by assigning
	magnitudes.	probabilities to payoff values and finding
	MGSE9-12.N.VM4b Given two vectors in	expected values.
	magnitude and direction form, determine the	MGSE9-12.S.MD.5a Find the expected
	magnitude and direction of their sum.	payoff for a game of chance. For example,
	MGSE9-12.N.VM4c Understand vector	find the expected winnings from a state lottery
	subtraction $v - w$ as $v + (-w)$, where $(-w)$ is	ticket or a game at a fast-food restaurant.
	the additive inverse of <i>w</i> , with the same	MGSE9-12.S.MD.5b Evaluate and compare
	magnitude as w and pointing in the opposite	strategies on the basis of expected values. For
	direction. Represent vector subtraction	example, compare a high-deductible versus a
	graphically by connecting the tips in the	low-deductible automobile insurance policy
	appropriate order, and perform vector	using various, but reasonable, chances of
	subtraction component-wise.	having a minor or a major accident.
	MGSE9-12.N.VM.5 Multiply a vector by a	MGSE9-12.S.MD.6 Use probabilities to make
	scalar.	fair decisions (e.g., drawing by lots, using a
	MGSE9-12.N.VM.5a Represent scalar	random number generator).
	multiplication graphically by scaling vectors	MGSE9-12.S.MD.7 Analyze decisions and
	and possibly reversing their direction; perform	strategies using probability concepts (e.g.,
	scalar multiplication component-wise, e.g., as	product testing, medical testing, pulling a
	$\mathbf{c}(\mathbf{v}_{\mathbf{x}},\mathbf{v}_{\mathbf{y}})=(\mathbf{c}\mathbf{v}_{\mathbf{x}},\mathbf{c}\mathbf{v}_{\mathbf{y}}).$	hockey goalie at the end of a game).
	MGSE9-12.N.VM.5b Compute the	
	magnitude of a scalar multiple cv using $ cv =$	
	c v. Compute the direction of cv knowing that	
	when $ \mathbf{c} \mathbf{v} = 0$, the direction of $\mathbf{c}\mathbf{v}$ is either	
	along v (for $c > 0$) or against v (for $c < 0$).	
	MGSE9-12.N.VM.11 Multiply a vector	
	(regarded as a matrix with one column) by a	
	matrix of suitable dimensions to produce	
	another vector. Work with matrices as	
	transformations of vectors.	